City of San Diego

CONTRACTOR'S NAME: American Asphalt South, Inc.	
ADDRESS: 14436 Santa Ana Avenue, Fontana, CA 92337-7141	
TELEPHONE NO.: 909-427-8276 FAX NO.:	
CITY CONTACT: Antoinette Sanfilippo, Contract Specialist, Email; ASanfilippo@sandlego.gov	
Phone No. (619) 533-3439. Fax No. (619) 533-3633	
M,Rahman / J,Boria / egz	

BIDDING DOCUMENTS





FOR

SLURRY SEAL GROUP 1801

BID NO.:	K-18-1687-DBB-3
SAP NO. (WBS/IO/CC):	21004235
CLIENT DEPARTMENT:	2116
COUNCIL DISTRICT:	1, 2, 5, 6
PROJECT TYPE:	ID

THIS CONTRACT WILL BE SUBJECT TO THE FOLLOWING:

- THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- PREVAILING WAGE RATES: STATE 🔀 FEDERAL 🗌
- APPRENTICESHIP

BID DUE DATE:

2:00 PM **OCTOBER 24, 2017 CITY OF SAN DIEGO PUBLIC WORKS CONTRACTS** 1010 SECOND AVENUE, 14th FLOOR, MS 614C SAN DIEGO, CA 92101

DEPUTY CITY ENGINEER

The engineering Specifications and Special Provisions contained herein have been prepared by or under the direction of the following Registered Engineer:

Registered Engineer For City Engineer Date

STERED PROFILESSON AND ENGINEER ENGINEE

TABLE OF CONTENTS

SEC	CTIC	N		PAGE
1.	NC	TICE IN	VITING BIDS	4
2.	INS	STRUCTI	ONS TO BIDDERS	6
3.	PE	RFORMA	ANCE AND PAYMENT BONDS	16
4.	AT	TACHME	ENTS:	
	A.	SCOPE	OF WORK	19
	В.	INTEN	TIONALLY LEFT BLANK	21
	C.	INTEN	TIONALLY LEFT BLANK	22
	D.	PREVA	ILING WAGES	23
	E.	SUPPL	EMENTARY SPECIAL PROVISIONS	27
		1.	Appendix A - Notice of Exemption	49
		2.	Appendix B - Fire Hydrant Meter Program	67
		3.	Appendix C - Materials Typically Accepted by Certificate of Compliance	81
		4.	Appendix D - Sample City Invoice and Spend Curve	83
		5.	Appendix E - Location Map	86
		6.	Appendix F - Project Location List	88
		7.	Appendix G - Sample of Public Notice	93
		8.	Appendix H - Advanced Metering Infrastructure (AMI) Device Protection	
	F.	INTEN	TIONALLY LEFT BLANK	102
	G.	CONTR	RACT AGREEMENT	103
5.	CEI	RTIFICA ⁻	TIONS AND FORMS	106

NOTICE INVITING BIDS

- **1. SUMMARY OF WORK:** This is the City of San Diego's (City) solicitation process to acquire Construction services for **Slurry Seal Group 1801.** For additional information refer to Attachment A.
- **2. FULL AND OPEN COMPETITION:** This contract is open to full competition and may be bid on by Contractors who are on the City's current Prequalified Contractors' List. For information regarding the Contractors Prequalified list visit the City's web site: http://www.sandiego.gov.
- **3. ESTIMATED CONSTRUCTION COST:** The City's estimated construction cost for this project is \$2,690,000.
- 4. BID DUE DATE AND TIME ARE: OCTOBER 24, 2017, at 2:00 PM.
- 5. PREVAILING WAGE RATES APPLY TO THIS CONTRACT: Refer to Attachment D.
- **6. LICENSE REQUIREMENT:** The City has determined that the following licensing classification(s) are required for this contract: **A, or C-12, or C-32**
- **7. SUBCONTRACTING PARTICIPATION PERCENTAGES**: Subcontracting participation percentages apply to this contract.
 - 7.1. The City has incorporated **mandatory** SLBE-ELBE subcontractor participation percentages to enhance competition and maximize subcontracting opportunities. For the purpose of achieving the mandatory subcontractor participation percentages, a recommended breakdown of the SLBE and ELBE subcontractor participation percentages based upon certified SLBE and ELBE firms has also been provided to achieve the mandatory subcontractor participation percentages:

3.	Total mandatory participation	15.1%
2.	ELBE participation	8.3%
1.	SLBE participation	6.8%

- **7.2.** The Bid may be declared non-responsive if the Bidder fails the meet the following requirements:
 - **7.2.1.** Include SLBE-ELBE certified subcontractors at the overall mandatory participation percentage identified in this document; **OR**
 - **7.2.2.** Submit Good Faith Effort documentation, saved in searchable Portable Document Format (PDF) and stored on Compact Disc (CD) or Digital Video Disc (DVD), demonstrating the Bidder made a good faith effort to outreach to and include SLBE-ELBE Subcontractors required in this document within 3 Working Days of the Bid opening if the overall mandatory participation percentage is not met.

8. AWARD PROCESS:

- **8.1.** The Award of this contract is contingent upon the Contractor's compliance with all conditions of Award as stated within these documents and within the Notice of Intent to Award.
- **8.2.** Upon acceptance of a Bid, the City will prepare contract documents for execution within approximately 21 days of the date of the Bid opening. The City will then award the Contract within approximately 14 days of receipt of properly signed Contract, bonds, and insurance documents.
- **8.3.** This contract will be deemed executed and effective only upon the signing of the Contract by the Mayor or his designee and approval as to form the City Attorney's Office.
- **8.4.** The low Bid will be determined by Base Bid alone.
- **8.5.** Once the low bid has been determined, the City may, at its sole discretion, award the contract for the Base bid alone.

9. SUBMISSION OF QUESTIONS:

9.1. The Director (or Designee) of Public Works Department is responsible for opening, examining, and evaluating the competitive Bids submitted to the City for the acquisition, construction and completion of any public improvement except when otherwise set forth in these documents. Any questions related to this solicitation shall be submitted to:

Public Works Contracts 1010 Second Avenue, 14th Floor San Diego, California, 92101 Attention: Antoinette Sanfilippo

OR:

ASanfilippo@sandiego.gov

- **9.2.** Questions received less than 14 days prior to the date for opening of Bids may not be considered.
- **9.3.** Questions or clarifications deemed by the City to be material shall be answered via issuance of an addendum and posted to the City's online bidding service.
- **9.4.** Only questions answered by formal written addenda shall be binding. Oral and other interpretations or clarifications shall be without legal effect. It is the Bidder's responsibility to be informed of any addenda that have been issued and to include all such information in its Bid.

INSTRUCTIONS TO BIDDERS

1. PREQUALIFICATION OF CONTRACTORS:

1.1. Contractors submitting a Bid must be pre-qualified for the total amount proposed, including all alternate items, prior to the date of submittal. Bids from contractors who have not been pre-qualified as applicable and Bids that exceed the maximum dollar amount at which contractors are pre-qualified may be deemed **non-responsive** and ineligible for award. Complete information and links to the on-line prequalification application are available at:

http://www.sandiego.gov/cip/bidopps/prequalification.shtml

- **1.2.** The completed application must be submitted online no later than 2 weeks prior to the bid opening. For additional information or the answer to questions about the prequalification program, contact David Stucky at 619-533-3474 or dstucky@sandiego.gov.
- **1.3.** Due to the City's responsibility to protect the confidentiality of the contractors' information, City staff will not be able to provide information regarding contractors' prequalification status over the telephone. Contractors may access real-time information about their prequalification status via their vendor profile on <u>PlanetBids</u>™.
- 2. ELECTRONIC FORMAT RECEIPT AND OPENING OF BIDS: Bids will be received in electronic format (eBids) EXCLUSIVELY at the City of San Diego's electronic bidding (eBidding) site, at: http://www.sandiego.gov/cip/bidopps/index.shtml and are due by the date, and time shown on the cover of this solicitation.
 - **2.1. BIDDERS MUST BE PRE-REGISTERED** with the City's bidding system and possess a system-assigned Digital ID in order to submit and electronic bid.
 - 2.2. The City's bidding system will automatically track information submitted to the site including IP addresses, browsers being used and the URLs from which information was submitted. In addition, the City's bidding system will keep a history of every login instance including the time of login, and other information about the user's computer configuration such as the operating system, browser type, version, and more. Because of these security features, Contractors who disable their browsers' cookies will not be able to log in and use the City's bidding system.
 - 2.3. The City's electronic bidding system is responsible for bid tabulations. Upon the bidder's or proposer's entry of their bid, the system will ensure that all required fields are entered. The system will not accept a bid for which any required information is missing. This includes all necessary pricing, subcontractor listing(s) and any other essential documentation and supporting materials and forms requested or contained in these solicitation documents.

- **2.4. BIDS REMAIN SEALED UNTIL BID DEADLINE.** eBids are transmitted into the City's bidding system via hypertext transfer protocol secure (https) mechanism using SSL 128-256 bit security certificates issued from Verisign/Thawte which encrypts data being transferred from client to server. Bids submitted prior to the "Bid Due Date and Time" are not available for review by anyone other than the submitter which has until the "Bid Due Date and Time" to change, rescind or retrieve its proposal should it desire to do so.
- 2.5. BIDS MUST BE SUBMITTED BY BID DUE DATE AND TIME. Once the bid deadline is reached, no further submissions are accepted into the system. Once the Bid Due Date and Time has lapsed, bidders, proposers, the general public, and City staff are able to immediately see the results on line. City staff may then begin reviewing the submissions for responsiveness, EOCP compliance and other issues. The City may require any Bidder to furnish statement of experience, financial responsibility, technical ability, equipment, and references.
- **2.6. RECAPITULATION OF THE WORK.** Bids shall not contain any recapitulation of the Work. Conditional Bids may be rejected as being non-responsive. Alternative proposals will not be considered unless called for.
- **2.7. BIDS MAY BE WITHDRAWN** by the Bidder only up to the bid due date and time.
 - 2.7.1. Important Note: Submission of the electronic bid into the system may not be instantaneous. Due to the speed and capabilities of the user's internet service provider (ISP), bandwidth, computer hardware and other variables, it may take time for the bidder's submission to upload and be received by the City's eBidding system. It is the bidder's sole responsibility to ensure their bids are received on time by the City's eBidding system. The City of San Diego is not responsible for bids that do not arrive by the required date and time.
- **2.8. ACCESSIBILITY AND AMERICANS WITH DISABILITIES ACT (ADA) COMPLIANCE:** To request a copy of this solicitation in an alternative format, contact the Public Works Contract Specialist listed on the cover of this solicitation at least five (5) working days prior to the Bid/Proposal due date to ensure availability.

3. ELECTRONIC BID SUBMISSIONS CARRY FULL FORCE AND EFFECT

- **3.1.** The bidder, by submitting its electronic bid, acknowledges that doing so carries the same force and full legal effect as a paper submission with a longhand (wet) signature.
- **3.2.** By submitting an electronic bid, the bidder certifies that the bidder has thoroughly examined and understands the entire Contract Documents (which consist of the plans and specifications, drawings, forms, affidavits and the solicitation documents), and that by submitting the eBid as its bid proposal, the bidder acknowledges, agrees to and is bound by the entire Contract Documents, including any addenda issued thereto, and incorporated by reference in the Contract Documents.

- **3.3.** The Bidder, by submitting its electronic bid, agrees to and certifies under penalty of perjury under the laws of the State of California, that the certification, forms and affidavits submitted as part of this bid are true and correct.
- 3.4. The Bidder agrees to the construction of the project as described in Attachment "A-Scope of Work" for the City of San Diego, in accordance with the requirements set forth herein for the electronically submitted prices. The Bidder guarantees the Contract Price for a period of 120 days (90 days for federally funded contracts and contracts valued at \$500,000 or less) from the date of Bid opening. The duration of the Contract Price guarantee shall be extended by the number of days required for the City to obtain all items necessary to fulfill all conditions precedent.
- 4. **BIDS ARE PUBLIC RECORDS:** Upon receipt by the City, Bids shall become public records subject to public disclosure. It is the responsibility of the respondent to clearly identify any confidential, proprietary, trade secret or otherwise legally privileged information contained within the Bid. General references to sections of the California Public Records Act (PRA) will not suffice. If the Contractor does not provide applicable case law that clearly establishes that the requested information is exempt from the disclosure requirements of the PRA, the City shall be free to release the information when required in accordance with the PRA, pursuant to any other applicable law, or by order of any court or government agency, and the Contractor will hold the City harmless for release of this information.

5. CONTRACTOR REGISTRATION AND ELECTRONIC REPORTING SYSTEM:

- **5.1. Prior** to the Award of the Contract or Task Order, you and your Subcontractors and Suppliers must register with the City's web-based vendor registration and bid management system. For additional information go to:
 - http://www.sandiego.gov/purchasing/bids-contracts/vendorreg.shtml.
- **5.2.** The City may not award the contract until registration of all subcontractors and suppliers is complete. In the event this requirement is not met within the time frame specified in the Notice of Intent to Award letter, the City reserves the right to rescind the Notice of Award / Intent to Award and to make the award to the next responsive and responsible bidder / proposer.
- **JOINT VENTURE CONTRACTORS:** Provide a copy of the Joint Venture agreement and the Joint Venture license to the City within 10 Working Days after receiving the Contract forms. See 7-6, "The Contractors Representative" in The GREENBOOK and 7-6.1 in The WHITEBOOK.
- 7. PREVAILING WAGE RATES WILL APPLY: Refer to Attachment D.
- **8. SUBCONTRACTING PARTICIPATION PERCENTAGES:** Subcontracting participation percentages apply to this contract. Refer to Attachment E.

9. INSURANCE REQUIREMENTS:

All certificates of insurance and endorsements required by the contract are to be provided upon issuance of the City's Notice of Intent to Award letter.

Refer to sections 7-3, "LIABILITY INSURANCE", and 7-4, "WORKERS' COMPENSATION INSURANCE" of the Supplementary Special Provisions (SSP) for the insurance requirements which must be met.

10. REFERENCE STANDARDS: Except as otherwise noted or specified, the Work shall be completed in accordance with the following standards:

Title	Edition	Document Number
Standard Specifications for Public Works Construction ("The GREENBOOK") http://www.greenbookspecs.org/	2015	PWPI070116-01
City of San Diego Standard Specifications for Public Works Construction ("The WHITEBOOK")* https://www.sandiego.gov/publicworks/edocref/greenbook		PWPI070116-02
City of San Diego Standard Drawings* https://www.sandiego.gov/publicworks/edocref/standarddraw		PWPI070116-03
Citywide Computer Aided Design and Drafting (CADD) Standards https://www.sandiego.gov/publicworks/edocref/drawings		PWPI092816-04
California Department of Transportation (CALTRANS) Standard Specifications – http://www.dot.ca.gov/des/oe/construction-contract-standards.html		PWPI092816-05
CALTRANS Standard Plans http://www.dot.ca.gov/des/oe/construction-contract-standards.html	2015	PWPI092816-06
California Manual on Uniform Traffic Control Devices Revision 1 (CA MUTCD Rev 1) - http://www.dot.ca.gov/trafficops/camutcd/	2014	PWPIO92816-07
NOTE: *Available online under Engineering Docur http://www.sandiego.gov/publicworks/edocref/i		

11. CITY'S RESPONSES AND ADDENDA: The City, at its discretion, may respond to any or all questions submitted in writing via the City's eBidding web site in the <u>form of an addendum</u>. No other responses to questions, oral or written shall be of any force or effect with respect to this solicitation. The changes to the Contract Documents through addenda are made effective as though originally issued with the Bid. The Bidders shall acknowledge the receipt of Addenda at the time of bid submission.

- 12. CITY'S RIGHTS RESERVED: The City reserves the right to cancel the Notice Inviting Bids at any time, and further reserves the right to reject submitted Bids, without giving any reason for such action, at its sole discretion and without liability. Costs incurred by the Bidder(s) as a result of preparing Bids under the Notice Inviting Bids shall be the sole responsibility of each bidder. The Notice Inviting Bids creates or imposes no obligation upon the City to enter a contract.
- 13. CONTRACT PRICING: This solicitation is for a Lump Sum contract with Unit Price provisions as set forth herein. The Bidder agrees to perform construction services for the City of San Diego in accordance with these contract documents for the prices listed below. The Bidder further agrees to guarantee the Contract Price for a period of 120 days from the date of Bid opening. The duration of the Contract Price guarantee may be extended, by mutual consent of the parties, by the number of days required for the City to obtain all items necessary to fulfill all contractual conditions.

14. SUBCONTRACTOR INFORMATION:

- 14.1. **LISTING OF SUBCONTRACTORS.** In accordance with the requirements provided in the "Subletting and Subcontracting Fair Practices Act" of the California Public Contract Code, the Bidder shall provide the NAME and ADDRESS of each Subcontractor who will perform work, labor, render services or who specially fabricates and installs a portion Itype of the work or improvement, in an amount in excess of 0.5% of the Contractor's total Bid. The Bidder shall also state within the description, whether the subcontractor is a CONSTRUCTOR, CONSULTANT or SUPPLIER. The Bidder shall further state within the description, the **PORTION** of the work which will be performed by each subcontractor under this Contract. The Contractor shall list only one Subcontractor for each portion of the Work. The **DOLLAR VALUE** of the total Bid to be performed shall be stated for all subcontractors listed. Failure to comply with this requirement may result in the Bid being rejected as **non-responsive** and ineligible for award. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3, "Subcontracts", which stipulates the percent of the Work to be performed with the Bidders' own forces. The Bidder shall list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors for which Bidders are seeking recognition towards achieving any mandatory, voluntary (or both) subcontracting participation goals.
- **14.2. LISTING OF SUPPLIERS.** Any Bidder seeking the recognition of Suppliers of equipment, materials, or supplies obtained from third party Suppliers towards achieving any mandatory or voluntary (or both) subcontracting participation goals shall provide, at a minimum, the NAME, LOCATION (CITY) and the DOLLAR VALUE of each supplier. The Bidder will be credited up to 60% of the amount to be paid to the Suppliers for materials and supplies unless vendor manufactures or substantially alters materials and supplies, in which case, 100% will be credited. The Bidder is to indicate within the description whether the listed firm is a supplier or manufacturer. If no indication is provided, the listed firm will be credited at 60% of the listed dollar value for purposes of calculating the Subcontractor Participation Percentage.

- **14.3. LISTING OF SUBCONTRACTORS OR SUPPLIERS FOR ALTERNATES.** For subcontractors or suppliers to be used on additive or deductive alternate items, in addition to the above requirements, bidder shall further note "ALTERNATE" and alternate item number within the description.
- **15. SUBMITTAL OF "OR EQUAL" ITEMS:** See Section 4-1.6, "Trade Names or Equals" in The WHITEBOOK and as amended in the SSP.

16. AWARD:

- **16.1.** The Award of this contract is contingent upon the Contractor's compliance with all conditions precedent to Award.
- **16.2.** Upon acceptance of a Bid, the City will prepare contract documents for execution within approximately 21 days of the date of the Bid opening and award the Contract approximately within 7 days of receipt of properly executed Contract, bonds, and insurance documents.
- **16.3.** This contract will be deemed executed and effective only upon the signing of the Contract by the Mayor or his designee and approval as to form the City Attorney's Office.
- 17. **SUBCONTRACT LIMITATIONS**: The Bidder's attention is directed to Standard Specifications for Public Works Construction, Section 2-3, "SUBCONTRACTS" in The GREENBOOK and as amended in the SSP which requires the Contractor to self-perform not less than the specified amount. Failure to comply with this requirement shall render the bid **non-responsive** and ineligible for award.
- **18. AVAILABILITY OF PLANS AND SPECIFICATIONS:** Contract Documents may be obtained by visiting the City's website: http://www.sandiego.gov/cip/. Plans and Specifications for this contract are also available for review in the office of the City Clerk or Public Works Contracts.
- 19. ONLY ONE BID PER CONTRACTOR SHALL BE ACCCEPTED: No person, firm, or corporation shall be allowed to make, file, or be interested in more than one (1) Bid for the same work unless alternate Bids are called for. A person, firm or corporation who has submitted a subproposal to a Bidder, or who has quoted prices on materials to a Bidder, is not hereby disqualified from submitting a sub-proposal or quoting prices to other Bidders or from submitting a Bid in its own behalf. Any Bidder who submits more than one bid will result in the rejection of all bids submitted.
- 20. SAN DIEGO BUSINESS TAX CERTIFICATE: The Contractor and Subcontractors, not already having a City of San Diego Business Tax Certificate for the work contemplated shall secure the appropriate certificate from the City Treasurer, Civic Center Plaza, First floor and submit to the Contract Specialist upon request or as specified in the Contract Documents. Tax Identification numbers for both the Bidder and the listed Subcontractors must be submitted on the City provided forms within these documents.

21. BIDDER'S GUARANTEE OF GOOD FAITH (BID SECURITY) FOR DESIGN-BID-BUILD CONTRACTS:

- **21.1.** For bids \$250,000 and above, bidders shall submit Bid Security at bid time. Bid Security shall be in one of the following forms: a cashier's check, or a properly certified check upon some responsible bank; or an approved corporate surety bond payable to the City of San Diego for an amount of not less than 10% of the total bid amount.
- **21.2.** This check or bond, and the monies represented thereby, will be held by the City as a guarantee that the Bidder, if awarded the contract, will in good faith enter into the contract and furnish the required final performance and payment bonds.
- 21.3. The Bidder agrees that in the event of the Bidder's failure to execute this contract and provide the required final bonds, the money represented by the cashier's or certified check will remain the property of the City; and the Surety agrees that it will pay to the City the damages, not exceeding the sum of 10% of the amount of the Bid, that the City may suffer as a result of such failure.
- **21.4.** At the time of bid submission, bidders must upload and submit an electronic PDF copy of the aforementioned bid security. Whether in the form of a cashier's check, a properly certified check or an approved corporate surety bond payable to the City of San Diego, the bid security must be uploaded to the City's eBidding system. Within twenty-four (24) hours after the bid due date and time, the first five (5) apparent low bidders must provide the City with the original bid security.
- **21.5.** Failure to submit the electronic version of the bid security at the time of bid submission AND failure to provide the original within twenty-four (24) hours may cause the bid to be rejected and deemed **non-responsive**.

22. AWARD OF CONTRACT OR REJECTION OF BIDS:

- **22.1.** This contract may be awarded to the lowest responsible and reliable Bidder.
- **22.2.** Bidders shall complete ALL eBid forms as required by this solicitation. Incomplete eBids will not be accepted.
- **22.3.** The City reserves the right to reject any or all Bids, to waive any informality or technicality in Bids received, and to waive any requirements of these specifications as to bidding procedure.
- **22.4.** Bidders will not be released on account of their errors of judgment. Bidders may be released only upon receipt by the City within 3 Working Days of the bid opening, written notice from the Bidder which shows proof of honest, credible, clerical error of a material nature, free from fraud or fraudulent intent; and of evidence that reasonable care was observed in the preparation of the Bid.

- **22.5.** A bidder who is not selected for contract award may protest the award of a contract to another bidder by submitting a written protest in accordance with the San Diego Municipal Code.
- **22.6.** The City of San Diego will not discriminate in the award of contracts with regard to race, religion creed, color, national origin, ancestry, physical handicap, marital status, sex or age.
- **22.7.** Each Bid package properly signed as required by these specifications shall constitute a firm offer which may be accepted by the City within the time specified herein.
- **22.8.** The City reserves the right to evaluate all Bids and determine the lowest Bidder on the basis of the base bid and any proposed alternates or options as detailed herein.

23. BID RESULTS:

- **23.1.** The availability of the bids on the City's eBidding system shall constitute the public announcement of the apparent low bidder. In the event that the apparent low bidder is subsequently deemed non-responsive or non-responsible, a notation of such will be made on the eBidding system. The new ranking and apparent low bidder will be adjusted accordingly.
- **23.2.** To obtain the bid results, view the results on the City's web site, or request the results by U.S. mail and provide a self-addressed, stamped envelope. If requesting by mail, be sure to reference the bid name and number. The bid tabulations will be mailed to you upon their completion. The results will not be given over the telephone.

24. THE CONTRACT:

- **24.1.** The Bidder to whom award is made shall execute a written contract with the City of San Diego and furnish good and approved bonds and insurance certificates specified by the City within 14 days after receipt by Bidder of a form of contract for execution unless an extension of time is granted to the Bidder in writing.
- 24.2. If the Bidder takes longer than 14 days to fulfill these requirements, then the additional time taken shall be added to the Bid guarantee. The Contract shall be made in the form adopted by the City, which includes the provision that no claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.
- **24.3.** If the Bidder to whom the award is made fails to enter into the contract as herein provided, the award may be annulled and the Bidder's Guarantee of Good Faith will be subject to forfeiture. An award may be made to the next lowest responsible and reliable Bidder who shall fulfill every stipulation embraced herein as if it were the party to whom the first award was made.

- **24.4.** Pursuant to the San Diego City Charter section 94, the City may only award a public works contract to the lowest responsible and reliable Bidder. The City will require the 22.6. Apparent Low Bidder to (i) submit information to determine the Bidder's responsibility and reliability, (ii) execute the Contract in form provided by the City, and (iii) furnish good and approved bonds and insurance certificates specified by the City within 14 Days, unless otherwise approved by the City, in writing after the Bidder receives notification from the City, designating the Bidder as the Apparent Low Bidder and formally requesting the above mentioned items.
- 24.5. The award of the Contract is contingent upon the satisfactory completion of the above-mentioned items and becomes effective upon the signing of the Contract by the Mayor or designee and approval as to form the City Attorney's Office. If the Apparent Low Bidder does not execute the Contract or submit required documents and information, the City may award the Contract to the next lowest responsible and reliable Bidder who shall fulfill every condition precedent to award. A corporation designated as the Apparent Low Bidder shall furnish evidence of its corporate existence and evidence that the officer signing the Contract and bond for the corporation is duly authorized to do so.
- **EXAMINATION OF PLANS, SPECIFICATIONS, AND SITE OF WORK:** The Bidder shall examine carefully the Project Site, the Plans and Specifications, other materials as described in the Special Provisions, Section 2-7, and the proposal forms (e.g., Bidding Documents). The submission of a Bid shall be conclusive evidence that the Bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and scope of Work, the quantities of materials to be furnished, and as to the requirements of the Bidding Documents Proposal, Plans, and Specifications.
- **26. CITY STANDARD PROVISIONS:** This contract is subject to the following standard provisions. See The WHITEBOOK for details.
 - **26.1.** The City of San Diego Resolution No. R-277952 adopted on May 20, 1991 for a Drug-Free Workplace.
 - **26.2.** The City of San Diego Resolution No. R-282153 adopted on June 14, 1993 related to the Americans with Disabilities Act.
 - **26.3.** The City of San Diego Municipal Code §22.3004 for Contractor Standards.
 - **26.4.** The City of San Diego's Labor Compliance Program and the State of California Labor Code §§1771.5(b) and 1776.
 - **26.5.** Sections 1777.5, 1777.6, and 1777.7 of the State of California Labor Code concerning the employment of apprentices by contractors and subcontractors performing public works contracts.

- **26.6.** The City's Equal Benefits Ordinance (EBO), Chapter 2, Article 2, Division 43 of The San Diego Municipal Code (SDMC).
- **26.7.** The City's Information Security Policy (ISP) as defined in the City's Administrative Regulation 90.63.

27. PRE-AWARD ACTIVITIES:

- **27.1.** The contractor selected by the City to execute a contract for this Work shall submit the required documentation as specified in the herein and in the Notice of Award. Failure to provide the information as specified may result in the Bid being rejected as non-responsive.
- **27.2.** The decision that bid is non-responsive for failure to provide the information required within the time specified shall be at the sole discretion of the City.

PERFORMANCE BOND, LABOR AND MATERIALMEN'S BOND

FAITHFUL PERFORMANCE BOND AND LABOR AND MATERIALMEN'S BOND:

American Asphalt South, Inc. , a corporation, as principal, and The Guarantee Company of North America USA , a corporation authorized to do business in the State of California, as Surety, hereby obligate themselves, their successors and assigns, jointly and severally, to The City of San Diego a municipal corporation in the sum of Two Million Two Hundred Ninety-Five Thousand Eight Hundred Eighty-Three Dollars and Fifty-Four Cents (\$2,295,883.54) for the faithful performance of the annexed contract, and in the sum of Two Million Two Hundred Ninety-Five Thousand Eight Hundred Eighty-Three Dollars and Fifty-Four Cents (\$2,295,883.54) for the benefit of laborers and materialmen designated below.

Slurry Seal Group 1801, K-18-1687-DBB-3

Conditions:

If the Principal shall faithfully perform the annexed contract with the City of San Diego, California, then the obligation herein with respect to a faithful performance shall be void; otherwise it shall remain in full force.

If the Principal shall promptly pay all persons, firms and corporations furnishing materials for or performing labor in the execution of this contract, and shall pay all amounts due under the California Unemployment Insurance Act then the obligation herein with respect to laborers and materialmen shall be void; otherwise it shall remain in full force.

The obligation herein with respect to laborers and materialmen shall inure to the benefit of all persons, firms and corporations entitled to file claims under the provisions of Article 2. Claimants, (iii) public works of improvement commencing with Civil Code Section 9100 of the Civil Code of the State of California.

Changes in the terms of the annexed contract or specifications accompanying same or referred to therein shall not affect the Surety's obligation on this bond, and the Surety hereby waives notice of same.

The Surety shall pay reasonable attorney's fees should suit be brought to enforce the provisions of this bond.

PERFORMANCE BOND, LABOR AND MATERIALMEN'S BOND (continued)

Dated November 14, 2017	naddyddiana 1973, a gymraw agwellau, anniferniaenniau comanna a glag.
Approved as to Form	American Asphalt South, Inc.
	Principal
	By
•	Jefflethy, Vice President
	Printed Name of Person Signing for Principal
Mara W. Elliott, City Atjorney	
By Pra-A	The Guarantee Company of North America USA
Deputy City Attorney	Surety
	By Stunie Hamely
	Stephanie Agapoff, Attorney-in-fact
Approved:	1800 Sutter St., Suite 880
I.	Local Address of Surety
y Styla Caman	Concord, CA 94520
Stephen Samara Principal Contract Specialist Public Works Department	Local Address (City, State) of Surety
	925-566-6040
	Local Telephone No. of Surety
	Premium \$12,479.00
	Bond No. 12152823
	Premium is for contract term and is subject to adjustments based on final contract price.

ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

validity of that document.
State of California County of <u>Sacramento</u>)
On November 14, 2017 before me, Breanna Bofman, Notary Public
(insert name and title of the officer)
personally appearedStephanie Agapoff
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same ir his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.
I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.
WITNESS my hand and official seal. BREANNA BOFMAN NOTARY PUBLIC - CALIFORNIA COMMISSION # 2214429 SACRAMENTO COUNTY My Comm. Exp. September 16, 2021
Signature (Seal)



The Guarantee Company of North America USA

Southfield, Michigan

POWER OF ATTORNEY

KNOW ALL BY THESE PRESENTS: That THE GUARANTEE COMPANY OF NORTH AMERICA USA, a corporation organized and existing under the laws of the State of Michigan, having its principal office in Southfield, Michigan, does hereby constitute and appoint

Renee Ramsey, Richard W. Pratt, John Hopkins, Elizabeth Collodi, Bobbie Beeny, Nancy Luttenbacher, Phillip O. Watkins, Keith T. Schuler, Melissa D. Diaz, Shawna Johnson, Mindy Whitehouse, Jennifer Lakmann, Sara Walliser, John J. Weber, Stephanie Agapoff Interwest Insurance Services, LLC

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these presents, shall be as binding upon **THE GUARANTEE COMPANY OF NORTH AMERICA USA** as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

The Power of Attorney is executed and may be certified so, and may be revoked, pursuant to and by authority of Article IX, Section 9.03 of the By-Laws adopted by the Board of Directors of **THE GUARANTEE COMPANY OF NORTH AMERICA USA** at a meeting held on the 31st day of December, 2003. The President, or any Vice President, acting with any Secretary or Assistant Secretary, shall have power and authority:

- 1. To appoint Attorney(s)-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof; and
- 2. To revoke, at any time, any such Attorney-in-fact and revoke the authority given, except as provided below
- 3. In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.
- 4. In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of the Company adopted at a meeting duly called and held on the 6th day of December 2011, of which the following is a true excerpt:

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.

CHARANTEE COMPANY

IN WITNESS WHEREOF, **THE GUARANTEE COMPANY OF NORTH AMERICA USA** has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 2nd day of October, 2015.

THE GUARANTEE COMPANY OF NORTH AMERICA USA

STATE OF MICHIGAN County of Oakland

Stephen C. Ruschak, President & Chief Operating Officer

States Churchal

Randall Musselman, Secretary

Maraul Jumale

On this 2nd day of October, 2015 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each is the herein described and authorized officer of The Guarantee Company of North America USA; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of said Company.

Sincip Court Cynthia A. Takai Notary Public, State of Michigan County of Oakland My Commission Expires February 27, 2018 Acting in Oakland County IN WITNESS WHEREOF, I have hereunto set my hand at The Guarantee Company of North America USA offices the day and year above written.

Cynthia a. Takai

I, Randall Musselman, Secretary of THE GUARANTEE COMPANY OF NORTH AMERICA USA, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney executed by THE GUARANTEE COMPANY OF NORTH AMERICA USA, which is still in full force and effect.

IN WITNESS WHEREOF, I have thereunto set my hand and attached the seal of said Company this 14th day of November , 2017

Marace Trumble

Bandall Museshman Security

Randall Musselman, Secretary

ATTACHMENTS

ATTACHMENT A

SCOPE OF WORK

SCOPE OF WORK

- 1. SCOPE OF WORK: Slurry Seal Group 1801 involves furnishing all labor, materials, equipment, services and construction, including but not limited to weed abatement, tree trimming, crack sealing, milling/saw cutting asphalt and concrete, pavement base repair, sweeping, application of slurry seal, replacing traffic striping/markings/markers/devices, replacing vehicle detector loops, raising appurtenances to grade, possible weekend work, traffic control drawings & permits, and storm drain inlet protection on various asphalt streets throughout the City.
 - **1.1.** The Work shall be performed in accordance with:
 - **1.1.1.** The Notice Inviting Bids, inclusive.
- **ESTIMATED CONSTRUCTION COST:** The City's estimated construction cost for this project is **\$2,690,000**.
- 3. LOCATION OF WORK: The location of the Work is as follows:

See Appendix E, Location Map.

4. CONTRACT TIME: The Contract Time for completion of the Work, shall be **90 Working Days**.

ATTACHMENT B

INTENTIONALLY LEFT BLANK

ATTACHMENT C

INTENTIONALLY LEFT BLANK

ATTACHMENT D

PREVAILING WAGES

ATTACHMENT D

PREVAILING WAGES

- 1. **PREVAILING WAGE RATES:** Pursuant to San Diego Municipal Code section 22.3019, construction, alteration, demolition, repair and maintenance work performed under this Contract is subject to State prevailing wage laws. For construction work performed under this Contract cumulatively exceeding \$25,000 and for alteration, demolition, repair and maintenance work performed under this Contract cumulatively exceeding \$15,000, the Contractor and its subcontractors shall comply with State prevailing wage laws including, but not limited to, the requirements listed below.
 - 1.1. Compliance with Prevailing Wage Requirements. Pursuant to sections 1720 through 1861 of the California Labor Code, the Contractor and its subcontractors shall ensure that all workers who perform work under this Contract are paid not less than the prevailing rate of per diem wages as determined by the Director of the California Department of Industrial Relations (DIR). This includes work performed during the design and preconstruction phases of construction including, but not limited to, inspection and land surveying work.
 - **1.1.1.** Copies of such prevailing rate of per diem wages are on file at the City and are available for inspection to any interested party on request. Copies of the prevailing rate of per diem wages also may be found at http://www.dir.ca.gov/OPRL/DPreWageDetermination.htm. Contractor and its subcontractors shall post a copy of the prevailing rate of per diem wages determination at each job site and shall make them available to any interested party upon request.
 - 1.1.2. The wage rates determined by the DIR refer to expiration dates. If the published wage rate does not refer to a predetermined wage rate to be paid after the expiration date, then the published rate of wage shall be in effect for the life of this Contract. If the published wage rate refers to a predetermined wage rate to become effective upon expiration of the published wage rate and the predetermined wage rate is on file with the DIR, such predetermined wage rate shall become effective on the date following the expiration date and shall apply to this Contract in the same manner as if it had been published in said publication. If the predetermined wage rate refers to one or more additional expiration dates with additional predetermined wage rates, which expiration dates occur during the life of this Contract, each successive predetermined wage rate shall apply to this Contract on the date following the expiration date of the previous wage rate. If the last of such predetermined wage rates expires during the life of this Contract, such wage rate shall apply to the balance of the Contract.

- **1.2. Penalties for Violations.** Contractor and its subcontractors shall comply with California Labor Code section 1775 in the event a worker is paid less than the prevailing wage rate for the work or craft in which the worker is employed.
- 1.3. Payroll Records. Contractor and its subcontractors shall comply with California Labor Code section 1776, which generally requires keeping accurate payroll records, verifying and certifying payroll records, and making them available for inspection. Contractor shall require its subcontractors to also comply with section 1776. Contractor and its subcontractors shall submit weekly certified payroll records online via the City's web-based Labor Compliance Program. Contractor is responsible for ensuring its subcontractors submit certified payroll records to the City.
 - **1.3.1.** For contracts entered into on or after April 1, 2015, Contractor and their subcontractors shall furnish records specified in Labor Code section 1776 directly to the Labor Commissioner in the manner required by Labor Code section 1771.4.
- **1.4. Apprentices.** Contractor and its subcontractors shall comply with California Labor Code sections 1777.5, 1777.6 and 1777.7 concerning the employment and wages of apprentices. Contractor is held responsible for the compliance of their subcontractors with sections 1777.5, 1777.6 and 1777.7.
- Labor Code sections 1810 through 1815, including but not limited to: (i) restrict working hours on public works contracts to eight hours a day and forty hours a week, unless all hours worked in excess of 8 hours per day are compensated at not less than 1½ times the basic rate of pay; and (ii) specify penalties to be imposed on design professionals and subcontractors of \$25 per worker per day for each day the worker works more than 8 hours per day and 40 hours per week in violation of California Labor Code sections1810 through 1815.
- **1.6. Required Provisions for Subcontracts.** Contractor shall include at a minimum a copy of the following provisions in any contract they enter into with a subcontractor: California Labor Code sections 1771, 1771.1, 1775, 1776, 1777.5, 1810, 1813, 1815, 1860 and 1861.
- 1.7. Labor Code Section 1861 Certification. Contractor in accordance with California Labor Code section 3700 is required to secure the payment of compensation of its employees and by signing this Contract, Contractor certifies that "I am aware of the provisions of Section 3700 of the California Labor Code which require every employer to be insured against liability for workers' compensation or to undertake self-insurance in accordance with the provisions of that code, and I will comply with such provisions before commencing the performance of the work of this Contract."

- **1.8. Labor Compliance Program**. The City has its own Labor Compliance Program authorized in August 2011 by the DIR. The City will withhold contract payments when payroll records are delinquent or deemed inadequate by the City or other governmental entity, or it has been established after an investigation by the City or other governmental entity that underpayment(s) have occurred. For questions or assistance, please contact the City of San Diego's Equal Opportunity Contracting Department at 619-236-6000.
- 1.9. Contractor and Subcontractor Registration Requirements. This project is subject to compliance monitoring and enforcement by the DIR. As of March 1, 2015, no contractor or subcontractor may be listed on a bid or proposal for a public works project unless registered with the DIR pursuant to Labor Code section 1725.5. As of April 1, 2015, a contractor or subcontractor shall not be qualified to bid on, be listed in a bid proposal, or enter into any contract for public work, unless currently registered and qualified to perform public work pursuant to Labor Code section 1725.5 By submitting a bid or proposal to the City, Contractor is certifying that he or she has verified that all subcontractors used on this public work project are registered with the DIR in compliance with Labor Code sections 1771.1 and 1725.5, and Contractor shall provide proof of registration to the City upon request.
 - **1.9.1.** A Contractor's inadvertent error in listing a subcontractor who is not registered pursuant to Labor Code section 1725.5 in response to a solicitation shall not be grounds for filing a bid protest or grounds for considering the bid non-responsive provided that any of the following apply: (1) the subcontractor is registered prior to bid opening; (2) within twenty-four hours after the bid opening, the subcontractor is registered and has paid the penalty registration fee specified in Labor Code section 1725.5; or (3) the subcontractor is replaced by another registered subcontractor pursuant to Public Contract Code section 4107.

ATTACHMENT E

SUPPLEMENTARY SPECIAL PROVISIONS

SUPPLEMENTARY SPECIAL PROVISIONS

The following Supplementary Special Provisions (SSP) modifies the following documents:

- 1. The **2015 Edition** of the Standard Specifications for Public Works Construction (The "GREENBOOK").
- 2. The **2015 Edition** of the City of San Diego Standard Specifications for Public Works Construction (The "WHITEBOOK"), including the following:
 - a) General Provisions (A) for all Contracts.

SECTION 1 - TERMS, DEFINITIONS, ABBREVIATIONS, UNITS OF MEASURE, AND SYMBOLS

1-2 TERMS AND DEFINITIONS. To the "WHITEBOOK", item 54, "Normal Working Hours", ADD the following:

Project Working Hours are 7:30 AM to 3:30 PM. Engineer shall identify and approve exceptions due to traffic related issues.

SECTION 2 - SCOPE AND CONTROL OF WORK

- **2-3.2 Self Performance.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:
 - 1. You shall perform, with your own organization, Contract Work amounting to at least 50% of the base Bid **AND** 50% of any alternates.

ADD:

2-10 AUTHORITY OF THE BOARD AND THE ENGINEER. To the "GREENBOOK", Paragraph (2), DELETE in its entirety and SUBSTITUTE with the following:

The decision of the Engineer is final and binding on all questions relating to: quantities; acceptability of material, equipment, or work; execution, progress or sequence of work; requests for information (RFI), and interpretation of the Plans, Specifications, or other Contract Documents. This shall be precedent to any payment under the Contract. The Engineer shall be the single point of contact and shall be included in all communications.

- **2-14.3 Coordination.** To the "WHITEBOOK", ADD the following:
 - 2. Other adjacent City projects are scheduled for construction for the same time period in the vicinity of this contract. See **Appendix F** for slurry seal limits to avoid construction conflict with adjacent City projects. Limits of work are as marked out in the field and identified in **Appendix F**.
- **2-16 CONTRACTOR REGISTRATION AND ELECTRONIC REPORTING SYSTEM.** To the "WHITEBOOK", item 1, DELETE in its entirety.

SECTION 3 - CHANGES IN WORK

3-2 CHANGES INITATED BY THE AGENCY.

3-2.1 General. To the "WHITEBOOK", ADD the following:

- 1. The location list provided by the City in the Contract Documents will be adjusted by the City as needed to match the Bid quantities at no additional cost to the City.
- 2. The Bid quantities are for estimating purposes only and will vary due to continued deterioration of the streets, such as streets quantified as having no tons of AC required, may in fact need AC repair (see 302-3).

3-2.3 Stipulated Unit Prices. To the "GREENBOOK," ADD the following:

The Contractor shall stipulate to the cost of the following Bid Items for Extra Work: "Class II Base"; "Raise Appurtenance to Grade (Water, Sewer)"; "Raise Survey Monument to Grade"; "Reconstruct Survey Monument Box"; "Crack Seal"; "Removal of Humps and Pavement Irregularities"; and "Traffic Detector Loop Replacement or Conduit Stub Installed".

3-2.5 Eliminated Items. To the "GREENBOOK," DELETE in its entirety and SUBSTITUTE with the following:

Should any Bid Items, except Bid Items listed in paragraph 2 of this section, be eliminated in its entirety, payment will be made to the Contractor for its actual costs incurred in connection with the eliminated item prior to notification in writing from the Engineer so stating its elimination.

Should Bid Items: "Class II Base"; "Raise Appurtenance to Grade (Water, Sewer)"; "Raise Survey Monument to Grade"; "Reconstruct Survey Monument Box"; "Crack Seal"; "Removal of Humps and Pavement Irregularities"; and "Traffic Detector Loop Replacement or Conduit Stub installed", be eliminated in their entirety, no payment will be made to the Contractor for its actual costs incurred in connection with the eliminated item(s).

If material conforming to the Plans and Specifications is ordered by the Contractor for use in the eliminated items prior to the date of notification of elimination by the Engineer, and if the order for that material cannot be canceled, payment will be made to the Contractor for the actual cost of the material. In this case, the material shall become the property of the Agency. Payment will be made to the Contractor for its actual costs for any further handling. If the material is returnable, the material shall be returned and payment will be made to the Contractor for the actual cost of charges made by the supplier for returning the material and for handling by the Contractor.

Actual costs, as used herein, shall be computed on the basis of Extra Work.

3-5.1 Claims. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

ADD:

3-5.1 Claims.

1. A Claim is a written demand by you that seeks an adjustment in the Contract Price, Contract Time, or other relief associated with a dispute arising under or relating to the Contract, including a breach of any provision thereof. A voucher, invoice, or other routine request for payment is not a Claim.

- 2. A Claim shall conform to these specifications and may be considered after the City has previously denied a request by you for a Change Order seeking the demanded relief.
- 3. You shall submit a Claim to the Engineer if a dispute occurs that arises from or relates to the Contract. The Claim shall seek all relief to which you assert you are entitled as a result of the event(s) giving rise to the dispute. Your failure to process a Claim in accordance with these specifications shall constitute a waiver of all relief associated with the dispute. Claims are subject to 6-11, "Right to Audit".
- 4. You shall continue to perform the Services and Work and shall maintain the Schedule during any dispute proceedings. The Engineer will continue to make payments for undisputed Services and Work.
- 5. The City's Claims process specified herein shall not relieve you of your statutory obligations to present claims prior to any action under the California Government Code.

3-5.1.1 Initiation of Claim.

- 1. You shall promptly, but no later than 30 Days after the event(s) giving rise to the Claim, deliver the Claim to the Engineer.
- 2. You shall not process a Claim unless the Engineer has previously denied a request by you for a Change Order that sought the relief to be pursued in the claim.

3-5.1.1.1 Claim Certification Submittal.

- 1. If your Claim seeks an increase in the Contract Price, the Contract Time, or both, submit with the Claim an affidavit certifying the following:
 - a) The Claim is made in good faith and covers all costs and delays to which you are entitled as a result of the event(s) giving rise to the Claim.
 - b) The amount claimed accurately reflects the adjustments in the Contract Price, the Contract Time, or both to which you believe you are entitled.
 - c) All supporting costs and pricing data are current, accurate, and complete to the best of your knowledge. The cost breakdown per item of Work shall be supplied.
 - d) You shall ensure that the affidavit is executed by an official who has the authority to legally bind you.

3-5.1.2 Initial Determination.

1. The Engineer will respond in writing to your Claim within 30 Days of receipt of the Claim.

3-5.1.3 Settlement Meeting.

 If you disagree with the Initial Determination, you shall request a Settlement Meeting within 30 Days. Upon receipt of this request, the Engineer will schedule the Settlement Meeting within 15 Working Days.

3-5.1.7 City's Final Determination.

- 1. If a settle agreement is not reached, the City shall make a written Final Determination within 10 Working Days after the Settlement Meeting.
- 2. If you disagree with the City's Final Determination, notify the Engineer in writing of your objection within 15 Working Days after receipt of the written determination and file a "Request for Mediation" in accordance with 3-5.2, "Dispute Resolution Process".
- 3. Failure to give notice of objection within the 15 Working Days period shall waive your right to pursue the Claim.

3-5.1.8 Mandatory Assistance.

- 1. If a third party dispute, litigation, or both arises out of or relates in any way to the Services provided under the Contract, upon the City's request, you shall agree to assist in resolving the dispute or litigation. Your assistance includes, but is not limited to the following:
 - a) Providing professional consultations.
 - b) Attending mediations, arbitrations, depositions, trials, or any event related to the dispute resolution and litigation.

3-5.1.8.1 Compensation for Mandatory Assistance.

- 1. The City will reimburse you for reasonable fees and expenses incurred by you for any required assistance rendered in accordance with 3-5.1.8, "Mandatory Assistance" as Extra Work.
- 2. The Engineer will determine whether these fees and expenses were necessary due to your conduct or failure to act.
- 3. If the Engineer determines that the basis of the dispute or litigation in which these fees and expenses were incurred were the result of your conduct or your failure to act in part or in whole, you shall reimburse the City for any payments made for these fees and expenses.
- 4. Reimbursement may be through any legal means necessary, including the City's withholding of your payment.

3-5.2.3 Selection of Mediator. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

- 1. A single mediator, knowledgeable in construction aspects and acceptable to both parties, shall be used to mediate the dispute.
- 2. To initiate mediation, the initiating party shall serve a Request for Mediation at the American Arbitration Association (AAA) on the opposing party.
- 3. If AAA is used, the initiating party shall concurrently file with AAA a "Request for Mediation" along with the appropriate fees, a copy of requested mediators marked in preference order, and a preference for available dates.

- 4. If AAA is selected to coordinate the mediation (Administrator), within 10 Working Days from the receipt of the initiating party's Request for Mediation, the opposing party shall file the following:
 - a) A copy of the list of the preferred mediators listed in preference order after striking any mediators to which they have any objection.
 - b) A preference for available dates.
 - c) Appropriate fees.
- 5. If the parties cannot agree on a mediator, then each party shall select a mediator and those mediators shall select the neutral third party to mediate the matter.
- **3-5.3 Forum of Litigation.** To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:
 - 1. It is the express intention that all legal actions and proceedings related to the Contract or Agreement with the City or to any rights or any relationship between the parties arising therefrom shall be solely and exclusively initiated and maintained in courts of the State of California for the County of San Diego.

SECTION 4 - CONTROL OF MATERIALS

- **4-1.3.3 Inspection of Items Not Locally Produced.** To the "WHITEBOOK", DELETE in its entirety. **ADD:**
- **4-1.3.3 Inspection of Items Not Locally Produced.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:
 - 1. When you intend to purchase materials, fabricated products, or equipment from sources located more than 200 miles (321.9 km) outside the geographical limits of the City, City Lab staff or a qualified inspection agency approved by the Engineer, shall be engaged at your expense to inspect the materials, equipment, or process.
 - 2. This approval shall be obtained before producing any material or equipment. City Lab staff or inspector shall evaluate the materials for conformance with the requirements of the Plans and Specifications. You shall forward reports required by the Engineer. No materials or equipment shall be shipped nor shall any processing, fabrication or treatment of such materials be done without proper inspection by City Lab staff or the approved agent. Approval by said agent shall not relieve you of responsibility for complying with the requirements of the Contract Documents.
 - 3. The Engineer may elect City Lab staff to perform inspection of an out-of-town manufacturer. You shall incur additional inspection costs of the Engineer including lodging, meals, and incidental expenses based on Federal Per Diem Rates, along with travel and car rental expenses. If the manufacturing plant operates a double shift, a double shift shall be figured in the inspection costs.

- a) At the option of the Engineer, full time inspection shall continue for the length of the manufacturing period. If the manufacturing period will exceed
 3 consecutive weeks, you shall incur additional inspection expenses of the Engineer's supervisor for a trip of 2 Days to the site per month.
- b) When the Engineer elects City Lab staff to perform out-of-town inspections, the wages of staff employed by the City shall not be part of the additional inspection expenses paid by you.
- c) Federal Per Diem Rates can be determined at the location below: https://www.gsa.gov/portal/content/104877
- **4-1.3.6 Preapproved Materials.** To the "WHITEBOOK", ADD the following:
 - 3. You shall submit in writing a list of all products to be incorporated in the Work that are on the AML.
- **4-1.6 Trade Names or Equals.** To the "WHITEBOOK", ADD the following:
 - 11. You shall submit your list of proposed substitutions for an "equal" item **no**later than 5 Working Days after the determination of the Apparent Low
 Bidder and on the City's Product Submittal Form available at:

http://www.sandiego.gov/publicworks/edocref/index.shtml

SECTION 5 - UTILITIES

- **5-2 PROTECTION.** To the "WHITEBOOK", item 2, ADD the following:
 - g) Refer to **Appendix H** for more information on the protection of AMI devices.
- **5-6 COOPERATION.** To the "GREENBOOK", ADD the following:
 - 1. Notify SDG&E at least 10 Working Days prior to excavating within 10 feet of SDG&E Underground High Voltage Transmission Power Lines (69 KV and higher).

SECTION 6 - PROSECUTION, PROGRESS AND ACCEPTANCE OF WORK

- **6-1.1 Construction Schedule.** To the "WHITEBOOK", item 22, subsection b, DELETE in its entirety and SUBSTITUTE with the following:
 - b) A curve value percentage comparison between the Contract Price and the updated cash flow forecast for each Project ID included in the Contract Documents. Curve values shall be set on a scale from 0% to 100% in intervals of 5% of the Contract Time. Refer to the Sample City Invoice materials in the Contract Documents and use the format shown. Your invoice amounts shall be supported by this curve value percentage. For previous periods, use the actual values and percentages and update the curve value percentages accordingly.

6-1.3.1 Payment. To the "WHITEBOOK", ADD the following:

3. The payment for any work outside normal working hours, including weekend work and night work, shall be done at no additional cost to the City.

ADD:

6-3.2.1.1 Environmental Document.

- 1. The City of San Diego prepared a **Notice of Exemption (NOE)** for **Slurry Seal Group 1801**, as referenced in the Contract Appendix. You shall comply with all requirements of the **NOE** and as set forth in **Appendix A**.
- 2. Compliance with the City's environmental document shall be included in the Contract Price.
- **6-8.3 Warranty.** To the "WHITEBOOK", item 1, DELETE in its entirety and SUBSTITUTE with the following:
 - 1. Warranty and repair all defective materials and workmanship for a period of 1 year. The warranty period shall start on the date the Work was accepted by the City.

SECTION 7 - RESPONSIBILITIES OF THE CONTRACTOR

7-3 INSURANCE. To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:

7-3 INSURANCE.

1. The insurance provisions herein shall not be construed to limit your indemnity obligations contained in the Contract.

7-3.1 Policies and Procedures.

- 1. You shall procure the insurance described below, at its sole cost and expense, to provide coverage against claims for loss including injuries to persons or damage to property, which may arise out of or in connection with the performance of the Work by you, your agents, representatives, officers, employees or Subcontractors.
- 2. Insurance coverage for property damage resulting from your operations is on a replacement cost valuation. The market value will not be accepted.
- 3. You shall maintain this insurance for the duration of this Contract and at all times thereafter when you are correcting, removing, or replacing Work in accordance with this Contract. Your liabilities under the Contract, e.g., your indemnity obligations, is not deemed limited to the insurance coverage required by this Contract.
- 4. The payment for insurance shall be included in the Contract Price as bid by you. Except as specifically agreed to by the City in writing, you are not entitled to any additional payment. Do not begin any Work under this Contract until you have provided and the City has approved all required insurance.

5. Policies of insurance shall provide that the City is entitled to 30 Days (10 Days for cancellation due to non-payment of premium) prior written notice of cancellation or non-renewal of the policy. Maintenance of specified insurance coverage is a material element of the Contract. Your failure to maintain or renew coverage or to provide evidence of renewal during the term of the Contract may be treated by the City as a material breach of the Contract.

7-3.2 Types of Insurance.

7-3.2.1 Commercial General Liability Insurance.

- 1. Commercial General Liability Insurance shall be written on the current version of the ISO Occurrence form CG 00 01 07 98 or an equivalent form providing coverage at least as broad.
- 2. The policy shall cover liability arising from premises and operations, XCU (explosions, underground, and collapse), independent contractors, products/completed operations, personal injury and advertising injury, bodily injury, property damage, and liability assumed under an insured's contract (including the tort liability of another assumed in a business contract).
- 3. There shall be no endorsement or modification limiting the scope of coverage for either "insured vs. insured" claims or contractual liability. You shall maintain the same or equivalent insurance for at least 10 years following completion of the Work.
- 4. All costs of defense shall be outside the policy limits. Policy coverage shall be in liability limits of not less than the following:

General Annual Aggregate Limit	Limits of Liability
Other than Products/Completed Operations	\$2,000,000
Products/Completed Operations Aggregate Limit	\$2,000,000
Personal Injury Limit	\$1,000,000
Each Occurrence	\$1,000,000

7-3.2.2 Commercial Automobile Liability Insurance.

- 1. You shall provide a policy or policies of Commercial Automobile Liability Insurance written on the current version of the ISO form CA 00 01 12 90 or later version or equivalent form providing coverage at least as broad in the amount of \$1,000,000 combined single limit per accident, covering bodily injury and property damage for owned, non-owned, and hired automobiles ("Any Auto").
- 2. All costs of defense shall be outside the limits of the policy.
- **7-3.3 Rating Requirements.** Except for the State Compensation Insurance Fund, all insurance required by this Contract as described herein shall be carried only by responsible insurance companies with a rating of, or equivalent to, at least "A-, VI" by A.M. Best Company, that are authorized by the California Insurance Commissioner to do business in the State, and that have been approved by the City.

7-3.3.1 Non-Admitted Carriers. The City will accept insurance provided by non-admitted, "surplus lines" carriers only if the carrier is authorized to do business in the State and is included on the List of Approved Surplus Lines Insurers (LASLI list).

All policies of insurance carried by non-admitted carriers shall be subject to all of the requirements for policies of insurance provided by admitted carriers described herein.

- **7-3.4 Evidence of Insurance.** Furnish to the City documents e.g., certificates of insurance and endorsements evidencing the insurance required herein, and furnish renewal documentation prior to expiration of this insurance. Each required document shall be signed by the insurer or a person authorized by the insurer to bind coverage on its behalf. We reserve the right to require complete, certified copies of all insurance policies required herein.
- 7-3.5 Policy Endorsements.
- 7-3.5.1 Commercial General Liability Insurance.
- 7-3.5.1.1 Additional Insured.
 - 1. You shall provide at your expense policy endorsement written on the current version of the ISO Occurrence form CG 20 10 11 85 or an equivalent form providing coverage at least as broad.
 - 2. To the fullest extent allowed by law e.g., California Insurance Code §11580.04, the policy shall be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured.
 - 3. The additional insured coverage for projects for which the Engineer's Estimate is \$1,000,000 or more shall include liability arising out of:
 - a) Ongoing operations performed by you or on your behalf,
 - b) your products,
 - c) your Work, e.g., your completed operations performed by you or on your behalf, or
 - d) premises owned, leased, controlled, or used by you.
 - 4. The additional insured coverage for projects for which the Engineer's Estimate is less than \$1,000,000 shall include liability arising out of:
 - a) Ongoing operations performed by you or on your behalf,
 - b) your products, or
 - c) premises owned, leased, controlled, or used by you.
- **7-3.5.1.2 Primary and Non-Contributory Coverage.** The policy shall be endorsed to provide that the coverage with respect to operations, including the completed operations, if appropriate, of the Named Insured is primary to any insurance or self-insurance of the City and its elected officials, officers, employees, agents and representatives. Further, it shall provide that any insurance maintained by the City and its elected officials, officers, employees, agents and representatives shall be in excess of your insurance and shall not contribute to it.

- **7-3.5.1.3 Project General Aggregate Limit.** The policy or policies shall be endorsed to provide a Designated Construction Project General Aggregate Limit that will apply only to the Work. Only claims payments which arise from the Work shall reduce the Designated Construction Project General Aggregate Limit. The Designated Construction Project General Aggregate Limit shall be in addition to the aggregate limit provided for the products-completed operations hazard.
- 7-3.5.2 Commercial Automobile Liability Insurance.
- **7-3.5.2.1**Additional Insured. Unless the policy or policies of Commercial Auto Liability Insurance are written on an ISO form CA 00 01 12 90 or a later version of this form or equivalent form providing coverage at least as broad, the policy shall be endorsed to include the City and its respective elected officials, officers, employees, agents, and representatives as additional insured, with respect to liability arising out of automobiles owned, leased, hired or borrowed by you or on your behalf. This endorsement is limited to the obligations permitted by California Insurance Code §11580.04.
- **7-3.6 Deductibles and Self-Insured Retentions.** You shall pay for all deductibles and self-insured retentions. You shall disclose deductibles and self-insured retentions to the City at the time the evidence of insurance is provided.
- **7-3.7 Reservation of Rights.** The City reserves the right, from time to time, to review your insurance coverage, limits, deductibles and self-insured retentions to determine if they are acceptable to the City. The City will reimburse you, without overhead, profit, or any other markup, for the cost of additional premium for any coverage requested by the Engineer but not required by this Contract.
- **7-3.8 Notice of Changes to Insurance.** You shall notify the City 30 Days prior to any material change to the policies of insurance provided under this Contract.
- **7-3.9 Excess Insurance.** Policies providing excess coverage shall follow the form of the primary policy or policies e.g., all endorsements.
- **7-4 NOT USED.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:

7-4 WORKERS' COMPENSATION INSURANCE AND EMPLOYERS LIABILITY INSURANCE.

- 1. In accordance with the provisions of §3700 of the California Labor Code, you shall provide at your expense Workers' Compensation Insurance and Employers Liability Insurance to protect you against all claims under applicable state workers compensation laws. The City, its elected officials, and employees will not be responsible for any claims in law or equity occasioned by your failure to comply with the requirements of this section.
- 2. Limits for this insurance shall be not less than the following:

Workers' Compensation	Statutory Employers Liability
Bodily Injury by Accident Bodily Injury by Disease	\$1,000,000 each accident \$1,000,000 each employee
Bodily Injury by Disease	\$1,000,000 policy limit

Slurry Seal Group 1801 37 | Page

- 3. By signing and returning the Contract you certify that you are aware of the provisions of §3700 of the Labor Code which requires every employer to be insured against liability for worker's compensation or to undertake self-insurance in accordance with the provisions of that code and you shall comply with such provisions before commencing the Work as required by §1861 of the California Labor Code.
- **7-4.1. Waiver of Subrogation.** The policy or policies shall be endorsed to provide that the insurer will waive all rights of subrogation against the City and its respective elected officials, officers, employees, agents, and representatives for losses paid under the terms of the policy or policies and which arise from Work performed by the Named Insured for the City.
- **7-8.1 General.** To the "WHITEBOOK", ADD the following:
 - 2. Use a certified self-loading motorized street sweeper equipped with a functional water spray system for this project as directed by the Engineer.
- **7-8.6 Water Pollution Control.** To the "WHITEBOOK", ADD the following:
 - 6. Based on a preliminary assessment by the City, this Contract is subject to **WPCP**.
- **7-8.6.1.11 Post-construction Requirements.** To the "WHITEBOOK", ADD the following:
 - You shall comply with the following post construction requirements:
 Storm Drain Inlet Markers
- **7-20 ELECTRONIC COMMUNICATION.** To the "WHITEBOOK", ADD the following:
 - 2. Virtual Project Manager shall be used on this Contract.
- **7-21.1 General.** To the "WHITEBOOK", item 3, DELETE in its entirety and SUBSTITUTE with the following:
 - 3. During the construction phase of projects, the minimum waste management reduction goal is 90% of the inert material (a material not subject to decomposition such as concrete, asphalt, brick, rock, block, dirt, metal, glass, and etc.) and 65% of the remaining project waste. You shall provide appropriate documentation, including a Waste Management Form attached as an appendix, and evidence of recycling and reuse of materials to meet the waste reduction goals specified.

SECTION 9 - MEASUREMENT AND PAYMENT

ADD:

- **9-3.7 Compensation Adjustments for Price Index Fluctuations.** To the "WHITEBOOK" ADD the following:
 - 5. This Contract is subject to the provisions of The "WHITEBOOK" for Compensation Adjustments for Price Index Fluctuations for paving asphalt.

SECTION 203 - BITUMINOUS MATERIALS

- **203-3.4.4 Rubber Polymer Modified Slurry (RPMS).** To the "WHITEBOOK", ADD the following:
 - 1. RPMS shall be used on this Contract.

SECTION 217 - BEDDING AND BACKFILL MATERIALS

217-2.2 Stones, Boulders, and Broken Concrete. To the "GREENBOOK", Table 217-2.2, DELETE in its entirety and SUBSTITUTE with the following:

TABLE 217-2.2

Zone	Zone Limits	Maximum Size (greatest dimension)	Backfill Requirements in Addition to 217-2.1
Street or Surface Zone		2.5" (63 mm)	As required by the Plans or Special Provisions.
Street or Surface Zone Backfill of Tunnels beneath Concrete Flatwork	From ground surface to 12" (300 mm) below pavement subgrade or ground surface	Sand	Sand equivalent of not less than 30.
Trench Zone	From 12" (300 mm) below pavement subgrade or ground surface to 12" (300 mm) above top of pipe or box	6" (150 mm)	
Deep Trench Zone (Trenches 3' (0.9 m) wide or wider)	From 60" (1.5 m) below finished surface to 12" (300 mm) above top of pipe or box	Rocks up to 12" (300 mm) excavated from trench may be placed as backfill	
Pipe Zone	From 12" (300 mm) above top of pipe or box to 6" (150 mm) below bottom of pipe or box exterior	2.5" (63 mm)	Sand equivalent of not less than 30 or a coefficient of permeability greater than 1-½ inches/hour (35 mm per hour).
Overexcavation	Backfill more than 6" (150 mm) below bottom of pipe or box exterior	6" (150 mm)	Sand equivalent of not less than 30 or a coefficient of permeability greater than 1-½ inches/hour (35 mm per hour). Trench backfill slurry (100-E-100) per 201- 1 may also be used.

SECTION 301 – TREATED SOIL, SUBGRADE, PREPARATION, AND PLACEMENT OF BASE MATERIALS

Adjustment of Manhole and Gate Valve Frames and Covers to Grade. To the "WHITEBOOK", BEFORE Item 1, ADD the following:

Manhole, Sewer, and Water covers shall be raised to be level with the surrounding pavement surface when such appurtenances are a minimum of one inch (1") below the surface. Engineer to approve location prior to raising.

Appurtenances extending more than one inch (1") above the road surface shall be marked out as a mill & pave and asphalt ramped to smooth transition.

- **Payment.** To the "WHITEBOOK", DELETE Items 4, 5, and 6 and SUBSTITUTE with the following:
 - 4. Payment for Raising Appurtenances to Grade, including manholes and valve covers, all casings, rings, extensions, concrete collars, and any other material, shall be made at the Bid unit "Raise Appurtenance to Grade (Water, Sewer)" for each appurtenance raised.
- **301-1.8 Adjustment of Survey Monuments to Grade.** To the "WHITEBOOK", item 1, DELETE in its entirety and SUBSTITUTE with the following:
 - 1. The casing and cover for survey monuments shall be adjusted to the new grade using riser rings, when such appurtenances are 1.5" to 3.75" below the surface, in accordance with Standard Drawing M-10A, "Street Survey Monument Overlay Adjustment" and Standard Drawing M-10B, "Street Survey Monument Notes".
 - 2. The Survey Monument Precast Concrete Pipe Box must be reconstructed in accordance with Standard Drawings M-10 and Standard Drawing M-10A for survey monuments that are greater than 0.5" and less than 1.5" below the surface.
 - 3. The Survey Monument Precast Concrete Pipe Box must be reconstructed in accordance with Standard Drawings M-10 and Standard Drawings M-10A for survey monuments that are greater than 3.75" below the surface.
- **301-1.8.1 Payment.** To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:
 - 1. The payment for adjusting existing survey monument casing, frame, ring, covers, extensions, grout, brick support, sand base and any other material to grade shall be included in the Bid item for "Adjust Survey Monument to Grade" for each survey monument raised.
 - 2. The payment for reconstructing the Survey Monument Precast Concrete Pipe Box, monument casing, frame, ring, covers, extensions, grout, brick support, sand base, and any other material required to reconstruct the precast concrete pipe box shall be included in the Bid Item Unit Price for "Reconstruct Survey Monument Box" for each the Survey Monument Precast Concrete Pipe Box reconstructed.

301-2.4 Measurement and Payment. To the "GREENBOOK", ADD the following:

Payment for Class II Base material installed shall be made at the Contract Unit Price for "Class II Base" per ton and includes all necessary works such as excavation, hauling and disposal, preparatory works, root pruning, and compaction. No additional payment shall be made for hauling and disposal of concrete, pavement fabric, rubberized material, steel reinforcement, or any other material that may be encountered.

SECTION 302 - ROADWAY SURFACING

302-1.1 General. To the "WHITEBOOK", ADD the following:

- 13. Edges of milled areas shall be cut cleanly. The outside edges of the milled pavement may have a radius transition on the sides parallel to the cutting drum.
- 14. The presence of roots, pavement fabric, concrete, rubberized material or steel reinforcement within the depth to be cold milled have not been noted or marked out in the field.
- 15. All milling shall be performed in such a manner as to improve drainage, eliminate ponding, and re-establish gravity flow across intersections.
- 16. Material removed, regardless of removal method, shall be disposed of at a legal site.
- **302-1.6 Cold Milling of Composite Pavements.** To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:
 - 1. The areas and depths of composite pavement to be cold milled, sawn, or cut have not been identified in the field nor the Contract Documents.
- **302-1.6.1 Cold Milling of Asphalt Concrete with Pavement Fabric Material.** To the "WHITEBOOK", DELETE in its entirety.
- **302-1.9** Traffic Signal Loop Detectors. To the "WHITEBOOK", ADD the following:
 - 5. All traffic detector loops and/or other detection systems located within or adjacent to the limits of work will require replacement. All damaged detectors shall be replaced after resurfacing and striping. "Q" loops may be required at bike lanes. "E Modified" loops are required at stop bars. You shall install as many loops as necessary to meet current standards.
 - Loops may be installed in asphalt, concrete or any other material that may be encountered during the installation.
- **Payment.** To the "WHITEBOOK", item 1 and item 4, DELETE in their entirety and SUBSTITUTE with the following:
 - 1. The payment for installation of traffic detector loops and conduits shall be included in the bid item "Traffic Detector Loop Replacement or Conduit Stub Installed" for each loop or conduit installed. No additional payment shall be made for loop, detector, or conduit type.

No additional payment shall be made for milling, grinding, or saw cutting concrete, asphalt pavement fabric, and any other material that may be encountered during the installation.

4. The payment for cold milling of the existing pavement shall be included in the contract bid unit price for which the milling is required ("Asphalt Pavement Repair", "Class II Base"), including hauling and disposal of milled material.

No additional payment shall be made for root pruning, milling, grinding, hauling, disposal or saw cutting concrete, asphalt pavement fabric, and any other material that may be encountered during the installation.

PREPARATORY REPAIR WORK. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

- 1. Prior to the application of slurry, the Contractor shall complete all necessary preparation and repair work to the road segment e.g., tree trimming, weed abatement, weed spraying, crack sealing, asphalt repair, removal of humps and pavement irregularities, raising appurtenances and survey monuments, removal of raised pavement markers, removal of pavement markings, and any other work and as specified in the Special Provisions and Contract Documents.
- 2. Most areas of damaged asphalt requiring Asphalt Pavement Repair have been marked out in the field as "MP" or "DO" (mill & pave or dig-out). Mill & paves shall have a minimum depth of 2", and dig-outs, also called base repairs, shall have a minimum depth of 10".
- 3. The minimum repair area shall be 4 feet by 4 feet regardless of mark out.
- 4. You shall repair marked out areas of distressed asphalt concrete pavement by milling, grinding, or saw cutting to remove damaged areas of pavement in accordance with 302-1.1, to expose firm and unyielding pavement, base or native. Unyielding pavement will have no visible cracks and unyielding base or native will be properly compacted, as determined by the Engineer. If cracks are visible, then pavement is not unyielding and shall require additional depth be removed. The Contractor shall prepare subgrade as needed and install a maximum of 5" compacted asphalt concrete pavement over compacted base material to be level with adjacent roadway surface.
- 5. Edges of milled areas shall be cut cleanly.
- 6. Material removed, regardless of removal method, shall be disposed of at a legal site.
- 7. If, in order to achieve the minimum specified depth, the base material is exposed, then the existing base material, as well as additional base material shall be compacted to 95% relative compaction to a depth 5" below the finished grade (dig-out).
- 8. Compaction tests shall be made to ensure compliance with the specifications. The Engineer will determine when and where the test will occur. The City will pay for the soils testing required by the Engineer, which meets the required

Slurry Seal Group 1801 42 | Page

compaction. The Contractor shall reimburse the City for the cost of retesting failing compaction tests. If additional base material is required, the Contractor shall use Class II Aggregate Base in accordance with 200-2.2 and 200-2.9, "Crushed Aggregate Base" and "Class 2 Aggregate Base" respectively. The base material shall be prepared conforming to 301-1, "Subgrade Preparation."

- 9. Recycled base material shall conform to Crushe'd Miscellaneous Base Material in accordance with 200-2.4, "Crushed Miscellaneous Aggregate Base."
- 10. Prior to replacing asphalt, the area shall be cleaned by removing all loose and damaged material, moisture, dirt, and other foreign matter and shall be tack coated in accordance with 302-5.4 "Tack Coat."
- 11. When milling and/or grinding asphalt pavement and the Contractor encounters solid, level unyielding PCC trench caps or appurtenance collars before reaching a minimum depth of 2", then the Contractor shall place enough asphalt concrete pavement to bring the surface to be level with the adjacent roadway.
- 12. The Contractor shall install new asphalt within the repair area or for patches in accordance with 302-5, "ASPHALT CONCRETE PAVEMENT." Asphalt concrete shall be B3 PG 64-10 (3/4") and C2-PG 64-10 (1/2") in compliance with 203-6, "ASPHALT CONCRETE."
- 13. Base repairs shall not exceed 20% RAP in content.
- 14. No preparatory asphalt work shall be done when the atmospheric temperature is below 50 °F or during unsuitable weather.
- 15. Following the asphalt placement, the Contractor shall roll the entire area of new asphalt in both directions at least twice. The finished patch shall be level and smooth in compliance with 302-5.6.2 "Density and Smoothness." After placement and compaction of the asphalt repair, the Contractor shall seal all finished edges with a 4" wide continuous band of SS-1H.
- **Asphalt Patching.** To the "WHITEBOOK", items 1, 2, 5, and 9, DELETE in their entirety and SUBSTITUTE with the following:
 - 1. Miscellaneous asphalt patching shall consist of patching potholes and gutterline erosion, and skin patching other low spots in the pavement that are deeper than ¼" per 302-5.6.2 "Density and Smoothness." These areas are generally smaller and more isolated than those areas in need of mill and pave.
 - 2. The areas requiring patching have not been identified in the Contract Documents, nor in the field. The Contractor and/or Engineer shall identify areas that may require patching prior to slurry work to ensure the smoothness and quality of the finished product.
 - 5. You shall remove distressed asphalt pavement either by saw cutting or milling to expose firm and unyielding pavement, prepare subgrade (as needed), and install compacted asphalt concrete pavement over prepared subgrade per 301-1, "Subgrade Preparation".

9. Base repairs shall not exceed 20% RAP in content.

302-3.1 Asphalt Patching. To the "WHITEBOOK", item 4, DELETE in its entirety.

302-3.2 Payment. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

- 1. The payment for the preparatory works shall be included in the Contract Unit Bid Item for which preparation works are performed, unless it is specified as a separate Bid Item.
- 2. The areas and quantities shown on the road segments and in the appendices are given only for the Contractor's aid in planning the Work and preparing Bids. The Engineer will designate the limits to be removed and prepared and these designated areas shall be considered to take precedent over the areas shown in an Appendix to the Contract Documents. The quantities shown in the appendices are based on a street assessment survey and may vary. No payment shall be made for areas of over excavation as determined by the Engineer.
- 3. At the end of each day the Contractor shall submit to the Engineer an itemized list of the asphalt pavement and base repair work completed. The list shall include the location of the work, the exact square footage of the repair, tons of asphalt placed, and tons of base material placed.
- 4. Asphalt pavement repair, including both mill & paves and base repair dig-outs, shall be paid at the Contract unit price per ton for "Asphalt Pavement Repair". No Payment shall be made for areas of over excavation as determined by the Engineer.
- 5. The payment for preparatory repair asphalt works shall be paid at the Contract Unit Price for "Asphalt Pavement Repair" and "Class II Base", per 301-2.4 "Measurement and Payment", for each ton placed and includes milling, grinding, hauling, disposal or saw cutting of existing pavement, tree trimming, tack coating, compaction, and all other necessary work related to asphalt pavement installation.
 - No additional payment shall be made for milling, grinding, or saw cutting concrete, pavement fabric, rubberized material, steel reinforcement, or any other material.
- 6. Miscellaneous asphalt patching and tack coat shall be included in the unit price for Bid Item "Asphalt Pavement Repair" and no additional payment shall be made therefore regardless of number and location of patches.

302-4.12.2.1 General. To the "WHITEBOOK", ADD the following:

3. When Type I is to be applied over Type II slurry, or Type II is to be applied over Type III slurry, corrective action in accordance with 302-4.11.1.2, "Reduction in Payment Based on WTAT" such as reductions in payment, non-payment, or removal of material not meeting specifications, as directed by the Engineer, shall be executed prior to the application of the surface material.

- 4. Where multiple layers of RPMS are specified, the first layer, regardless of Type, shall be placed a minimum of 1' from concrete gutters.
- **302-4.12.4 Measurement and Payment.** To the "WHITEBOOK", item 2, DELETE in its entirety and SUBSTITUTE with the following:
 - 2. The payment of RPMS shall be the total square footage used on the project calculated using the method described and shall be paid under the following Bid Items:

BID DESCRIPTION	UNIT
Rubber Polymer Modified Slurry (RPMS) Type I (Select Streets)	SF
Rubber Polymer Modified Slurry (RPMS) Type I (Bike Lane)	SF
Rubber Polymer Modified Slurry (RPMS) Type II	SF
Rubber Polymer Modified Slurry (RPMS) Type I Over Type II	SF
Rubber Polymer Modified Slurry (RPMS) Type II Over Type III	SF

The Bid Items for RPMS shall include full compensation for the specified surface preparation not included in other Bid items and shall include the Work necessary to construct the RPMS as specified in the Contract Documents. Sweeping, removals, and furnishing the aggregate required for the mix design shall be included in these Bid Items. The removal, replacement and installation for thermoplastic striping, traffic striping, markers, markings and devices shall be paid under the separate Bid Item for "Remove, Replace & Install Traffic Striping, Markers, Markings & Devices."

- **302-5.9 Measurement and Payment.** To the "WHITEBOOK", item 2, DELETE in its entirety.
- **Payment.** To the "WHITEBOOK", item 1, last sentence, DELETE in its entirety and SUBSTITUTE with the following:

Payment shall not be made for additional fabric for overlapped areas.

Payment. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

Crack seal installed will be paid at the Contract unit price per linear foot for "Crack Seal".

SECTION 304 - METAL FABRICATION AND CONSTRUCTION

PAYMENT. To the "WHITEBOOK", REVISE section "**304-5**" to "**304-6**".

SECTION 314 - TRAFFIC STRIPING, CURB AND PAVEMENT MARKINGS, AND PAVEMENT MARKERS

314-1 GENERAL. To the "GREENBOOK", ADD the following:

All crosswalks required for this contract shall be in conformance with Standard Drawing SDM-116 for Continental Crosswalks.

The Contractor shall install all traffic striping, pavement markings, pavement markers and devices within 31 calendar days after the last coat of slurry has been applied in accordance with current standards regardless of the existing conditions and installation will include the proposed striping modifications as identified in the Contract Document. All striping modifications shall be coordinated by the Engineer.

- **Payment.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following: See 314-5.7.
- **Payment.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following: See 314-5.7.
- **314-4.3.7 Payment.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following: See 314-5.7.
- **Payment.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following: See 314-5.7.
- **314-5.7 Payment.** To the "GREENBOOK", DELETE in its entirety and SUBSTITUTE with the following:

All work, materials, labor, costs, and time associated with removing traffic striping, pavement markings and thermoplastics, removal of pavement markers and devices, installing painted traffic striping and markings, installing thermoplastics, replacement and installation of new pavement markers and devices shall be included in the lump sum bid item for "Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices" regardless of amount installed.

Payment for delineators and other traffic control facilities and devices not included in other bid items shall be included in the Contract lump sum price for "Remove, Replace & Install Traffic Striping, Markers, Markings, & Devices" regardless of amount installed.

SECTION 601 – TEMPORARY TRAFFIC CONTROL FOR CONSTRUCTION AND MAINTENANCE WORK ZONES

Traffic Control for Resurfacing and Slurry Sealing. To the "WHITEBOOK", Item 6, ADD the following:

The "NO PARKING – TOW AWAY ZONE" shall include "NO DRIVING" on streets that are closed to all traffic during construction. For each street segment, in addition to resurfacing and slurry sealing, the Contractor shall post "NO PARKING" signs for any required preparatory work such as, but not limited to, asphalt pavement repair (mill & pave and dig-out), crack seal, and tree trimming.

601-6 PAYMENT. To the "WHITEBOOK", DELETE in its entirety and SUBSTITUTE with the following:

- 1. The payment for all temporary traffic control Work, including any traffic control devices that may be required by the City, shall be made at the Contract lump sum price for "Traffic Control Including Plans & Permits."
- 2. No separate or additional payment shall be made for the following: operation, maintenance, repair, or replacement of Temporary Traffic Control (TTC) zone devices; all traffic control devices, required signs, notices, and detours; Work Drawings, Traffic Control Plans: labor; and traffic control for grinding, resurfacing, striping, loop installation, and any other material relating to traffic control work.

EQUAL OPPORTUNITY CONTRACTING PROGRAM (EOCP) SECTION A - GENERAL REQUIREMENTS

4.1 Nondiscrimination in Contracting Ordinance. To the "WHITEBOOK", subsection 4.1.1, paragraph (2), sentence (1), DELETE in its entirety and SUBSTITUTE with the following:

> You shall not discriminate on the basis of race, gender, gender expression, gender identity, religion, national origin, ethnicity, sexual orientation, age, or disability in the solicitation, selection, hiring, or treatment of subcontractors, vendors, or suppliers.

> > 47 | Page

END OF SUPPLEMENTARY SPECIAL PROVISIONS (SSP)

Attachment E - Supplementary Special Provisions (Rev. Sep. 2017)

ATTACHMENT E

SUPPLEMENTARY SPECIAL PROVISION APPENDICES

Slurry Seal Group 1801 Attachment E – Supplemental Special Provisions Appendices

APPENDIX A

NOTICE OF EXEMPTION

NOTICE OF EXEMPTION

(Check one or both)	770.015	
TO: X RECORDER/COUNTY CLERK P.O. Box 1750, MS A-33	FROM:	CITY OF SAN DIEGO PLANNING DEPARTMENT
1600 PACIFIC HWY, ROOM 26	50	1010 2 ND AVENUE, SUITE 1200
SAN DIEGO, CA 92101-2422		East Tower, MS 413
		SAN DIEGO, CA 92101
OFFICE OF PLANNING AND RES 1400 TENTH STREET, ROOM 1 SACRAMENTO, CA 95814		
Project No.: N/A		
PROJECT TITLE: Slurry Seal Group 1801		
PROJECT LOCATION-SPECIFIC: City of San D Mesa, Miramar Ranch North, Ocean Beac Districts 1, 2, 3, 5, 6		
PROJECT LOCATION - SEE ATTACHMENT A "LO	CATION LIST" FOR SPECIFIC	LOCATIONS.
DESCRIPTION OF PROJECT: The project involudes construction related to slurry seal work of San Diego. Additional work includes; presenting, removal of humps & pavement is repairs, replacing traffic signal detection and covers to grade, street and sidewalk striping and markings/legends, traffic constallation of inlet markers, sediment conccur within the public right-of-way (parand outside of the City's Multiple Habitatimpacted or removed. Storm Water Best adischarge, as well as Traffic Control Plant	on existing paved roadway placement of rubber poly rregularities, asphalt miles loops and stub outs, adjusteeping, removal and pontrol drawings & permit ontrol, and possible nighayed streets) or previous at Planning Area (MHPA) Management Practices (1)	mer modified slurry (RPMS), crack ll and pave, and dig outs, pavement base justing existing City manhole frames replacement of existing thermoplastic its, storm drain inlet protection, it and weekend work. All work would by disturbed non-sensitive areas only, . No sensitive vegetation would be BMPs) for erosion control preventing
NAME OF PUBLIC AGENCY APPROVING PROJECT	: City of San Diego	
Name of Person or Agency Carrying Out F Street Division; Contact: MD Rahman, As (619) 527-8073		
EXEMPT STATUS: (CHECK ONE)		
() Ministerial ()	/.\1	
() DECLARED EMERGENCY [Sec. 15269 () EMERGENCY PROJECT [Sec. 15269 (1	• • =	
(X) CATEGORICAL EXEMPTION: SECTION		s)
() OTHER:		

Reasons why project is exempt: The City of San Diego conducted an environmental review and determined the project is exempt from CEQA pursuant to State CEQA Guidelines Section 15301, Existing Facilities which allows for, among other activities, minor alteration of existing public or private facilities, involving negligible or no expansion of use, such as work for existing highways and streets, sidewalks, gutters, bicycle and pedestrian trails, including grading rights of way for the purpose of public safety; and where the exceptions listed in CEQA Section 15300.2 would not apply in that no cumulative impacts were identified; no significant effect on the environment were identified; the project is not adjacent to a scenic highway; no historical resources would be affected by the action. As to the exception for hazardous materials there is a location listed on GeoTracker and EnviroStor, this location is within 1,000 feet of to the right-of-way at 4302 Valeta St. The site is listed as a closed underground tank case on GeoTracker and a school clean-up site on EnviroStor. While the location is listed near the proposed project no hazardous material contamination that would be disturbed by the project activities which would otherwise preclude use of a CEQA exemption pursuant to Section 65962.5 of the Government Code.

CONTACT PERSON: Myra Herrmann, Senior Planner Telephone: (619) 446-5372

IF FILED BY APPLICANT:

1. ATTACH CERTIFIED DOCUMENT OF EXEMPTION FINDING.

2. HAS A NOTICE OF EXEMPTION BEEN FILED BY THE PUBLIC AGENCY APPROVING THE PROJECT? (X) YES () NO

Myall Shumaan

SENIOR PLANNER

SEPTEMBER 6, 2017

DATE

SIGNATURE/TITLE

CHECK ONE:

(X) SIGNED BY LEAD AGENCY

() SIGNED BY APPLICANT

DATE RECEIVED FOR FILING:

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section
* POLITICAL POLITICAL PROPERTY NAMED IN CONTROL PROPERTY NAMED IN CONTROL PROPERTY NAMED IN CONTROL PROPERTY N	Charles of planting to the property and a	Land to the state of the state		* 2566		65962,5 (Yes or No)*
SS-030594	HAVENRIDGE WY	PLUMCREST LN	HAVEN BROOK PL	1	CARMEL VALLEY	No
SS-030593	HAVENRIDGE WY	HUNTERS GLEN DR	PLUMCREST LN	1	CARMEL VALLEY	No
SS-030591	HUNTERS GLEN DR	BEGIN	HAVENRIDGE WY	1	CARMEL VALLEY	No
SS-030596	HAVEN BROOK PL	BEGIN	HAVENRIDGE WY	1	CARMEL VALLEY	No
SS-030597	PLUMCREST LN	HAVENRIDGE WY	CARMEL MTN RD	1	CARMEL VALLEY	No
SS-030605	CARMEL MTN RD	AMBERGLADES LN	PLUMCREST LN	1	CARMEL VALLEY	No
SS-030595	HAVENRIDGE WY	HAVEN BROOK PL	END	1	CARMEL VALLEY	No
SS-030592	HUNTERS GLEN DR	HAVENRIDGE WY	AMBERGLADES LN	1	CARMEL VALLEY	No
SS-030620	EVANS WOOD WY	BEGIN	GABLEWOOD WY	1	CARMEL VALLEY	No
SS-030613	TIMBER BROOK LN	GABLEWOOD WY	CONCORD WOODS WY	1	CARMEL VALLEY	No
SS-030612	BRIARLAKE WOODS DR	LAUREL CHASE DR	END	1	CARMEL VALLEY	No
SS-030608	BRIARLAKE WOODS DR	HEATHER RUN CT	GABLEWOOD WY	1	CARMEL VALLEY	No
SS-030614	TIMBER BROOK LN	CONCORD WOODS WY	CARMEL MTN RD	1	CARMEL VALLEY	No
SS-032218	BRIARLAKE WOODS DR	BEGIN	HEATHER RUN CT	1	CARMEL VALLEY	No
SS-030611	BRIARLAKE WOODS DR	CONCORD WOODS WY	LAUREL CHASE DR	1	CARMEL VALLEY	No
SS-030609	BRIARLAKE WOODS DR	GABLEWOOD WY	MOSSWOOD CV	1	CARMEL VALLEY	No
SS-030615	LAUREL CHASE DR	BRIARLAKE WOODS DR	CARMEL MTN RD	1	CARMEL VALLEY	No
SS-030616	CONCORD WOODS WY	BRIARLAKE WOODS DR	TIMBER BROOK LN	1	CARMEL VALLEY	No
SS-025613	STERLING GROVE LN	SAGAMORE WY	END	1	CARMEL VALLEY	No
SS-032219	HEATHER RUN CT	BRIARLAKE WOODS DR	END	1	CARMEL VALLEY	No
SS-030610	BRIARLAKE WOODS DR	MOSSWOOD CV	CONCORD WOODS WY	1	CARMEL VALLEY	No
SS-030621	MOSSWOOD CV	BRIARLAKE WOODS DR	END	1	CARMEL VALLEY	No
SS-030617	GABLEWOOD WY	BRIARŁAKE WOODS DR	TIMBER BROOK LN	1	CARMEL VALLEY	No
SS-025639	STONE HAVEN WY	CARMEL COUNTRY RD	WILLOWMERE LN	1	CARMEL VALLEY	No
SS-030458	WEATHERSTONE CT	BEGIN	WILLOWMERE LN	1	CARMEL VALLEY	No
SS-007438	CLOVERHURST WY	CARMEL COUNTRY RD	GREENWILLOW LN	1	CARMEL VALLEY	No
SS-007440	CLOVERHURST WY	DERRYDOWN WY	MANOR RIDGE LN	1	CARMEL VALLEY	No
SS-012667	GREENWILLOW LN	CLOVERHURST WY	DERRYDOWN WY	1	CARMEL VALLEY	No
SS-006371	CARMEL COUNTRY RD	CLOVERHURST WY	SAGAMORE WY	1	CARMEL VALLEY	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-025611	STERLING GROVE LN	BEGIN	MANOR RIDGE LN	1	CARMEL VALLEY	No
SS-024835	SHANNON RIDGE LN	CRAVEN RIDGE WY	WILLOWMERE LN	1	CARMEL VALLEY	No
SS-030459	WILLOWMERE LN	WEATHERSTONE CT	END	1	CARMEL VALLEY	No
SS-030461	BRITTANY FORREST LN	LAUREL CHASE DR	TIMBER BROOK LN	1	CARMEL VALLEY	No
SS-009130	DERRYDOWN WY	CLOVERHURST WY	CARMEL COUNTRY RD	1	CARMEL VALLEY	No
SS-023877	SAGAMORE WY	STERLING GROVE LN	CARMEL COUNTRY RD	1	CARMEL VALLEY	No
SS-030462	BRITTANY FORREST LN	TIMBER BROOK LN	END	1	CARMEL VALLEY	No
SS-028844	WILLOWMERE LN	SHANNON RIDGE LN	STONE HAVEN WY	1	CARMEL VALLEY	No
SS-025638	STONE HAVEN WY	WILLOWMERE LN	SHANNON RIDGE LN	1	CARMEL VALLEY	No
SS-006373	CARMEL COUNTRY RD	CRAVEN RIDGE WY	DERRYDOWN WY	1	CARMEL VALLEY	No
SS-025357	SPICEWOOD CT	CLOVERHURST WY	END	1	CARMEL VALLEY	No
SS-007441	CLOVERHURST WY	SPICEWOOD CT	DERRYDOWN WY	1	CARMEL VALLEY	No
SS-030460	BRITTANY FORREST LN	BEGIN	LAUREL CHASE DR	1	CARMEL VALLEY	No
SS-006374	CARMEL COUNTRY RD	STONE HAVEN WY	CRAVEN RIDGE WY	1	CARMEL VALLEY	No
SS-030463	TIMBER BROOK LN	CARMEL MTN RD	BRITTANY FORREST LN	1	CARMEL VALLEY	No
SS-024834	SHANNON RIDGE LN	DERRYDOWN WY	CRAVEN RIDGE WY	1	CARMEL VALLEY	No
SS-006379	CARMEL COUNTRY RD	SAGAMORE WY	DEL MAR MESA RD	1	CARMEL VALLEY	No
SS-006372	CARMEL COUNTRY RD	DERRYDOWN WY	CLOVERHURST WY	1	CARMEL VALLEY	No
SS-007442	CLOVERHURST WY	BRETTONWOOD CT	SPICEWOOD CT	1	CARMEL VALLEY	No
SS-007443	CLOVERHURST WY	BEGIN	BRETTONWOOD CT	1	CARMEL VALLEY	No
SS-009129	DERRYDOWN WY	CARMEL COUNTRY RD	GREENWILLOW LN	1	CARMEL VALLEY	No
SS-028845	WILLOWMERE LN	STONE HAVEN WY	WEATHERSTONE CT	1	CARMEL VALLEY	No
SS-008198	CRAVEN RIDGE WY	CARMEL COUNTRY RD	SHANNON RIDGE LN	1	CARMEL VALLEY	No
SS-004834	BRETTONWOOD CT	CLOVERHURST WY	END	1	CARMEL VALLEY	No
SS-017358	MANOR RIDGE LN	TIMBER BRANCH WY	END	1	CARMEL VALLEY	No
SS-006375	CARMEL COUNTRY RD	CARMEL MTN RD	STONE HAVEN WY	1	CARMEL VALLEY	No
SS-025612	STERLING GROVE LN	MANOR RIDGE LN	SAGAMORE WY	1	CARMEL VALLEY	No
SS-030464	LAUREL CHASE DR	CARMEL MTN RD	BRITTANY FORREST LN	1	CARMEL VALLEY	No
SS-006370	CARMEL COUNTRY RD	DEL MAR MESA RD	SHAW VALLEY RD	1	CARMEL VALLEY	No

Segment ID	Street Name	Cross Street 1	Cross Street 2.	CD	Community	Hazardous Waste Site pursuant to Section 65962,5 (Yes or No)*
SS-026509	TIMBER BRANCH WY	MANOR RIDGE LN	END	1	CARMEL VALLEY	No
SS-030465	CARMEL MTN RD	CARMEL COUNTRY RD	LAUREL CHASE DR	1	CARMEL VALLEY	No
SS-030606	CARMEL MTN RD	PLUMCREST LN	CARMEL COUNTRY RD	1	CARMEL VALLEY	No
SS-017359	MANOR RIDGE LN	CLOVERHURST WY	TIMBER BRANCH WY	1	CARMEL VALLEY	No
SS-030466	CARMEL MTN RD	LAUREL CHASE DR	LAUREL CHASE DR	1	CARMEL VALLEY	No
SS-007439	CLOVERHURST WY	MANOR RIDGE LN	CARMEL COUNTRY RD	1	CARMEL VALLEY	No
SS-030467	CARMEL MTN RD	TIMBER BROOK LN	GALLOP CREST CT	1	CARMEL VALLEY	No
SS-017360	MANOR RIDGE LN	STERLING GROVE LN	CLOVERHURST WY	1	CARMEL VALLEY	No
SS-030607	CARMEL MTN RD	LAUREL CHASE DR	TIMBER BROOK LN	1	CARMEL VALLEY	No
SS-024836	SHANNON RIDGE LN	WILLOWMERE LN	STONE HAVEN WY	1	CARMEL VALLEY	No
SS-030618	GABLEWOOD WY	TIMBER BROOK LN	EVANS WOOD WY	1	CARMEL VALLEY	No
SS-030619	GABLEWOOD WY	EVANS WOOD WY	END	1	CARMEL VALLEY	No
SS-012668	GREENWILLOW LN	BEGIN	CLOVERHURST WY	1	CARMEL VALLEY	No
SS-032302	CARMEL MTN RD	EQUESTRIAN RIDGE	LITTLE MCGONIGLE RANCH RD	1	DEL MAR MESA	No
SS-032307	CARMEL MTN RD	STABLE VISTA WAY	SPUR CROSSING WAY	1	DEL MAR MESA	No
SS-031664	CARMEL MTN RD	BEGIN	LITTLE MCGONIGLE RANCH	1	DEL MAR MESA	No
SS-032305	CARMEL MTN RD	SPUR CROSSING WAY	EQUESTRIAN RIDGE	1	DEL MAR MESA	No
SS-032309	CARMEL MTN RD	GALLOP CREST CT	STABLE VISTA WAY	1	DEL MAR MESA	No
SS-025176	SOLEDAD MTN RD	DESERT VIEW DR	PALM CANYON DR	1	LA JOLLA	No
SS-025190	SOLEDAD MTN RD	PACIFICA DR	PASEO MIRADA	1	LA JOLLA	No
SS-025177	SOLEDAD MTN RD	PASEO MIRADA	DESERT VIEW DR	1	LA JOLLA	No
SS-025189	SOLEDAD MTN RD	PALM CANYON DR	PALOMINO CR	1	LA JOLLA	No
SS-025191	SOLEDAD MTN RD	CORAL REEF AV	PACIFICA DR	1	LA JOLLA	No
SS-011198	FLANDERS PL	FLANDERS DR	END	6	MIRA MESA	No
SS-028883	WINANS COVE	BEGIN	RIVER RIM RD	6	MIRA MESA	No
SS-024217	SANTA ARMINTA AV	SURCO DR	AQUARIUS DR	6	MIRA MESA	No
SS-026400	THOMAS HAYES LN	MEYNCKE WY	BADAMI CR	6	MIRA MESA	No
SS-023816	RUSK COVE	RIMRIDGE LN	END	6	MIRA MESA	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community Page 1	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-012891	HAGANS CR	BEGIN	THOMAS HAYES LN	6	MIRA MESA	No
SS-026398	THOMAS HAYES LN	LANDBREEZE WY	GEHRING CT	6	MIRA MESA	No
SS-019999	NORCANYON WY	BEGIN	THOMAS HAYES LN	6	MIRA MESA	No
SS-009060	DELL RIM CT	BEGIN	RIVER RIM RD	6	MIRA MESA	No
SS-023227	RIMRIDGE LN	WALZ CT	END	6	MIRA MESA	No
SS-003354	BADAMI CR	BEGIN	THOMAS HAYES LN	6	MIRA MESA	No
SS-023275	RIVER RIM RD	MEYNCKE WY	WINANS CV	6	MIRA MESA	No
SS-023229	RIMRIDGE LN	RUSK CV	LORIRAE PL	6	MIRA MESA	No
SS-018214	MEYNCKE WY	THOMAS HAYES LN	RIVER RIM RD	6	MIRA MESA	No
SS-011979	GEHRING CT	THOMAS HAYES LN	END	6	MIRA MESA	No
SS-023273	RIVER RIM RD	DELL RIM CT	NORCANYON WY	6	MIRA MESA	No
SS-028227	WALZ CT	RIMRIDGE LN	END	6	MIRA MESA	No
SS-016882	LORIRAE PL	CALLE CRISTOBAL	RIMRIDGE LN	6	MIRA MESA	No
SS-023276	RIVER RIM RD	RIMRIDGE LN	MEYNCKE WY	6	MIRA MESA	No
SS-003173	AVNDA DEL GATO	CALLE CRISTOBAL	RIMRIDGE LN	6	MIRA MESA	No
SS-015960	LANDBREEZE WY	THOMAS HAYES LN	NORCANYON WY	6	MIRA MESA	No
SS-023274	RIVER RIM RD	WINANS CV	DELL RIM CT	6	MIRA MESA	No
SS-019998	NORCANYON WY	THOMAS HAYES LN	LANDBREEZE WY	6	MIRA MESA	No
SS-026399	THOMAS HAYES LN	BADAMI CR	LANDBREEZE WY	6	MIRA MESA	No
SS-019996	NORCANYON WY	RIVER RIM RD	END	6	MIRA MESA	No
SS-019997	NORCANYON WY	LANDBREEZE WY	RIVER RIM RD	6	MIRA MESA	No
SS-026397	THOMAS HAYES LN	GEHRING CT	NORCANYON WY	6	MIRA MESA	No
SS-003172	AVNDA DEL GATO	RIMRIDGE LN	END	6	MIRA MESA	No
SS-016881	LORIRAE PL	RIMRIDGE LN	END	6	MIRA MESA	No
SS-026402	THOMAS HAYES LN	CALLE CRISTOBAL	HAGANS CR	6	MIRA MESA	No
SS-023230	RIMRIDGE LN	AVNDA DEL GATO	RUSK CV	6	MIRA MESA	No
SS-023231	RIMRIDGE LN	RIVER RIM RD	AVNDA DEL GATO	6	MIRA MESA	No
SS-026401	THOMAS HAYES LN	HAGANS CR	MEYNCKE WY	6	MIRA MESA	No
SS-023228	RIMRIDGE LN	LORIRAE PL	WALZ CT	6	MIRA MESA	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-017738	MASON HEIGHTS LN	PAUL BARWICK CT	PORRECA PT	6	MIRA MESA	No
SS-024679	SEAN TAYLOR LN	CAM MIRANDA	APRIL LEIGH TR	6	MIRA MESA	No
SS-022754	RAVEN RIDGE PT	VIETTA TR	FRAMES PORT PL	6	MIRA MESA	No
SS-015038	KEISHA TR	CAM MIRANDA	KEISHA CV	6	MIRA MESA	No
SS-017739	MASON HEIGHTS LN	BRENNER SPRINGS WY	PAUL BARWICK CT	6	MIRA MESA	No
SS-021485	PAUL BARWICK CT	BEGIN	MASON HEIGHTS LN	6	MIRA MESA	No
SS-004824	BRENNER SPRINGS WY	MASON HEIGHTS LN	SEAN TAYLOR LN	6	MIRA MESA	No
SS-002570	APRIL LEIGH TR	BEGIN	MASON HEIGHTS LN	6	MIRA MESA	No
SS-011407	FRAMES PORT PL	RAVEN RIDGE PT	END	6	MIRA MESA	No
SS-005837	CAM MIRANDA	SEAN TAYLOR LN	CALLE CRISTOBAL	6	MIRA MESA	No
SS-027953	VIETTA TR	RAVEN RIDGE PT	END	6	MIRA MESA	No
SS-024681	SEAN TAYLOR LN	BEGIN	BRENNER SPRINGS WY	6	MIRA MESA	No
SS-007090	CHERYL RIDGE CT	RAVEN RIDGE PT	END	6	MIRA MESA	No
SS-005836	CAM MIRANDA	CALLE CRISTOBAL	KEISHA TR	6	MIRA MESA	No
SS-017736	MASON HEIGHTS LN	DENNIG PL	ALVAREZ MEADOW CT	6	MIRA MESA	No
SS-015039	KEISHA TR	BEGIN	CAM MIRANDA	6	MIRA MESA	No
SS-022236	PORRECA PT	BEGIN	MASON HEIGHTS LN	6	MIRA MESA	No
SS-002311	ALVAREZ MEADOW CT	BEGIN	MASON HEIGHTS LN	6	MIRA MESA	No
SS-024680	SEAN TAYLOR LN	BRENNER SPRINGS WY	CAM MIRANDA	6	MIRA MESA	No
SS-022755	RAVEN RIDGE PT	CHERYL RIDGE CT	VIETTA TR	6	MIRA MESA	No
SS-017737	MASON HEIGHTS LN	PORRECA PT	DENNIG PL	6	MIRA MESA	No
SS-004823	BRENNER SPRINGS WY	SEAN TAYLOR LN	CALLE CRISTOBAL	6	MIRA MESA	No
SS-017735	MASON HEIGHTS LN	ALVAREZ MEADOW CT	APRIL LEIGH TR	6	MIRA MESA	No
SS-009083	DENNIG PL	BEGIN	MASON HEIGHTS LN	6	MIRA MESA	No
SS-015037	KEISHA CV	KEISHA TR	END	6	MIRA MESA	No
SS-002569	APRIL LEIGH TR	MASON HEIGHTS LN	SEAN TAYLOR LN	6	MIRA MESA	No
SS-022756	RAVEN RIDGE PT	BEGIN	CHERYL RIDGE CT	6	MIRA MESA	No
SS-011408	FRAMES PORT PL	CALLE CRISTOBAL	RAVEN RIDGE PT	6	MIRA MESA	No
SS-017790	MATSON WY	MATSON PL	ADKINS WY	6	MIRA MESA	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-008712	DARDEN CT	DARDEN RD	END	6	MIRA MESA	No
SS-024461	SCHILLING AV	GRANBY WY	GLENDOVER LN	6	MIRA MESA	No
SS-017789	MATSON PL	BEGIN	MATSON WY	6	MIRA MESA	No
SS-008675	DANCY RD	CLAUSER ST	FLANDERS DR	6	MIRA MESA	No
SS-008676	DANCY RD	TILTON ST	CLAUSER ST	6	MIRA MESA	No
SS-024462	SCHILLING AV	GLENDOVER LN	PENRIDGE ST	6	MIRA MESA	No
SS-003536	BANNISTER WY	DANCY RD	BANNISTER LN	6	MIRA MESA	No
SS-008677	DANCY RD	BOLIN ST	TILTON ST	6	MIRA MESA	No
SS-001800	ADERMAN AV	DANCY RD	MIRA MESA BL	6	MIRA MESA	No
SS-008714	DARDEN RD	DARDEN CT	FLANDERS DR	6	MIRA MESA	No
SS-008680	DANCY RD	KEOKI ST	PRESLEY ST	6	MIRA MESA	No
SS-008731	DARWELL CT	DANCY RD	END	6	MIRA MESA	No
SS-002479	ANGETON DR	ANGETON CT	DANCY RD	6	MIRA MESA	No
SS-006532	CARRINGTON DR	BANNISTER LN	MIRA MESA BL	6	MIRA MESA	No
SS-006533	CARRINGTON DR	ANGETON DR	BANNISTER LN	6	MIRA MESA	No
SS-008678	DANCY RD	PRESLEY ST	BOLIN ST	6	MIRA MESA	No
SS-002477	ANGETON CT	ANGETON DR	END	6	MIRA MESA	No
SS-012108	GIFFIN WY	DANCY RD	ADKINS WY	6	MIRA MESA	No
SS-003535	BANNISTER LN	CARRINGTON DR	BANNISTER WY	6	MIRA MESA	No
SS-008716	DARDEN RD	BEGIN	PENROD LN	6	MIRA MESA	No
SS-008715	DARDEN RD	PENROD LN	DARDEN CT	6	MIRA MESA	No
SS-007108	CHEVIOT CT	FLANDERS DR	END	6	MIRA MESA	No
SS-024464	SCHILLING AV	KEMERTON RD	CALSTON WY	6	MIRA MESA	No
SS-001806	ADKINS WY	BEGIN	MATSON WY	6	MIRA MESA	No
SS-024463	SCHILLING AV	PENRIDGE ST	KEMERTON RD	6	MIRA MESA	No
SS-017791	MATSON WY	DANCY RD	MATSON PL	6	MIRA MESA	No
SS-001805	ADKINS WY	MATSON WY	GIFFIN WY	6	MIRA MESA	No
SS-008679	DANCY RD	BEGIN	KEOKI ST	6	MIRA MESA	No
SS-021616	PENROD LN	DARDEN RD	FLANDERS DR	6	MIRA MESA	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-001801	ADERMAN AV	FLANDERS DR	DANCY RD	6	MIRA MESA	No
SS-002480	ANGETON DR	DANCY RD	END	6	MIRA MESA	No
SS-003499	BANDELL CT	DANCY RD	END	6	MIRA MESA	No
SS-007109	CHEVIOT CT	BEGIN	FLANDERS DR	6	MIRA MESA	No
SS-008713	DARDEN RD	FLANDERS DR	END	6	MIRA MESA	No
SS-002478	ANGETON DR	CARRINGTON DR	ANGETON CT	6	MIRA MESA	No
SS-024465	SCHILLING AV	CALSTON WY	ADERMAN AV	6	MIRA MESA	No
SS-024466	SCHILLING AV	ADERMAN AV	CAMTO ALVAREZ	6	MIRA MESA	No
SS-001802	ADERMAN AV	BEGIN	FLANDERS DR	6	MIRA MESA	No
SS-013397	HERRING CV	SANTA ARMINTA AV	END	6	MIRA MESA	No
SS-007961	CORLEY CT	TORRELL WY	CALLE CRISTOBAL	6	MIRA MESA	No .
SS-001645	ACAMA CT	CALLE CRISTOBAL	PRAIRIE SHADOW RD	6	MIRA MESA	No
SS-022341	PRAIRIE SHADOW RD	BEGIN	ACAMA CT	6	MIRA MESA	No
SS-024226	SANTA ARMINTA AV	PRAIRIE WOOD DR	LOS SABALOS ST	6	MIRA MESA	No
SS-022336	PRAIRIE SHADOW PT	PRAIRIE SHADOW RD	END	6	MIRA MESA	No
SS-022338	PRAIRIE SHADOW RD	PRAIRIE WOOD DR	PRAIRIE SHADOW PT	6	MIRA MESA	No
SS-024224	SANTA ARMINTA AV	HERRING CV	LOTT PT	6	MIRA MESA	No
SS-026764	TRAILBRUSH PT	WINDY RIDGE RD	TRAILBRUSH TR	6	MIRA MESA	No
SS-028945	WINDY RIDGE WY	CALLE CRISTOBAL	WINDY RIDGE RD	6	MIRA MESA	No
SS-016911	LOTT PT	SANTA ARMINTA AV	END	6	MIRA MESA	No
SS-026656	TORRELL WY	CORLEY CT	AVNDA DEL GATO	6	MIRA MESA	No
SS-022339	PRAIRIE SHADOW RD	DRY BARK CT	PRAIRIE WOOD DR	6	MIRA MESA	No
SS-022340	PRAIRIE SHADOW RD	ACAMA CT	DRY BARK CT	6	MIRA MESA	No
SS-024222	SANTA ARMINTA AV	AVNDA DEL GATO	CALLE DARIO	6	MIRA MESA	No
SS-028943	WINDY RIDGE RD	BEGIN	WINDY RIDGE WY	6	MIRA MESA	No
SS-026763	TRAILBRUSH PT	TRAILBRUSH TR	END	6	MIRA MESA	No
SS-009482	DRY BARK CT	PRAIRIE SHADOW RD	END	6	MIRA MESA	No
SS-022337	PRAIRIE SHADOW RD	PRAIRIE SHADOW PT	END	6	MIRA MESA	No
SS-024223	SANTA ARMINTA AV	LOTT PT	AVNDA DEL GATO	6	MIRA MESA	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site
Jeginericid	Julie Valle	Closs Sulecti	Super			65962.5 (Yes or No)*
SS-026765	TRAILBRUSH TR	BEGIN	TRAILBRUSH PT	6	MIRA MESA	No
SS-024219	SANTA ARMINTA AV	CALLE DEL HUMO	CALLE NUEVA	6	MIRA MESA	No
SS-024220	SANTA ARMINTA AV	CALLE JALAPA	CALLE DEL HUMO	6	MIRA MESA	No
SS-007960	CORLEY CT	BEGIN	TORRELL WY	6	MIRA MESA	No
SS-005587	CALLE NUEVA	AVNDA DEL GATO	SANTA ARMINTA AV	6	MIRA MESA	No
SS-024221	SANTA ARMINTA AV	CALLE DARIO	CALLE JALAPA	6	MIRA MESA	No
SS-022342	PRAIRIE WOOD DR	CALLE CRISTOBAL	PRAIRIE SHADOW RD	6	MIRA MESA	No
SS-024218	SANTA ARMINTA AV	CALLE NUEVA	SURCO DR	6	MIRA MESA	No
SS-024225	SANTA ARMINTA AV	LOS SABALOS ST	HERRING CV	6	MIRA MESA	No
SS-028944	WINDY RIDGE RD	WINDY RIDGE WY	TRAILBRUSH PT	6	MIRA MESA	No
SS-003174	AVNDA DEL GATO	TORRELL WY	CALLE CRISTOBAL	6	MIRA MESA	No
SS-003175	AVNDA DEL GATO	CALLE NUEVA	TORRELL WY	6	MIRA MESA	No
SS-030850	RIDGE RUN WY	TRAIL CREST DR	END	5	MIRAMAR RANCH NORTH	No
SS-008323	CRYSTAL OAKS WY	BEGIN	WINDING RIDGE DR	5	MIRAMAR RANCH NORTH	No
SS-028914	WINDING RIDGE DR	MCBURNEY RIDGE LN	MC KINNEY CT	5	MIRAMAR RANCH NORTH	No
SS-030870	ASPENDELL WY	BEGIN	ASPENDELL DR	5	MIRAMAR RANCH NORTH	No
SS-030906	RAEDENE WY	WESTWARD CT	BLUE SUMMIT CT	5	MIRAMAR RANCH NORTH	No
SS-026841	TRILLIUM WY	NORTHWICK WY	TRILLIUM CT	5	MIRAMAR RANCH NORTH	No
SS-030864	ASPENDELL DR	ASPENDELL WY	BRECKENRIDGE DR	5	MIRAMAR RANCH NORTH	No
SS-004816	BRECKENRIDGE WY	BRECKENRIDGE DR	END	5	MIRAMAR RANCH NORTH	No
SS-030873	BRECKENRIDGE DR	WELLSONA CT	RAEDENE WY	5	MIRAMAR RANCH NORTH	No
SS-026812	TREYBURN WY	WINDING RIDGE DR	END	5	MIRAMAR RANCH NORTH	No
SS-026838	TRILLIUM CT	BEGIN	TRILLIUM WY	5	MIRAMAR RANCH NORTH	No
SS-030905	WESTWARD CT	BEGIN	BRECKENRIDGE DR	5	MIRAMAR RANCH NORTH	No
SS-017020	LUXEMBOURG WY	WINDING RIDGE DR	END	5	MIRAMAR RANCH NORTH	No
SS-007330	CLARIDGE CT	BEGIN	WEATHERHILL WY	5	MIRAMAR RANCH NORTH	No
SS-030868	WELLSONA CT	BEGIN	BRECKENRIDGE DR	5	MIRAMAR RANCH NORTH	No
SS-030877	BRECKENRIDGE DR	RAEDENE WY	LONGDALE PL	5	MIRAMAR RANCH NORTH	No
SS-030859	STONY RIDGE WY	SWAN LAKE DR	STONY RIDGE CT	5	MIRAMAR RANCH NORTH	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-030907	WESTWARD CT	BRECKENRIDGE DR	RAEDENE WY	5	MIRAMAR RANCH NORTH	No
SS-013278	HEARTWOOD CT	HEARTWOOD WY	END	5	MIRAMAR RANCH NORTH	No
SS-030869	STONY RIDGE WY	STONY RIDGE CT	SWAN LAKE DR	5	MIRAMAR RANCH NORTH	No
SS-028348	WEATHERHILL WY	WEATHERHILL CT	CLARIDGE CT	5	MIRAMAR RANCH NORTH	No
SS-030853	ASHLOCK WY	ASHLOCK LN	RIDGE RUN WY	5	MIRAMAR RANCH NORTH	No
SS-010911	FARMINGDALE ST	GOLDEN BIRCH WY	SWAN LAKE DR	5	MIRAMAR RANCH NORTH	No
SS-030867	BRECKENRIDGE DR	ASPENDELL DR	WELLSONA CT	5	MIRAMAR RANCH NORTH	No
SS-025999	SWAN LAKE DR	POCHARD WY	HEARTWOOD WY	5	MIRAMAR RANCH NORTH	No
SS-028919	WINDING RIDGE DR	RAVENSTHORPE WY	TREYBURN WY	5	MIRAMAR RANCH NORTH	No
SS-031722	SWAN LAKE DR	BEGIN	STONY RIDGE WY	5	MIRAMAR RANCH NORTH	No
SS-028346	WEATHERHILL CT	WEATHERHILL WY	END	5	MIRAMAR RANCH NORTH	No
SS-004815	BRECKENRIDGE DR	WESTWARD CT	WINDING RIDGE DR	5	MIRAMAR RANCH NORTH	No
SS-022036	POCHARD WY	MAYAPPLE WY	SWAN LAKE DR	5	MIRAMAR RANCH NORTH	No
SS-026839	TRILLIUM WY	TRILLIUM CT	MAYAPPLE WY	5	MIRAMAR RANCH NORTH	No
SS-029046	WOODCRAFT WY	POCHARD WY	HEARTWOOD WY	5	MIRAMAR RANCH NORTH	No
SS-030862	WINDING RIDGE DR	MC KINNEY CT	ASPENDELL DR	5	MIRAMAR RANCH NORTH	No
SS-010913	FARMINGDALE ST	WINDBROOK WY	GOLDEN BIRCH WY	5	MIRAMAR RANCH NORTH	No
SS-030896	BLUE SUMMIT CT	BEGIN	RAEDENE WY	5	MIRAMAR RANCH NORTH	No
SS-006865	CHAFFINCH CT	GOLDEN BIRCH WY	END	5	MIRAMAR RANCH NORTH	No
SS-030851	RIDGE RUN WY	ASHLOCK WY	TRAIL CREST DR	5	MIRAMAR RANCH NORTH	No
SS-026000	SWAN LAKE DR	FARMINGDALE ST	POCHARD WY	5	MIRAMAR RANCH NORTH	No
SS-028920	WINDING RIDGE DR	BRECKENRIDGE DR	RAVENSTHORPE WY	5	MIRAMAR RANCH NORTH	No
SS-030858	STONY RIDGE WY	ASHLOCK LN	SWAN LAKE DR	5	MIRAMAR RANCH NORTH	No
SS-028347	WEATHERHILL WY	CLARIDGE CT	STONEY WY	5	MIRAMAR RANCH NORTH	No
SS-030857	STONY RIDGE WY	TRAIL CREST DR	ASHLOCK LN	5	MIRAMAR RANCH NORTH	No
SS-010915	FARMINGDALE ST	SWAN LAKE DR	SCRIPPS RANCH BL	5	MIRAMAR RANCH NORTH	No
SS-030863	ASPENDELL DR	BRECKENRIDGE DR	TRAIL CREST DR	5	MIRAMAR RANCH NORTH	No
SS-027427	VANDEMEN WY	BEGIN	FARMINGDALE ST	5	MIRAMAR RANCH NORTH	No
SS-030895	RAEDENE WY	BLUE SUMMIT CT	BRECKENRIDGE DR	5	MIRAMAR RANCH NORTH	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-022038	POCHARD WY	SWAN LAKE DR	WOODCRAFT WY	5	MIRAMAR RANCH NORTH	No
SS-030856	ASHLOCK LN	STONY RIDGE WY	ASHLOCK WY	5	MIRAMAR RANCH NORTH	No
SS-017814	MAYAPPLE WY	MAYAPPLE CT	TRILLIUM WY	5	MIRAMAR RANCH NORTH	No
SS-012335	GOLDEN BIRCH WY	BEGIN	CHAFFINCH CT	5	MIRAMAR RANCH NORTH	No
SS-010912	FARMINGDALE ST	WINDING RIDGE DR	VANDEMEN WY	5	MIRAMAR RANCH NORTH	No
SS-030854	RIDGE RUN WY	ASHLOCK LN	ASHLOCK WY	5	MIRAMAR RANCH NORTH	No
SS-026840	TRILLIUM WY	MAYAPPLE WY	SWAN LAKE DR	5	MIRAMAR RANCH NORTH	No
SS-020151	NORTHWICK WY	BELLADONNA WY	TRILLIUM WY	5	MIRAMAR RANCH NORTH	No
SS-028898	WINDBROOK WY	BEGIN	FARMINGDALE ST	5	MIRAMAR RANCH NORTH	No
SS-030879	LONGDALE PL	BEGIN	MCDOWELL CT	5	MIRAMAR RANCH NORTH	No
SS-012334	GOLDEN BIRCH WY	CHAFFINCH CT	FARMINGDALE ST	5	MIRAMAR RANCH NORTH	No
SS-013280	HEARTWOOD WY	HEARTWOOD CT	WOODCRAFT WY	5	MIRAMAR RANCH NORTH	No
SS-025997	SWAN LAKE DR	STONEY WY	TRILLIUM WY	5	MIRAMAR RANCH NORTH	No
SS-022037	POCHARD WY	BELLADONNA WY	MAYAPPLE WY	5	MIRAMAR RANCH NORTH	No
SS-028917	WINDING RIDGE DR	CRYSTAL OAKS WY	FARMINGDALE ST	5	MIRAMAR RANCH NORTH	No
SS-030876	MCDOWELL CT	LONGDALE PL	END	5	MIRAMAR RANCH NORTH	No
SS-025998	SWAN LAKE DR	HEARTWOOD WY	STONEY WY	5	MIRAMAR RANCH NORTH	No
SS-030904	BRECKENRIDGE DR	LONGDALE PL	WESTWARD CT	5	MIRAMAR RANCH NORTH	No
SS-013279	HEARTWOOD WY	SWAN LAKE DR	HEARTWOOD CT	5	MIRAMAR RANCH NORTH	No
SS-030865	MC KINNEY CT	WINDING RIDGE DR	END	5	MIRAMAR RANCH NORTH	No
SS-003916	BELLADONNA WY	NORTHWICK WY	POCHARD WY	5	MIRAMAR RANCH NORTH	No
SS-017866	MCBURNEY RIDGE LN	WINDING RIDGE DR	END	5	MIRAMAR RANCH NORTH	No
SS-017815	MAYAPPLE WY	POCHARD WY	MAYAPPLE CT	5	MIRAMAR RANCH NORTH	No
SS-028916	WINDING RIDGE DR	FARMINGDALE ST	LUXEMBOURG WY	5	MIRAMAR RANCH NORTH	No
SS-030878	LONGDALE PL	MCDOWELL CT	BRECKENRIDGE DR	5	MIRAMAR RANCH NORTH	No
SS-030860	STONY RIDGE CT	STONY RIDGE WY	END	5	MIRAMAR RANCH NORTH	No
SS-022760	RAVENSTHORPE WY	WINDING RIDGE DR	END	5	MIRAMAR RANCH NORTH	No
SS-030866	SWAN LAKE DR	STONY RIDGE WY	STONY RIDGE WY	5	MIRAMAR RANCH NORTH	No
SS-028349	WEATHERHILL WY	SCRIPPS RANCH BL	WEATHERHILL CT	5	MIRAMAR RANCH NORTH	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-010914	FARMINGDALE ST	VANDEMEN WY	WINDBROOK WY	5	MIRAMAR RANCH NORTH	No
SS-017813	MAYAPPLE CT	BEGIN	MAYAPPLE WY	5	MIRAMAR RANCH NORTH	No
SS-030861	ASPENDELL DR	BEGIN	ASPENDELL WY	5	MIRAMAR RANCH NORTH	No
SS-028915	WINDING RIDGE DR	LUXEMBOURG WY	MCBURNEY RIDGE LN	5	MIRAMAR RANCH NORTH	No
SS-025654	STONEY WY	SWAN LAKE DR	WEATHERHILL WY	5	MIRAMAR RANCH NORTH	No
SS-028918	WINDING RIDGE DR	TREYBURN WY	CRYSTAL OAKS WY	5	MIRAMAR RANCH NORTH	No
SS-009861	EBERS ST	ADAIR ST	POINT LOMA AV	2	OCEAN BEACH	No
SS-025905	SUNSET CLIFFS BL	BERMUDA AV	PESCADERO AV	2	OCEAN BEACH	
SS-025904	SUNSET CLIFFS BL	PESCADERO AV	ORCHARD AV	2	OCEAN BEACH	
SS-025906	SUNSET CLIFFS BL	POINT LOMA AV	BERMUDA AV	2	OCEAN BEACH	No
SS-009858	EBERS ST	PESCADERO AV	ORCHARD AV	2	OCEAN BEACH	No
SS-008945	DEL MAR AV	EBERS ST	SUNSET CLIFFS BL	2	OCEAN BEACH	No
SS-025903	SUNSET CLIFFS BL	ORCHARD AV	DEL MAR AV	2	OCEAN BEACH	No
SS-008946	DEL MAR AV	FROUDE ST	EBERS ST	2	OCEAN BEACH	No
SS-025179	SOLEDAD MTN RD	LORING ST	CROWNHILL RD	2	PACIFIC BEACH	No
SS-025192	SOLEDAD MTN RD	EDGEWORTH RD	CORAL REEF AV	2	PACIFIC BEACH	No
SS-025193	SOLEDAD MTN RD	CROWNHILL RD	SOLEDAD RANCHO RD	2	PACIFIC BEACH	No
SS-025178	SOLEDAD MTN RD	SOLEDAD RANCHO RD	EDGEWORTH RD	2	PACIFIC BEACH	No
SS-010869	FAMOSA BL	RIALTO ST	WEST POINT LOMA BL	2	PENINSULA	No
SS-021689	PESCADERO AV	SAVOY CR	SANTA BARBARA ST	2	PENINSULA	No
SS-009002	DEL MONTE AV	GUIZOT ST	GUIZOT ST	2	PENINSULA	No
SS-020650	ORCHARD AV	SANTA BARBARA ST	GUIZOT ST	2	PENINSULA	No
SS-009003	DEL MONTE AV	SANTA BARBARA ST	GUIZOT ST	2	PENINSULA	No
SS-020651	ORCHARD AV	VENICE ST	SANTA BARBARA ST	2	PENINSULA	No
SS-024241	SANTA BARBARA ST	SANTA CRUZ AV	DEL MONTE AV	2	PENINSULA	No
SS-009006	DEL MONTE AV	CATALINA BL	VENICE ST	2	PENINSULA	No
SS-019892	NIAGARA AV	VENICE ST	SANTA BARBARA ST	2	PENINSULA	No
SS-024244	SANTA BARBARA ST	ORCHARD AV	DEL MAR AV	2	PENINSULA	No
SS-012833	GUIZOT ST	DEVONSHIRE DR	LEON ST	2	PENINSULA	No

Segment ID	Street Name	Cross Street 1	Cross Street 2.	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-009159	DEVONSHIRE DR	GRANGER ST	TIVOLI ST	2	PENINSULA	No
SS-012831	GUIZOT ST	ALHAMBRA ST	OSPREY ST	2	PENINSULA	No
SS-009155	DEVONSHIRE DR	FROUDE ST	ALHAMBRA ST	2	PENINSULA	No
SS-008948	DEL MAR AV	SANTA BARBARA ST	GUIZOT ST	2	PENINSULA	No
SS-020649	ORCHARD AV	GUIZOT ST	FROUDE ST	2	PENINSULA	No
SS-009158	DEVONSHIRE DR	TIVOLI ST	ADAIR ST	2	PENINSULA	No
SS-012832	GUIZOT ST	LEON ST	ALHAMBRA ST	2	PENINSULA	No
SS-024243	SANTA BARBARA ST	DEL MAR AV	CORONADO AV	2	PENINSULA	No
SS-009160	DEVONSHIRE DR	OSPREY ST	GRANGER ST	2	PENINSULA	No
SS-024245	SANTA BARBARA ST	PESCADERO AV	ORCHARD AV	2	PENINSULA	No
SS-008947	DEL MAR AV	GUIZOT ST	FROUDE ST	2	PENINSULA	No
SS-009004	DEL MONTE AV	VENICE ST	SANTA BARBARA ST	2	PENINSULA	No
SS-009161	DEVONSHIRE DR	ALHAMBRA ST	OSPREY ST	2	PENINSULA	No
SS-009156	DEVONSHIRE DR	GUIZOT ST	FROUDE ST	2	PENINSULA	No
SS-024242	SANTA BARBARA ST	CORONADO AV	SANTA CRUZ AV	2	PENINSULA	No
SS-008020	CORONADO AV	CHATSWORTH BL	CATALINA BL	2	PENINSULA	No
SS-007444	CLOVIS ST	VALETA ST	MONTALVO ST	2	PENINSULA	No
SS-006085	CAMULOS ST	MENTONE ST	TEMECULA ST	2	PENINSULA	No
SS-026254	TEMECULA ST	CAMULOS ST	CLOVIS ST	2	PENINSULA	No
SS-025271	SOTO ST	BEGIN	VALETA ST	2	PENINSULA	No
SS-007445	CLOVIS ST	MENTONE ST	TEMECULA ST	2	PENINSULA	No
SS-018076	MENTONE ST	CLOVIS ST	WEST POINT LOMA BL	2	PENINSULA	No
SS-023126	RIALTO ST	FAMOSA BL	WEST POINT LOMA BL	2	PENINSULA	No
SS-026253	TEMECULA ST	CLOVIS ST	WEST POINT LOMA BL	2	PENINSULA	No
SS-027349	VALETA ST	SOTO ST	ETIWANDA ST	2	PENINSULA	No
SS-027348	VALETA ST	ETIWANDA ST	END	2	PENINSULA	No
SS-018823	MONTALVO ST	CLOVIS ST	WEST POINT LOMA BL	2	PENINSULA	No
SS-027351	VALETA ST	CAMULOS ST	CLOVIS ST	2	PENINSULA	Yes*
SS-018077	MENTONE ST	CAMULOS ST	CLOVIS ST	2	PENINSULA	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-006083	CAMULOS ST	TEMECULA ST	FAMOSA BL	2	PENINSULA	No
SS-018825	MONTALVO ST	BEGIN	CAMULOS ST	2	PENINSULA	No
SS-027350	VALETA ST	CLOVIS ST	SOTO ST	2	PENINSULA	No
SS-010862	FAMOSA BL	CAMULOS ST	RIALTO ST	2	PENINSULA	No
SS-007446	CLOVIS ST	MONTALVO ST	MENTONE ST	2	PENINSULA	No
SS-006086	CAMULOS ST	MONTÁLVO ST	MENTONE ST	2	PENINSULA	No
SS-018078	MENTONE ST	BEGIN	CAMULOS ST	2	PENINSULA	No
SS-018824	MONTALVO ST	CAMULOS ST	CLOVIS ST	2	PENINSULA	No
SS-030401	CYPRESS CANYON PARK DR	CITY BOUNDARY	CANDY ROSE WY	5	SCRIPPS MIRAMAR RANCH	No
SS-002466	ANGELIQUE ST	NIKITA CT	CYPRESS CANYON PARK DR	5	SCRIPPS MIRAMAR RANCH	No
SS-004433	BLUE DIAMOND CT	BEGIN	ANGELIQUE ST	5	SCRIPPS MIRAMAR RANCH	No
SS-017503	MARGINATA CT	BEGIN	ANGELIQUE ST	5	SCRIPPS MIRAMAR RANCH	No
SS-010873	FANTASIA CT	FANTASIA WY	END	5	SCRIPPS MIRAMAR RANCH	No
SS-030396	CANDY ROSE WY	PORCELINA CT	GINSTAR CT	5	SCRIPPS MIRAMAR RANCH	No
SS-011080	FIDELIO WY	EVERGOLD ST	FIDELIO CT	5	SCRIPPS MIRAMAR RANCH	No
SS-030398	PORCELINA CT	CANDY ROSE WY	END	5	SCRIPPS MIRAMAR RANCH	No
SS-010164	ELEONORE CT	EVERGOLD ST	END	5	SCRIPPS MIRAMAR RANCH	No
SS-030400	MISTY BLUE CT	CANDY ROSE WY	END	5	SCRIPPS MIRAMAR RANCH	No
SS-019495	MUNDIAL ST	BEGIN	LIBELLE CT	5	SCRIPPS MIRAMAR RANCH	No
SS-010615	EVERGOLD ST	FANTASIA WY	ELEONORE CT	5	SCRIPPS MIRAMAR RANCH	No
SS-006105	CANDY ROSE WY	CANDY ROSE CT	EVERGOLD ST	5	SCRIPPS MIRAMAR RANCH	No
SS-002465	ANGELIQUE ST	CYPRESS CANYON PARK DR	LITTLE SILVER CT	5	SCRIPPS MIRAMAR RANCH	No
SS-030393	CYPRESS CANYON PARK DR	MUNDIAL ST	EVERGOLD ST	5	SCRIPPS MIRAMAR RANCH	No
SS-002462	ANGELIQUE ST	AVONETTE CT	MARGINATA CT	5	SCRIPPS MIRAMAR RANCH	No
SS-016601	LITTLE SILVER CT	ANGELIQUE ST	END	5	SCRIPPS MIRAMAR RANCH	No
SS-002467	ANGELIQUE ST	CYPRESS CANYON RD	NIKITA CT	5	SCRIPPS MIRAMAR RANCH	No
SS-030399	MISTY BLUE CT	BEGIN	CANDY ROSE WY	5	SCRIPPS MIRAMAR RANCH	No
SS-019494	MUNDIAL ST	LIBELLE CT	CYPRESS CANYON PARK DR	5	SCRIPPS MIRAMAR RANCH	No
SS-010618	EVERGOLD ST	LIBELLE CT	CYPRESS CANYON PARK DR	5	SCRIPPS MIRAMAR RANCH	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD.	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-010614	EVERGOLD ST	ELEONORE CT	CASSINI CT	5	SCRIPPS MIRAMAR RANCH	No
SS-011079	FIDELIO CT	FIDELIO WY	END	5	SCRIPPS MIRAMAR RANCH	No
SS-016366	LIBELLE CT	MUNDIAL ST	END	5	SCRIPPS MIRAMAR RANCH	No
SS-008520	CYPRESS CANYON PARK DR	EVERGOLD ST	JAGUAR CT	5	SCRIPPS MIRAMAR RANCH	No
SS-002460	ANGELIQUE ST	CANDY ROSE WY	SCRIPPS POWAY PY	5	SCRIPPS MIRAMAR RANCH	No
SS-006104	CANDY ROSE CT	BEGIN	CANDY ROSE WY	5	SCRIPPS MIRAMAR RANCH	No
SS-008524	CYPRESS CANYON PARK DR	CYPRESS TERRACE PL	CITY BOUNDARY	5	SCRIPPS MIRAMAR RANCH	No
SS-010617	EVERGOLD ST	CYPRESS CANYON PARK DR	FIDELIO WY	5	SCRIPPS MIRAMAR RANCH	No
SS-010613	EVERGOLD ST	CASSINI CT	DAYMARK CT	5	SCRIPPS MIRAMAR RANCH	No
SS-006637	CASSINI CT	BEGIN	EVERGOLD ST	5	SCRIPPS MIRAMAR RANCH	No
SS-002461	ANGELIQUE ST	MARGINATA CT	CANDY ROSE WY	5	SCRIPPS MIRAMAR RANCH	No
SS-014476	JAGUAR CT	CYPRESS CANYON PARK DR	END	5	SCRIPPS MIRAMAR RANCH	No
SS-030397	GINSTAR CT	CANDY ROSE WY	END	5	SCRIPPS MIRAMAR RANCH	No
SS-002464	ANGELIQUE ST	LITTLE SILVER CT	BLUE DIAMOND CT	5	SCRIPPS MIRAMAR RANCH	No
SS-008521	CYPRESS CANYON PARK DR	JAGUAR CT	ANGELIQUE ST	5	SCRIPPS MIRAMAR RANCH	No
SS-006107	CANDY ROSE WY	ANGELIQUE ST	END	5	SCRIPPS MIRAMAR RANCH	No
SS-011081	FIDELIO WY	FIDELIO CT	END	5	SCRIPPS MIRAMAR RANCH	No
SS-016365	LIBELLE CT	EVERGOLD ST	MUNDIAL ST	5	SCRIPPS MIRAMAR RANCH	No
SS-002463	ANGELIQUE ST	BLUE DIAMOND CT	AVONETTE CT	5	SCRIPPS MIRAMAR RANCH	No
SS-008812	DAYMARK CT	BEGIN	EVERGOLD ST	5	SCRIPPS MIRAMAR RANCH	No
SS-006108	CANDY ROSE WY	GINSTAR CT	CANDY ROSE CT	5	SCRIPPS MIRAMAR RANCH	No
SS-010875	FANTASIA WY	FANTASIA CT	EVERGOLD ST	5	SCRIPPS MIRAMAR RANCH	No
SS-003266	AVONETTE CT	ANGELIQUE ST	END	5	SCRIPPS MIRAMAR RANCH	No
SS-030395	CANDY ROSE WY	MISTY BLUE CT	PORCELINA CT	5	SCRIPPS MIRAMAR RANCH	No
SS-006106	CANDY ROSE WY	EVERGOLD ST	ANGELIQUE ST	5	SCRIPPS MIRAMAR RANCH	No
SS-019910	NIKITA CT	ANGELIQUE ST	END	5	SCRIPPS MIRAMAR RANCH	No
SS-010874	FANTASIA CT	BEGIN	FANTASIA WY	5	SCRIPPS MIRAMAR RANCH	No
SS-030392	CYPRESS CANYON PARK DR	CANDY ROSE WY	MUNDIAL ST	5	SCRIPPS MIRAMAR RANCH	No
SS-010612	EVERGOLD ST	DAYMARK CT	CANDY ROSE WY	5	SCRIPPS MIRAMAR RANCH	No

Segment ID	Street Name	Cross Street 1	Cross Street 2	CD.	Community	Hazardous Waste Site pursuant to Section 65962.5 (Yes or No)*
SS-010616	EVERGOLD ST	FIDELIO WY	FANTASIA WY	5	SCRIPPS MIRAMAR RANCH	No
SS-016364	LIBELLE CT	BEGIN	EVERGOLD ST	5	SCRIPPS MIRAMAR RANCH	No
SS-030394	CANDY ROSE WY	CYPRESS CANYON PARK DR	MISTY BLUE CT	5	SCRIPPS MIRAMAR RANCH	No

^{*} Based on search on EnviroStor: http://www.envirostor.dtsc.ca.gov/public/ and GeoTracker: http://geotracker.waterboards.ca.gov
** Individual site on GeoTracker listed as a closed cleanup site for 4302 Valeta St. In addition EnviroStor lists that a school clean up being performed at this location. The clean-up is adjacent to the street and the proposed project would not encroach on the site.

APPENDIX B

FIRE HYDRANT METER PROGRAM

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 1OF 10	October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

1. **PURPOSE**

1.1 To establish a Departmental policy and procedure for issuance, proper usage and charges for fire hydrant meters.

2. **AUTHORITY**

- 2.1 All authorities and references shall be current versions and revisions.
- 2.2 San Diego Municipal Code (NC) Chapter VI, Article 7, Sections 67.14 and 67.15
- 2.3 Code of Federal Regulations, Safe Drinking Water Act of 1986
- 2.4 California Code of Regulations, Titles 17 and 22
- 2.5 California State Penal Code, Section 498B.0
- 2.6 State of California Water Code, Section 110, 500-6, and 520-23
- 2.7 Water Department Director

Reference

- 2.8 State of California Guidance Manual for Cross Connection Programs
- 2.9 American Water Works Association Manual M-14, Recommended Practice for Backflow Prevention
- 2.10 American Water Works Association Standards for Water Meters
- 2.11 U.S.C. Foundation for Cross Connection Control and Hydraulic Research Manual

3. **<u>DEFINITIONS</u>**

3.1 **Fire Hydrant Meter:** A portable water meter which is connected to a fire hydrant for the purpose of temporary use. (These meters are sometimes referred to as Construction Meters.)

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 20F 10	October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

- 3.2 **Temporary Water Use:** Water provided to the customer for no longer than twelve (12) months.
- 3.3 **Backflow Preventor:** A Reduced Pressure Principal Assembly connected to the outlet side of a Fire Hydrant Meter.

4. **POLICY**

- 4.1 The Water Department shall collect a deposit from every customer requiring a fire hydrant meter and appurtenances prior to providing the meter and appurtenances (see Section 7.1 regarding the Fees and Deposit Schedule). The deposit is refundable upon the termination of use and return of equipment and appurtenances in good working condition.
- 4.2 Fire hydrant meters will have a 2 ½" swivel connection between the meter and fire hydrant. The meter shall not be connected to the 4" port on the hydrant. All Fire Hydrant Meters issued shall have a Reduced Pressure Principle Assembly (RP) as part of the installation. Spanner wrenches are the only tool allowed to turn on water at the fire hydrant.
- 4.3 The use of private hydrant meters on City hydrants is prohibited, with exceptions as noted below. All private fire hydrant meters are to be phased out of the City of San Diego. All customers who wish to continue to use their own fire hydrant meters must adhere to the following conditions:
 - a. Meters shall meet all City specifications and American Water Works Association (AWWA) standards.
 - b. Customers currently using private fire hydrant meters in the City of San Diego water system will be allowed to continue using the meter under the following conditions:
 - 1. The customer must submit a current certificate of accuracy and calibration results for private meters and private backflows annually to the City of San Diego, Water Department, Meter Shop.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT	PAGE 3OF 10	EFFECTIVE DATE
FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	TAGE JOF 10	October 15, 2002
,	SUPERSEDES	DATED
	DI 55.27	April 21, 2000

- 2. The meter must be properly identifiable with a clearly labeled serial number on the body of the fire hydrant meter. The serial number shall be plainly stamped on the register lid and the main casing. Serial numbers shall be visible from the top of the meter casing and the numbers shall be stamped on the top of the inlet casing flange.
- 3. All meters shall be locked to the fire hydrant by the Water Department, Meter Section (see Section 4.7).
- 4. All meters shall be read by the Water Department, Meter Section (see Section 4.7).
- 5. All meters shall be relocated by the Water Department, Meter Section (see Section 4.7).
- 6. These meters shall be tested on the anniversary of the original test date and proof of testing will be submitted to the Water Department, Meter Shop, on a yearly basis. If not tested, the meter will not be allowed for use in the City of San Diego.
- 7. All private fire hydrant meters shall have backflow devices attached when installed.
- 8. The customer must maintain and repair their own private meters and private backflows.
- 9. The customer must provide current test and calibration results to the Water Department, Meter Shop after any repairs.
- 10. When private meters are damaged beyond repair, these private meters will be replaced by City owned fire hydrant meters.

CITY OF SAN DIEGO CALIFORNIA	NUMBER	DEPARTMENT
DEPARTMENT INSTRUCTIONS	DI 55.27	Water Department
SUBJECT		EFFECTIVE DATE
	PAGE 4OF 10	
FIRE HYDRANT METER PROGRAM		October 15, 2002
(FORMERLY: CONSTRUCTION METER		· ·
PROGRAM)		1
·	SUPERSEDES	DATED
	DI 55.27	April 21, 2000

- 11. When a private meter malfunctions, the customer will be notified and the meter will be removed by the City and returned to the customer for repairs. Testing and calibration results shall be given to the City prior to any reinstallation.
- 12. The register shall be hermetically sealed straight reading and shall be readable from the inlet side. Registration shall be in hundred cubic feet.
- 13. The outlet shall have a 2 ½ "National Standards Tested (NST) fire hydrant male coupling.
- 14. Private fire hydrant meters shall not be transferable from one contracting company to another (i.e. if a company goes out of business or is bought out by another company).
- 4.4 All fire hydrant meters and appurtenances shall be installed, relocated and removed by the City of San Diego, Water Department. All City owned fire hydrant meters and appurtenances shall be maintained by the City of San Diego, Water Department, Meter Services.
- 4.5 If any fire hydrant meter is used in violation of this Department Instruction, the violation will be reported to the Code Compliance Section for investigation and appropriate action. Any customer using a fire hydrant meter in violation of the requirements set forth above is subject to fines or penalties pursuant to the Municipal Code, Section 67.15 and Section 67.37.
- 4.6 Conditions and Processes for Issuance of a Fire Hydrant Meter

Process for Issuance

- a. Fire hydrant meters shall only be used for the following purposes:
 - 1. Temporary irrigation purposes not to exceed one year.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 5OF 10	October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

- 2. Construction and maintenance related activities (see Tab 2).
- b. No customer inside or outside the boundaries of the City of San Diego Water Department shall resell any portion of the water delivered through a fire hydrant by the City of San Diego Water Department.
- c. The City of San Diego allows for the issuance of a temporary fire hydrant meter for a period not to exceed 12 months (365 days). An extension can only be granted in writing from the Water Department Director for up to 90 additional days. A written request for an extension by the consumer must be submitted at least 30 days prior to the 12 month period ending. No extension shall be granted to any customer with a delinquent account with the Water Department. No further extensions shall be granted.
- d. Any customer requesting the issuance of a fire hydrant meter shall file an application with the Meter Section. The customer must complete a "Fire Hydrant Meter Application" (Tab 1) which includes the name of the company, the party responsible for payment, Social Security number and/or California ID, requested location of the meter (a detailed map signifying an exact location), local contact person, local phone number, a contractor's license (or a business license), description of specific water use, duration of use at the site and full name and address of the person responsible for payment.
- e. At the time of the application the customer will pay their fees according to the schedule set forth in the Rate Book of Fees and Charges, located in the City Clerk's Office. All fees must be paid by check, money order or cashiers check, made payable to the City Treasurer. Cash will not be accepted.
- f. No fire hydrant meters shall be furnished or relocated for any customer with a delinquent account with the Water Department.
- g. After the fees have been paid and an account has been created, the

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT	PAGE 6OF 10	EFFECTIVE DATE
FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)		October 15, 2002
	SUPERSEDES	DATED
	DI 55.27	April 21, 2000

meter shall be installed within 48 hours (by the second business day). For an additional fee, at overtime rates, meters can be installed within 24 hours (within one business day).

4.7 Relocation of Existing Fire Hydrant Meters

- a. The customer shall call the Fire Hydrant Meter Hotline (herein referred to as "Hotline"), a minimum of 24 hours in advance, to request the relocation of a meter. A fee will be charged to the existing account, which must be current before a work order is generated for the meter's relocation.
- b. The customer will supply in writing the address where the meter is to be relocated (map page, cross street, etc). The customer must update the original Fire Hydrant Meter Application with any changes as it applies to the new location.
- c. Fire hydrant meters shall be read on a monthly basis. While fire hydrant meters and backflow devices are in service, commodity, base fee and damage charges, if applicable, will be billed to the customer on a monthly basis. If the account becomes delinquent, the meter will be removed.

4.8 Disconnection of Fire Hydrant Meter

- a. After ten (10) months a "Notice of Discontinuation of Service" (Tab 3) will be issued to the site and the address of record to notify the customer of the date of discontinuance of service. An extension can only be granted in writing from the Water Department Director for up to 90 additional days (as stated in Section 4.6C) and a copy of the extension shall be forwarded to the Meter Shop Supervisor. If an extension has not been approved, the meter will be removed after twelve (12) months of use.
- b. Upon completion of the project the customer will notify the Meter Services office via the Hotline to request the removal of the fire hydrant meter and appurtenances. A work order will be generated

CITY OF SAN DIEGO CALIFORNIA	NUMBER	DEPARTMENT
DEPARTMENT INSTRUCTIONS	DI 55.27	Water Department
SUBJECT		EFFECTIVE DATE
	PAGE 70F 10	
FIRE HYDRANT METER PROGRAM		October 15, 2002
(FORMERLY: CONSTRUCTION METER		
PROGRAM)		
,	SUPERSEDES	DATED
	DI 55.27	April 21, 2000

for removal of the meter.

- c. Meter Section staff will remove the meter and backflow prevention assembly and return it to the Meter Shop. Once returned to the Meter Shop the meter and backflow will be tested for accuracy and functionality.
- d. Meter Section Staff will contact and notify Customer Services of the final read and any charges resulting from damages to the meter and backflow or its appurtenance. These charges will be added on the customer's final bill and will be sent to the address of record. Any customer who has an outstanding balance will not receive additional meters.
- e. Outstanding balances due may be deducted from deposits and any balances refunded to the customer. Any outstanding balances will be turned over to the City Treasurer for collection. Outstanding balances may also be transferred to any other existing accounts.

5. **EXCEPTIONS**

Any request for exceptions to this policy shall be presented, in writing, to the Customer Support Deputy Director, or his/her designee for consideration.

6. MOBILE METER

- 6.1 Mobile meters will be allowed on a case by case basis. All mobile meters will be protected by an approved backflow assembly and the minimum requirement will be a Reduced Pressure Principal Assembly. The two types of Mobile Meters are vehicle mounted and floating meters. Each style of meters has separate guidelines that shall be followed for the customer to retain service and are described below:
 - a) Vehicle Mounted Meters: Customer applies for and receives a City owned Fire Hydrant Meter from the Meter Shop. The customer mounts the meter on the vehicle and brings it to the Meter Shop for

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 8OF 10	October 15, 2002
	SUPERSEDES	DATED
	DI 55.27	April 21, 2000

inspection. After installation is approved by the Meter Shop the vehicle and meter shall be brought to the Meter Shop on a monthly basis for meter reading and on a quarterly basis for testing of the backflow assembly. Meters mounted at the owner's expense shall have the one year contract expiration waived and shall have meter or backflow changed if either fails.

- b) Floating Meters: Floating Meters are meters that are not mounted to a vehicle. (Note: All floating meters shall have an approved backflow assembly attached.) The customer shall submit an application and a letter explaining the need for a floating meter to the Meter Shop. The Fire Hydrant Meter Administrator, after a thorough review of the needs of the customer, (i.e. number of jobsites per day, City contract work, lack of mounting area on work vehicle, etc.), may issue a floating meter. At the time of issue, it will be necessary for the customer to complete and sign the "Floating Fire Hydrant Meter Agreement" which states the following:
 - 1) The meter will be brought to the Meter Shop at 2797 Caminito Chollas, San Diego on the third week of each month for the monthly read by Meter Shop personnel.
 - 2) Every other month the meter will be read and the backflow will be tested. This date will be determined by the start date of the agreement.

If any of the conditions stated above are not met the Meter Shop has the right to cancel the contract for floating meter use and close the account associated with the meter. The Meter Shop will also exercise the right to refuse the issuance of another floating meter to the company in question.

Any Fire Hydrant Meter using reclaimed water shall not be allowed use again with any potable water supply. The customer shall incur the cost of replacing the meter and backflow device in this instance.

CITY OF SAN DIEGO CALIFORNIA DEPARTMENT INSTRUCTIONS	NUMBER DI 55.27	DEPARTMENT Water Department
SUBJECT FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	PAGE 9OF 10	October 15, 2002
	SUPERSEDES DI 55.27	DATED April 21, 2000

7. **FEE AND DEPOSIT SCHEDULES**

7.1 **Fees and Deposit Schedules:** The fees and deposits, as listed in the Rate Book of Fees and Charges, on file with the Office of the City Clerk, are based on actual reimbursement of costs of services performed, equipment and materials. Theses deposits and fees will be amended, as needed, based on actual costs. Deposits, will be refunded at the end of the use of the fire hydrant meter, upon return of equipment in good working condition and all outstanding balances on account are paid. Deposits can also be used to cover outstanding balances.

All fees for equipment, installation, testing, relocation and other costs related to this program are subject to change without prior notification. The Mayor and Council will be notified of any future changes.

8. <u>UNAUTHORIZED USE OF WATER FROM A HYDRANT</u>

- 8.1 Use of water from any fire hydrant without a properly issued and installed fire hydrant meter is theft of City property. Customers who use water for unauthorized purposes or without a City of San Diego issued meter will be prosecuted.
- 8.2 If any unauthorized connection, disconnection or relocation of a fire hydrant meter, or other connection device is made by anyone other than authorized Water Department personnel, the person making the connection will be prosecuted for a violation of San Diego Municipal Code, Section 67.15. In the case of a second offense, the customer's fire hydrant meter shall be confiscated and/or the deposit will be forfeited.
- 8.3 Unauthorized water use shall be billed to the responsible party. Water use charges shall be based on meter readings, or estimates when meter readings are not available.
- 8.4 In case of unauthorized water use, the customer shall be billed for all applicable charges as if proper authorization for the water use had been obtained, including but not limited to bi-monthly service charges, installation charges and removal charges.

CITY OF SAN DIEGO CALIFORNIA	NUMBER	DEPARTMENT
DEPARTMENT INSTRUCTIONS	DI 55.27	Water Department
SUBJECT	PAGE 10OF 10	EFFECTIVE DATE
FIRE HYDRANT METER PROGRAM (FORMERLY: CONSTRUCTION METER PROGRAM)	TAGE 100F 10	October 15, 2002
	SUPERSEDES	DATED
	DI 55.27	April 21, 2000

8.5 If damage occurs to Water Department property (i.e. fire hydrant meter, backflow, various appurtenances), the cost of repairs or replacements will be charged to the customer of record (applicant).

Water Department Director

Tabs: 1. Fire Hydrant Meter Application

Construction & Maintenance Related Activities With No Return 2.

To Sewer

Notice of Discontinuation of Service 3.

APPENDIX

Customer Support Division Administering Division:

Construction Meters Subject Index: Fire Hydrant

Fire Hydrant Meter Program

Meters, Floating or Vehicle Mounted

Mobile Meter

Program, Fire Hydrant Meter

Distribution: DI Manual Holders



Application for Fire (EXHIBIT A) **Hydrant Meter**

. Application Date

(For Office o	se Omy)
NS REQ	FAC#
DATE	ВУ

Requested Install Date:

METER SHOP (619) 527-7449

Meter Information	. Application pate	Requested	mstan pate:
Fire Hydrant Location: (Attach Detailed Map//Thomas Bros. Map Location or Construction drawing.) Zip:		<u>T.B.</u>	G.B. (CITY USE)
Specific Use of Water:			
Any Return to Sewer or Storm Drain, If so , explain:			

Check Box if Reclaimed Water Estimated Duration of Meter Use: Company Information Company Name: Mailing Address: State: Zip: City: Phone: (*Contractor license# *Business license# A Copy of the Contractor's license OR Business License is required at the time of meter issuance. Name and Title of Billing Agent: Phone: ((PERSON IN ACCOUNTS PAYABLE) Site Contact Name and Title: Phone: (Title: Responsible Party Name: Cal ID# Phone: I Signature: Date: Guarantees Payment of all Charges Resulting from the use of this Meter. Insures that employees of this Organization understand the proper use of Fire Hydrant Meter

Fire Hydrant Meter Removal Request		Requested Removal Date:	€ -
Provide Current Meter Location if Different from Above:			
Signature:	~	Title:	Date:
Phone: ()	Pager:	() .	

City Meter	Private Meter		
Contract Acct #;		Deposit Amount: \$936.00	Fees Amount: \$ 62.00
Meter Serial #	,	Meter Size: 05	Meter Make and Style: 6-7
Backflow #		Backflow Size:	Backflow Make and Style:
Name:	and the second s	Signature:	Date:

WATER USES WITHOUT ANTICIPATED CHARGES FOR RETURN TO SEWER

Auto Detailing

Backfilling

Combination Cleaners (Vactors)

Compaction

Concrete Cutters

Construction Trailers

Cross Connection Testing

Dust Control

Flushing Water Mains

Hydro Blasting

Hydro Seeing

Irrigation (for establishing irrigation only; not continuing irrigation)

Mixing Concrete

Mobile Car Washing

Special Events

Street Sweeping

Water Tanks

Water Trucks

Window Washing

Note:

1. If there is any return to sewer or storm drain, then sewer and/or storm drain fees will be charges.

Date
Name of Responsible Party Company Name and Address Account Number:
Subject: Discontinuation of Fire Hydrant Meter Service
Dear Water Department Customer:
The authorization for use of Fire Hydrant Meter #
City of San Diego Water Department Attention: Meter Services 2797 Caminito Chollas San Diego, CA 92105-5097
Should you have any questions regarding this matter, please call the Fire Hydrant Hotline at (619)
Sincerely,
Water Department

APPENDIX C

MATERIALS TYPICALLY ACCEPTED BY CERTIFICATE OF COMPLIANCE

MATERIALS TYPICALLY ACCEPTED BY CERTIFICATE OF COMPLIANCE

- 1. Soil amendment
- 2. Fiber mulch
- 3. PVC or PE pipe up to 16 inch diameter
- 4. Stabilizing emulsion
- 5. Lime
- 6. Preformed elastomeric joint seal
- 7. Plain and fabric reinforced elastomeric bearing pads
- 8. Steel reinforced elastomeric bearing pads
- 9. Waterstops (Special Condition)
- 10. Epoxy coated bar reinforcement
- 11. Plain and reinforcing steel
- 12. Structural steel
- 13. Structural timber and lumber
- 14. Treated timber and lumber
- 15. Lumber and timber
- 16. Aluminum pipe and aluminum pipe arch
- 17. Corrugated steel pipe and corrugated steel pipe arch
- 18. Structural metal plate pipe arches and pipe arches
- 19. Perforated steel pipe
- 20. Aluminum underdrain pipe
- 21. Aluminum or steel entrance tapers, pipe downdrains, reducers, coupling bands and slip joints
- 22. Metal target plates
- 23. Paint (traffic striping)
- 24. Conductors
- 25. Painting of electrical equipment
- 26. Electrical components
- 27. Engineering fabric
- 28. Portland Cement
- 29. PCC admixtures
- 30. Minor concrete, asphalt
- 31. Asphalt (oil)
- 32. Liquid asphalt emulsion
- 33. Ероху

APPENDIX D

SAMPLE CITY INVOICE WITH SPEND CURVE

City of San Diego, CM&FS Div., 9753 Chesapeake Drive, SD CA 92123

Project Name:

Work Order No or Job Order No.

City Purchase Order No.

Resident Engineer (RE):

RE Phone#:

Fax#:

Contractor's Name:

Contractor's Address:

Contractor's Phone #:

Contractor's fax #:

Contact Name:

Invoice No.

Invoice Date:

Billing Period: (To)

Item #	Item Description		Contrac	ct Authoriza	ation			Previous Totals To Date			his Estimate			ls to D	
	·	Unit	Price	Qty		Extension	%/QTY		Amount	%/QTY	Amount		% / QTY		Amount
1					\$	-		\$	-		\$	-	0.00	\$	-
2					\$	-		\$			\$	-	0.00%	\$	
3					\$	-		\$	-		\$	-	0.00%	₩-	-
4					\$	-		\$	-		\$	_	0.00%	\$	-
5				T	\$	-		\$	-		\$	-	0.00%	\$	-
6					\$	-	:	\$	-		\$	-	0.00%	\$	-
7					\$	-		\$	-		\$	-	0.00%	\$	-
8				1	\$	-		\$	-		\$	-	0.00%	\$	-
5					\$	-		\$	-		\$		0.00%	\$	-
6					\$	-		\$	-		\$	-	0.00%	\$	-
7					\$	-		\$	-		\$	-	0.00%	\$	-
8					\$	*		\$	-		\$	-	0.00%	\$	-
9					\$	-		\$	-		\$	-	0.00%	\$	-
10			•••		\$	_		\$	-		\$	-	0.00%	\$	-
11					\$	-		\$	-		\$	-	0.00%	\$	-
12					\$			\$	-		\$	-	0.00%	\$	-
13					\$	-		\$	-		\$	-	0.00%	\$	-
14					\$	-		\$	-		\$	-	0.00%	\$	-
15					\$			\$	-		\$		0.00%	\$	-
16					\$	-		\$	-		\$	-	0.00%	\$	-
17	Field Orders				\$	_		\$			\$	-	0.00%	\$	_
					\$	_		\$	-		\$	-	0.00%	\$	-
	CHANGE ORDER No.				\$	-		\$	-		\$	-	0.00%	\$	-
					\$	_		\$			\$		0.00%	\$	-
	Total Authorized A	Amount (includi	ng approved Cha	nge Order)) \$	_		\$	-		\$	_	Total Billed	\$	-

SHMMARY

30	I'II'IMIN I		
A. Original	Contract Amount	\$ -	I certify that the materials
B. Approve	d Change Order #00 Thru #00	\$ _	have been received by me in
C. Total Au	thorized Amount (A+B)	\$ 	the quality and quantity specified
D. Total Bil	led to Date	\$ -	
E. Less Tot	al Retention (5% of D)	\$ -	Resident Engineer
F. Less Tot	al Previous Payments	\$ - !	
G. Paymen	t Due Less Retention	\$0.00	Construction Engineer
H. Remaini	ng Authorized Amount	\$0.00	

Retention and/or Escrow Payment Schedule

Total Retention Required as of this billing (Item E)	\$0.00
Previous Retention Withheld in PO or in Escrow	\$0.00
Add'l Amt to Withhold in PO/Transfer in Escrow:	\$0.00
Amt to Release to Contractor from PO/Escrow:	


Contractor Signature and Date:	
Contractor Signature and Date.	

Sample Project Spend Curve

Sample Date Entries Required


Incremental Curve Value
Duration % Increment

_																					
4	0.0%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	3.5%	6.5%	6.5%	6.5%	6.5%	6.5%	6.5%	6.5%	6.5%	6.5%	6.5%
	0%	5%	10%	15%	20%	25%	30%	35%	40%	45%	50%	55%	60%	65%	70%	75%	80%	85%	90%	95%	100%



APPENDIX E

LOCATION MAP




APPENDIX F

PROJECT LOCATION LIST




							Activity
SS-030620	EVANS WOOD WY	BEGIN	GABLEWOOD WY	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-030613	TIMBER BROOK LN BRIARLAKE WOODS DR	GABLEWOOD WY	CONCORD WOODS WY	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-030612 SS-030608		LAUREL CHASE DR	END GABLEWOOD WY	1	1208-E2 1208-F2	CARMEL VALLEY CARMEL VALLEY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-030608 SS-030614	BRIARLAKE WOODS DR TIMBER BROOK LN	HEATHER RUN CT CONCORD WOODS WY	CARMEL MTN RD	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-032218	BRIARLAKE WOODS DR	BEGIN	HEATHER RUN CT	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-030611	BRIARLAKE WOODS DR	CONCORD WOODS WY	LAUREL CHASE DR	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-030609	BRIARLAKE WOODS DR	GABLEWOOD WY	MOSSWOOD CV	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
\$\$-030615	LAUREL CHASE DR	BRIARLAKE WOODS DR	CARMEL MTN RD	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-030616	CONCORD WOODS WY	BRIARLAKE WOODS DR	TIMBER BROOK LN	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-025613	STERLING GROVE LN	SAGAMORE WY	END	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-032219	HEATHER RUN CT	BRIARLAKE WOODS DR	END	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
\$\$-030610	BRIARLAKE WOODS DR	MOSSWOOD CV	CONCORD WOODS WY	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-030621	MOSSWOOD CV	BRIARLAKE WOODS DR	END	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-030617	GABLEWOOD WY	BRIARLAKE WOODS DR	TIMBER BROOK LN	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-025639	STONE HAVEN WY	CARMEL COUNTRY RD	WILLOWMERE LN	1	1208-E1	CARMEL VALLEY CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-030458 SS-007438	WEATHERSTONE CT CLOVERHURST WY	BEGIN CARMEL COUNTRY RD	WILLOWMERE LN GREENWILLOW LN	1	1208-E1 1208-D1	CARMEL VALLEY CARMEL VALLEY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-007438	CLOVERHURST WY	DERRYDOWN WY	MANOR RIDGE LN	1	1208-D1	CARMEL VALLEY CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-012667	GREENWILLOW LN	CLOVERHURST WY	DERRYDOWN WY	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-006371	CARMEL COUNTRY RD	CLOVERHURST WY	SAGAMORE WY	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-025611	STERLING GROVE LN	BEGIN	MANOR RIDGE LN	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-024835	SHANNON RIDGE LN	CRAVEN RIDGE WY	WILLOWMERE LN	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-030459	WILLOWMERE LN	WEATHERSTONE CT	END	1	1208-E2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-009130	DERRYDOWN WY	CLOVERHURST WY	CARMEL COUNTRY RD	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-023877	SAGAMORE WY	STERLING GROVE LN	CARMEL COUNTRY RD	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-028844	WILLOWMERE I.N	SHANNON RIDGE LN	STONE HAVEN WY	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-025638	STONE HAVEN WY	WILLOWMERE LN	SHANNON RIDGE LN	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-006373	CARMEL COUNTRY RD	CRAVEN RIDGE WY	DERRYDOWN WY	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-025357	SPICEWOOD CT	CLOVERHURST WY	END	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-007441 SS 006274	CLOVERHURST WY CARMEL COUNTRY RD	SPICEWOOD CT STONE HAVEN WY	DERRYDOWN WY CRAVEN RIDGE WY	1	1208-E1 1208-E1	CARMEL VALLEY CARMEL VALLEY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-006374 SS-024834	SHANNON RIDGE LN	DERRYDOWN WY	CRAVEN RIDGE WY CRAVEN RIDGE WY	1	1208-E1 1208-E1	CARMEL VALLEY CARMEL VALLEY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-024834 SS-006379	CARMEL COUNTRY RD	SAGAMORE WY	DEL MAR MESA RD	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-006373	CARMEL COUNTRY RD	DERRYDOWN WY	CLOVERHURST WY	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-007442	CLOVERHURST WY	BRETTONWOOD CT	SPICEWOOD CT	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-007443	CLOVERHURST WY	BEGIN	BRETTONWOOD CT	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-009129	DERRYDOWN WY	CARMEL COUNTRY RD	GREENWILLOW LN	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-028845	WILLOWMERE LN	STONE HAVEN WY	WEATHERSTONE CT	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
\$\$-008198	CRAVEN RIDGE WY	CARMEL COUNTRY RD	SHANNON RIDGE LN	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-004834	BRETTONWOOD CT	CLOVERHURST WY	END	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-017358	MANOR RIDGE LN	TIMBER BRANCH WY	END .	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-006375	CARMEL COUNTRY RD	CARMEL MTN RD	STONE HAVEN WY	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-025612	STERLING GROVE LN	MANOR RIDGE LN	SAGAMORE WY	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
\$S-006370	CARMEL COUNTRY RD	DEL MAR MESA RD	SHAW VALLEY RD	1	1188-C7	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-026509	TIMBER BRANCH WY	MANOR RIDGE LN	END	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-017359	MANOR RIDGE LN	CLOVERHURST WY	TIMBER BRANCH, WY	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-007439 SS-017360	CLOVERHURST WY MANOR RIDGE LN	MANOR RIDGE LN STERLING GROVE LN	CARMEL COUNTRY RD CLOVERHURST WY	1	1208-D1 1208-D1	CARMEL VALLEY CARMEL VALLEY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-024836	SHANNON RIDGE LN	WILLOWMERE LN	STONE HAVEN WY	1	1208-E1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-030618	GABLEWOOD WY	TIMBER BROOK LN	EVANS WOOD WY	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-030619	GABLEWOOD WY	EVANS WOOD WY	END	1	1208-F2	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-012668	GREENWILLOW LN	BEGIN	CLOVERHURST WY	1	1208-D1	CARMEL VALLEY	AC - Surface Treatment (RPMS)
SS-010869	FAMOSA BL	RIALTO ST	WEST POINT LOMA BL	2	1268-B5	PENINSULA	AC - Surface Treatment (RPMS)
SS-007444	CLOVIS ST	VALETA ST	MONTALVO ST	2	1268-B5	PENINSULA	AC - Surface Treatment (RPMS)
SS-025179	SOLEDAD MTN RD	LORING ST	CROWNHILL RD	2	1248-B4	PACIFIC BEACH	AC - Surface Treatment (RPMS)
SS-031752	MENDONCA DR	ST CHARLES ST	SHOUP DR	2			AC - Surface Treatment (RPMS)
SS-031746	DURHAM RIDGE PL	ST CHARLES ST	ROSECRANS PL	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS)
SS-031758	TUSCALOOSA ST	BARNETT AV	MCRD GATE 2	2			AC - Surface Treatment (RPMS)
SS-031756	PELELIU WY	BARNETT AV	TUSCALOOSA ST	2		MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS)
SS-031751 SS-031744	MENDONCA DR	TUSCALOOSA ST	ST CHARLES ST	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS)
SS-031744 SS-031755	DURHAM RIDGE PL SHOUP DR	BEGIN POSECBANE DI	MANITOWOC WY	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-031755 SS-023523	ROSECRANS PL	ROSECRANS PL ROSECRANS ST	MENDONCA DR CADIZ ST	2	1268-D6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-025192	SOLEDAD MTN RD	EDGEWORTH RD	CORAL REEF AV	2	1248-A3	PACIFIC BEACH	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-031747	HERMITAGE VIEW PL	ST CHARLES ST	ROSECRANS PL	2		THE PERMIT	AC - Surface Treatment (RPMS)
SS-031753	SHOUP DR	BEGIN	TUSCALOOSA ST	2		-	AC - Surface Treatment (RPMS)
SS-031760	TUSCALOOSA ST	PELELIU WY	SHOUP DR	2			AC - Surface Treatment (RPMS)
SS-031748	MANITOWOC WY	DURHAM RIDGÉ PL	MENDONCA DR	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS)
SS-023522	ROSECRANS PL	CADIZ ST	HERMITAGE VIEW PL	2	1268-D6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS)
SS-031757	GUAM WY	BEGIN	TUSCALOOSA ST	2			AC - Surface Treatment (RPMS)
SS-031754	SHOUP DR	TUSCALOOSA ST	MENDONCA DR	2		N	AC - Surface Treatment (RPMS)
SS-031749	MENDONCA DR	BARNETT AV	MANITOWOC WY	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS)
SS-031742	ST CHARLES ST	HERMITAGE VIEW PL	DURHAM RIDGE PL	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS)
SS-031743	ST CHARLES ST	DURHAM RIDGE PL	MENDONCA DR	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS)
SS-031759	TUSCALOOSA ST	GUAM WY	PELELIU WY	2	1200.00	MIDWAY BACIFIC LUCINARY	AC - Surface Treatment (RPMS)
\$\$-031739	ROSECRANS PL	HERMITAGE VIEW PL	DURHAM RIDGE PL MENDONCA DR	2	1268-D6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS)
SS-031761 SS-031750	TUSCALOOSA ST MENDONCA DR	SHOUP DR MANITOWOC WY	MENDONCA DR TUSCALOOSA ST	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-031750 SS-031741	ST CHARLES ST	CADIZ ST	HERMITAGE VIEW PL	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface (reatment (RPMS) AC - Surface Treatment (RPMS)
SS-031741 SS-031745	DURHAM RIDGE PL	MANITOWOC WY	ST CHARLES ST	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-031740	ROSECRANS PL	DURHAM RIDGE PL	NORTH EVERGREEN ST	2	1268-E6	MIDWAY-PACIFIC HIGHWAY	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-018253	MIDDLETON WY	SOLEDAD RANCHO RD	MIDDLETON RD	2	1248-A3	PACIFIC BEACH	AC - Surface Treatment (RPMS)
SS-025193	SOLEDAD MTN RD	CROWNHILL RD	SOLEDAD RANCHO RD	2	1248-B4	PACIFIC BEACH	AC - Surface Treatment (RPMS)
SS-025178	SOLEDAD MTN RD	SOLEDAD RANCHO RD	EDGEWORTH RD	2	1248-A3	PACIFIC BEACH	AC - Surface Treatment (RPMS)
\$5-018250	MIDDLETON RD	MIDDLETON WY	AMITY ST	2	1248-A3	PACIFIC BEACH	AC - Surface Treatment (RPMS)
\$\$-025200	SOLEDAD RANCHO RD	SOLEDAD MTN RD	MIDDLETON WY	2	1248-A3	PACIFIC BEACH	AC - Surface Treatment (RPMS)
SS-002385	AMITY ST	MIDDLETON RD	PENDLETON ST	2	1248-B3	PACIFIC BEACH	AC - Surface Treatment (RPMS)
SS-025199	SOLEDAD RANCHO RD	MIDDLETON WY	SOLEDAD RANCHO CT	2	1248-A3	PACIFIC BEACH	AC - Surface Treatment (RPMS)
SS-025198	SOLEDAD RANCHO RD	SOLEDAD RANCHO CT	END	2	1248-A3	PACIFIC BEACH	AC - Surface Treatment (RPMS)
SS-006085	CAMULOS ST	MENTONE ST	TEMECULA ST	2	1268-B5	PENINSULA	AC - Surface Treatment (RPMS)
SS-026254	TEMECULA ST	CAMULOS ST	CLOVIS ST	2	1268-B5	PENINSULA	AC - Surface Treatment (RPMS)
SS-025271	SOTO ST	BEGIN MENTONE ST	VALETA ST	2	1268-B5	PENINSULA BENINSULA	AC - Surface Treatment (RPMS)
SS-007445 SS-018076	CLOVIS ST MENTONE ST	MENTONE ST CLOVIS ST	TEMECULA ST WEST POINT LOMA BL	2	1268-B5 1268-B5	PENINSULA PENINSULA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
		CLOVIDDI	WEST FORM LOWARDS	1 4	T500.D3	FLININGULA	no - surrace meatiment (nrivis)



SS-026253 TEMECULA ST	Activity Surface Treatment (RPMS)
SS-026253 TEMECULA ST	Surface Treatment (RPMS) Surface Treatment (RPMS) Surface Treatment (RPMS) Surface Treatment (RPMS)
SS-027349	Surface Treatment (RPMS) Surface Treatment (RPMS) Surface Treatment (RPMS)
SS-018823 MONTALVO ST	Surface Treatment (RPMS)
SS-027351	
SS-018077 MENTONE ST CAMULOS ST CLOVIS ST 2 1268-B5 PENINSULA AC-	
SS-00683	Surface Treatment (RPMS)
SS-027350	Surface Treatment (RPMS)
SS-010862 FAMOSA BL CAMULOS ST RIALTO ST 2 1268-B5 PENINSULA AC- SS-007446 CLOVIS ST MONTALVO ST MENTONE ST 2 1268-B5 PENINSULA AC- SS-006086 CAMULOS ST MENTONE ST 2 1268-B5 PENINSULA AC- SS-018078 MENTONE ST BEGIN CAMULOS ST 2 1268-B5 PENINSULA AC- SS-018824 MONTALVO ST CAMULOS ST CLOVIS ST 2 1268-B5 PENINSULA AC- SS-038950 RIDGE RUN WY TRALI CREST DR END 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-008323 CRYSTAL OAKS WY BEGIN WINDING RIDGE DR 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-028914 WINDING RIDGE DR MC KINNEY CT 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-030906 RAEDENE WY WESTWARD CT BLUE SUMMIT CT 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-026841 TRI	Surface Treatment (RPMS)
SS-007446 CLOVIS ST	Surface Treatment (RPMS)
SS-006086 CAMULOS ST MONTALVO ST MENTONE ST 2 1268-B5 PENINSULA AC- SS-018078 MENTONE ST BEGIN CAMULOS ST 2 1268-B5 PENINSULA AC- SS-018078 MONTALVO ST CAMULOS ST CL 1268-B5 PENINSULA AC- SS-030850 RIDGE RUN WY TRAIL CREST DR END 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-03823 CRYSTAL OAKS WY BEGIN WINDING RIDGE DR 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-038970 ASPENDELL WY BEGIN ASPENDELL DR 5 1209-F1 MIRAMAR RANCH NORTH AC- SS-030906 RAEDENE WY WESTWARD CT BLUE SUMMIT CT 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-026841 TRILLIUM WY NORTHWICK WY TRILLIUM CT 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-004816 BRECKENRIDGE WY BRECKENRIDGE DR END 5 1209-G1 MIRAMAR RANCH NORTH AC- <	Surface Treatment (RPMS) Surface Treatment (RPMS)
SS-018824 MONTALVO ST CAMULOS ST CLOVIS ST 2 1268-B5 PENINSULA AC-	Surface Treatment (RPMS)
SS-030850 RIDGE RUN WY TRAIL CREST DR END 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-008323 CRYSTAL OAKS WY BEGIN WINDING RIDGE DR 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-028914 WINDING RIDGE DR MCBURNEY RIDGE LN MC KINNEY CT 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-030870 ASPENDELL WY BEGIN ASPENDELL DR 5 1209-F1 MIRAMAR RANCH NORTH AC- SS-030906 RAEDENE WY WESTWARD CT BLUE SUMMIT CT 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-030864 ASPENDELL DR ASPENDELL WY BRECKENRIDGE DR 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-030873 BRECKENRIDGE WY BRECKENRIDGE DR END 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-030873 BRECKENRIDGE DR WELLSONA CT RAEDENE WY 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026838 TRILLIUM CT BEGIN TRILLIUM WY 5 <t< td=""><td>Surface Treatment (RPMS)</td></t<>	Surface Treatment (RPMS)
SS-008323 CRYSTAL OAKS WY BEGIN WINDING RIDGE DR 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-028914 WINDING RIDGE DR MCBURNEY RIDGE LN MC KINNEY CT 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-030906 RAPENDELL WY BEGIN ASPENDELL DR 5 1209-F1 MIRAMAR RANCH NORTH AC- SS-030906 RAEDENE WY WESTWARD CT BLUE SUMMIT CT 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026841 TRILLIUM WY NORTHWICK WY TRILLIUM CT 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026843 ASPENDELL DR ASPENDELL WY BRECKENRIDGE DR 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-026816 BRECKENRIDGE WY BRECKENRIDGE DR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-030873 BRECKENRIDGE OR WELISONA CT RAEDENE WY 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-026812 TREYBURN WY WINDING RIDGE DR END 5	Surface Treatment (RPMS)
SS-028914 WINDING RIDGE DR MCBURNEY RIDGE LN MC KINNEY CT 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-030870 ASPENDELL WY BEGIN ASPENDELL DR 5 1209-F1 MIRAMAR RANCH NORTH AC- SS-030906 RAEDENE WY WESTWARD CT BLUE SUMMIT CT 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026841 TRILLIUM WY NORTHWICK WY TRILLIUM CT 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-030864 ASPENDELL DR ASPENDELL WY BRECKENRIDGE DR 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-04816 BRECKENRIDGE WY BRECKENRIDGE DR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-030873 BRECKENRIDGE DR WELLSONA CT RAEDENE WY 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-026812 TREYBURN WY WINDING RIDGE DR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026838 TRILLIUM CT BEGIN TRILLIUM WY 5	Surface Treatment (RPMS) Surface Treatment (RPMS)
SS-030870 ASPENDELL WY BEGIN ASPENDELL DR 5 1209-F1 MIRAMAR RANCH NORTH AC- SS-030906 RAEDENE WY WESTWARD CT BLUE SUMMIT CT 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-030864 ASPENDELL DR ASPENDELL WY BRECKENRIDGE DR 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-030873 BRECKENRIDGE WY BRECKENRIDGE OR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-030873 BRECKENRIDGE DR WELLSONA CT RAEDENE WY 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026812 TRYBURN WY WINDING RIDGE DR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026838 TRILLIUM CT BEGIN TRILLIUM WY 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
SS-026841 TRILLIUM WY NORTHWICK WY TRILLIUM CT 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-030864 ASPENDELL DR ASPENDELL WY BRECKENRIDGE DR 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-004816 BRECKENRIDGE WY BRECKENRIDGE DR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-030817 BRECKENRIDGE DR WELISONA CT RAEDENE WY 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-026812 TREYBURN WY WINDING RIDGE DR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026838 TRILLIUM CT BEGIN TRILLIUM WY 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
SS-030864 ASPENDELL DR ASPENDELL WY BRECKENRIDGE DR 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-004816 BRECKENRIDGE WY BRECKENRIDGE OR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-030873 BRECKENRIDGE DR WELLSONA CT RAEDENE WY 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-026812 TREYBURN WY WINDING RIDGE DR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026838 TRILLIUM CT BEGIN TRILLIUM WY 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
SS-004816 BRECKENRIDGE WY BRECKENRIDGE DR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-030873 BRECKENRIDGE DR WELLSONA CT RAEDENE WY 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-026812 TREYBURN WY WINDING RIDGE DR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026838 TRILLIUM CT BEGIN TRILLIUM WY 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
SS-030873 BRECKENRIDGE DR WELLSONA CT RAEDENE WY 5 1209-G1 MIRAMAR RANCH NORTH AC- SS-026812 TREYBURN WY WINDING RIDGE DR END 5 1209-G2 MIRAMAR RANCH NORTH AC- SS-026838 TRILLIUM CT BEGIN TRILLIUM WY 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS) Surface Treatment (RPMS)
SS-026838 TRILLIUM CT BEGIN TRILLIUM WY 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
SS-USUSUS WESTWARD CT BEGIN BRECKENRIDGE DR 5 1209-G2 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
SS-030868 WELLSONA CT BEGIN BRECKENRIDGE DR 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
SS-030869 STONY RIDGE WY STONY RIDGE CT SWAN LAKE DR 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
SS-030856 ASHLOCK LN STONY RIDGE WY ASHLOCK WY 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
SS-026840 TRILLIUM WY MAYAPPLE WY SWAN LAKE DR 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
SS-013280 HEARTWOOD WY HEARTWOOD CT WOODCRAFT WY 5 1209-H2 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
SS-025998 SWAN LAKE DR HEARTWOOD WY STONEY WY 5 1209-G2 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
SS-017815 MAYAPPLE WY POCHARD WY MAYAPPLE CT 5 1209-G2 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
SS-030866 SWAN LAKE DR STONY RIDGE WY STONY RIDGE WY 5 1209-G1 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
	Surface Treatment (RPMS)
	Surface Treatment (RPMS) Surface Treatment (RPMS)
	Surface Treatment (RPMS)
SS-028915 WINDING RIDGE DR LUXEMBOURG WY MCBURNEY RIDGE LN 5 1209-G2 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)
SS-025654 STONEY WY SWAN LAKE DR WEATHERHILL WY 5 1209-62 MIRAMAR RANCH NORTH AC-	Surface Treatment (RPMS)



			IO# 21004235				
Segment ID.	Street Name	Cross Street 1	Cross Street 2	∰ GD!	TB Map	Community Planning Area	Activity
SS-028918	WINDING RIDGE DR	TREYBURN WY	CRYSTAL OAKS WY	5	1209-G2	MIRAMAR RANCH NORTH	AC - Surface Treatment (RPMS)
SS-017738	MASON HEIGHTS LN	PAUL BARWICK CT	PORRECA PT	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024679	SEAN TAYLOR LN	CAM MIRANDA	APRIL LEIGH TR	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-022754	RAVEN RIDGE PT	VIETTA TR	FRAMES PORT PL	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-015038 SS-017739	KEISHA TR MASON HEIGHTS LN	CAM MIRANDA BRENNER SPRINGS WY	KEISHA CV PAUL BARWICK CT	6	1208-J2 1208-J2	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
\$\$-021485	PAUL BARWICK CT	BEGIN	MASON HEIGHTS LN	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-004824	BRENNER SPRINGS WY	MASON HEIGHTS LN	SEAN TAYLOR LN	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-002570	APRIL LEIGH TR	BEGIN	MASON HEIGHTS LN	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-011407	FRAMES PORT PL	RAVEN RIDGE PT	END	6	1208-J1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-005837	CAM MIRANDA	SEAN TAYLOR LN	CALLE CRISTOBAL	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-027953	VIETTA TR	RAVEN RIDGE PT	END	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024681	SEAN TAYLOR LN	BEGIN BEGIN	BRENNER SPRINGS WY	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-007090 SS-005836	CHERYL RIDGE CT CAM MIRANDA	RAVEN RIDGE PT CALLE CRISTOBAL	END KEISHA TR	6	1208-J2 1208-J2	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-017736	MASON HEIGHTS LN	DENNIG PL	ALVAREZ MEADOW CT	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
S\$-015039	KEISHA TR	BEGIN	CAM MIRANDA	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-022236	PORRECA PT	BEGIN	MASON HEIGHTS LN	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-002311	ALVAREZ MEADOW CT	BEGIN	MASON HEIGHTS LN	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024680	SEAN TAYLOR LN	BRENNER SPRINGS WY	CAM MIRANDA	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-022755	RAVEN RIDGE PT	CHERYL RIDGE CT	VIETTA TR	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-017737	MASON HEIGHTS LN	PORRECA PT	DENNIG PL	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-004823	BRENNER SPRINGS WY	SEAN TAYLOR LN	CALLE CRISTOBAL	6	1208-J2 1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-017735 SS-009083	MASON HEIGHTS LN DENNIG PL	ALVAREZ MEADOW CT BEGIN	APRIL LEIGH TR MASON HEIGHTS LN	6	1208-J2 1208-J2	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-015037	KEISHA CV	KEISHA TR	END	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-002569	APRIL LEIGH TR	MASON HEIGHTS LN	SEAN TAYLOR LN	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-022756	RAVEN RIDGE PT	BEGIN	CHERYL RIDGE CT	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-011408	FRAMES PORT PL	CALLE CRISTOBAL	RAVEN RIDGE PT	6	1208-J2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-017790	MATSON WY	MATSON PL	ADKINS WY	6	1209-A4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008712	DARDEN CT	DARDEN RD	END	6	1209-A5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008669 SS-008670	DANCY RD DANCY RD	ADERMAN AV MATSON WY	MATSON WY BANDELL CT	6	1209-A4 1209-A4	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-008670 SS-024461	SCHILLING AV	GRANBY WY	GLENDOVER LN	6	1209-A4 1208-H4	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-024461 SS-017789	MATSON PL	BEGIN	MATSON WY	6	1208-H4 1208-J4	MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-008675	DANCY RD	CLAUSER ST	FLANDERS DR	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008676	DANCY RD	TILTON ST	CLAUSER.ST	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024462	SCHILLING AV	GLENDOVER LN	PENRIDGE ST	6	1208-J4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-003536	BANNISTER WY	DANCY RD	BANNISTER LN	6	1208-J4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008677	DANCY RD	BOLIN ST	TILTON ST	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-001800	ADERMAN AV	DANCY RD	MIRA MESA BL	6	1208-J4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008714	DARDEN RD	DARDEN CT	FLANDERS DR	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008680 SS-008731	DANCY RD DARWELL CT	KEOK) ST DANCY RD	PRESLEY ST END	6	1208-J5 1208-J4	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-002479	ANGETON DR	ANGETON CT	DANCY RD	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-006532	CARRINGTON DR	BANNISTER LN	MIRA MESA BL	6	1208-J4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-006533	CARRINGTON DR	ANGETON DR	BANNISTER LN	6	1208-J4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008666	DANCY RD	GIFFIN WY	DABNEY DR	6	1209-A4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008671	DANCY RD	BANNISTER WY	DARWELL CT	6	1208-J4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008678	DANCY RD	PRESLEY ST	BOLIN ST	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008674	DANCY RD	FLANDERS DR	DANCY PL	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-002477 SS-012108	ANGETON CT GIFFIN WY	ANGETON DR DANCY RD	END ADKINS WY	6	1208-J4 1209-A4	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-003535	BANNISTER LN	CARRINGTON DR	BANNISTER WY	6	1209-74 1208-J4	MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-008716	DARDEN RD	BEGIN	PENROD LN	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008668	DANCY RD	DARWELL CT	ADERMAN AV	6	1208-J4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008715	DARDEN RD	PENROD LN	DARDEN CT	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-007108	CHEVIOT CT	FLANDERS DR	END	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024464	SCHILLING AV	KEMERTON RD	CALSTON WY	6	1208-J4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008673	DANCY RD	DANCY PL	ANGETON DR	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-001806 SS-024463	ADKINS WY SCHILLING AV	BEGIN PENRIDGE ST	MATSON WY KEMERTON RD	6	1208-J4 1208-J4	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-024463 SS-017791	MATSON WY	DANCY RD	MATSON PL	6	1208-J4 1209-A4	MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-001805	ADKINS WY	MATSON WY	GIFFIN WY	6	1209-A4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008679	DANCY RD	BEGIN	KEOKIST	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-021616	PENROD LN	DARDEN RD	FLANDERS DR	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-001801	ADERMAN AV	FLANDERS DR	DANCY RD	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
S\$-002480	ANGETON DR	DANCY RD	END	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-003499 SS-007109	BANDELL CT CHEVIOT CT	DANCY RD	END ELANDERS DR	6	1209-A4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-007109 SS-008713	DARDEN RD	BEGIN FLANDERS DR	FLANDERS DR END	6	1208-J5 1208-J5	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-002478	ANGETON DR	CARRINGTON DR	ANGETON CT	6	1208-J3	MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-024465	SCHILLING AV	CALSTON WY	ADERMAN AV	6	1208-J4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024466	SCHILLING AV	ADERMAN AV	CAMTO ALVAREZ	6	1208-J4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008672	DANCY RD	ANGETON DR	BANNISTER WY	6	1208-J5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-008667	DANCY RD	BANDELL CT	GIFFIN WY	6	1209-A4	MIRA MESA	AC - Surface Treatment (RPMS)
SS-001802	ADERMAN AV	BEGIN	FLANDERS DR	6	1209-A5	MIRA MESA	AC - Surface Treatment (RPMS)
SS-013397 SS 007961	HERRING CV	SANTA ARMINTA AV TORRELL WY	END CALLE CRISTOBAL	6	1209-B2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-007961 SS-001645	CORLEY CT ACAMA CT	CALLE CRISTOBAL	PRAIRIE SHADOW RD	6	1209-B1 1209-A2	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-022341	PRAIRIE SHADOW RD	BEGIN	ACAMA CT	6	1209-A2	MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-024226	SANTA ARMINTA AV	PRAIRIE WOOD DR	LOS SABALOS ST	6	1209-A2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-022336	PRAIRIE SHADOW PT	PRAIRIE SHADOW RD	END	6	1209-A1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-022338	PRAIRIE SHADOW RD	PRAIRIE WOOD DR	PRAIRIE SHADOW PT	6	1209-A2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024224	SANTA ARMINTA AV	HERRING CV	LOTT PT	6	1209-B2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-026764	TRAILBRUSH PT	WINDY RIDGE RD	TRAILBRUSH TR	6	1209-A2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-028945 SS-016911	WINDY RIDGE WY LOTT PT	CALLE CRISTOBAL SANTA ARMINTA AV	WINDY RIDGE RD	6	1209-A2	MIRA MESA MIRA MESA	AC - Surface Treatment (RPMS)
SS-016911 SS-026656	TORRELL WY	CORLEY CT	END AVNDA DEL GATO	6	1209-B1 1209-B1	MIRA MESA	AC - Surface Treatment (RPMS) AC - Surface Treatment (RPMS)
SS-022339	PRAIRIE SHADOW RD	DRY BARK CT	PRAIRIE WOOD DR	6	1209-B1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-022340	PRAIRIE SHADOW RD	ACAMA CT	DRY BARK CT	6	1209-A2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024222	SANTA ARMINTA AV	AVNDA DEL GATO	CALLE DARIO	6	1209-B2	MIRA MESA	AC - Surface Treatment (RPMS)
55-028943	WINDY RIDGE RD	BEGIN	WINDY RIDGE WY	6.	1209-A1	MIRA MESA	AC - Surface Treatment (RPMS)
\$\$-026763	TRAILBRUSH PT	TRAILBRUSH TR	END	6	1209-A1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-009482	DRY BARK CT	PRAIRIE SHADOW RD	END	6	1209-A2	MIRA MESA	AC - Surface Treatment (RPMS)



Segment ID	Street Name	Cross Street 1	Cross Street 2	CD	ТВ Мар	Community Planning Area	Activity -
SS-022337	PRAIRIE SHADOW RD	PRAIRIE SHADOW PT	END	6	1209-A1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024223	SANTA ARMINTA AV	LOTT PT	AVNDA DEL GATO	6	1209-B2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-026765	TRAILBRUSH TR	BEGIN	TRAILBRUSH PT	6	1209-A1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024219	SANTA ARMINTA AV	CALLE DEL HUMO	CALLE NUEVA	6	1209-B1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024220	SANTA ARMINTA AV	CALLE JALAPA	CALLE DEL HUMO	6	1209-B1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-007960	CORLEY CT	BEGIN	TORRELL WY	6	1209-B1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-005587	CALLE NUEVA	AVNDA DEL GATO	SANTA ARMINTA AV	6	1209-B1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024221	SANTA ARMINTA AV	CALLE DARIO	CALLE JALAPA	6	1209-B1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-022342	PRAIRIE WOOD DR	CALLE CRISTOBAL	PRAIRIE SHADOW RD	6	1209-A2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024218	SANTA ARMINTA AV	CALLE NUEVA	SURCO DR	6	1209-B1	MIRA MESA	AC - Surface Treatment (RPMS)
SS-024225	SANTA ARMINTA AV	LOS SABALOS ST	HERRING CV	6	1209-B2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-028944	WINDY RIDGE RD	WINDY RIDGE WY	TRAILBRUSH PT	6	1209-A2	MIRA MESA	AC - Surface Treatment (RPMS)
SS-003175	AVNDA DEL GATO	CALLE NUEVA	TORRELL WY	6	1209-B1	MIRA MESA	AC - Surface Treatment (RPMS)

APPENDIX G

SAMPLE OF PUBLIC NOTICE

FOR SAMPLE REFERENCE ONLY





PROJECT TITLE

Work on your street will begin within one week to replace the existing water mains servicing your community.

The work will consist of:

- Saw-cutting and trench work on Ingulf Street from Morena Boulevard to Galveston Street to install new water mains, water laterals and fire hydrants.
- Streets where trenching takes place will be resurfaced and curb ramps will be upgraded to facilitate access for persons with disabilities where required.
- This work is anticipated to be complete in your community by December 2016.

How your neighborhood may be impacted:

- Water service to some properties during construction will be provided by a two-inch highline pipe that will run along the curb. To report a highline leak call 619-515-3525.
- Temporary water service disruptions are planned. If planned disruptions impact your property, you will receive advance notice.
- Parking restrictions will exist because of the presence of construction equipment and materials.
- "No Parking" signs will be displayed 72 hours in advance of the work.
- Cars parked in violation of signs will be TOWED.

Hours and Days of Operation:

Monday through Friday X:XX AM to X:XX PM.

City of San Diego Contractor:

Company Name, XXX-XXX-XXXX

To contact the City of San Diego: **SD** Public Works 619-533-4207 | engineering@sandiego.gov | sandiego.gov/CIP





PROJECT TITLE

Work on your street will begin within one week to replace the existing water mains servicing your community.

The work will consist of:

- Saw-cutting and trench work on Ingulf Street from Morena Boulevard to Galveston Street to install new water mains, water laterals and fire hydrants.
- Streets where trenching takes place will be resurfaced and curb ramps will be upgraded to facilitate access for persons with disabilities where required.
- This work is anticipated to be complete in your community by December 2016.

How your neighborhood may be impacted:

- Water service to some properties during construction will be provided by a two-inch highline pipe that will run along the curb. To report a highline leak call 619-515-3525.
- Temporary water service disruptions are planned. If planned disruptions impact your property, you will receive advance notice.
- Parking restrictions will exist because of the presence of construction equipment and materials.
- "No Parking" signs will be displayed 72 hours in advance of the work.
- Cars parked in violation of signs will be TOWED.

Hours and Days of Operation:

Monday through Friday X:XX AM to X:XX PM.

City of San Diego Contractor:

Company Name, XXX-XXX-XXXX

To contact the City of San Diego: **SD** Public Works 619-533-4207 | engineering@sandlego.gov | sandlego.gov/CIP

APPENDIX H

ADVANCED METERING INFRASTRUCTURE (AMI) DEVICE PROTECTION

Protecting AMI Devices in Meter Boxes and on Street Lights


The Public Utilities Department (PUD) has begun the installation of the Advanced Metering Infrastructure (AMI) technology as a new tool to enhance water meter reading accuracy and efficiency, customer service and billing, and to be used by individual accounts to better manage the efficient use of water. All AMI devices shall be protected per Section 5-2, "Protection", of the 2015 Whitebook.

AMI technology allows water meters to be read electronically rather than through direct visual inspection by PUD field staff. This will assist PUD staff and customers in managing unusual consumption patterns which could indicate leaks or meter tampering on a customer's property.

Three of the main components of an AMI system are the:


A. Endpoints, see Photo 1:

Photo 1




B. AMI Antenna attached to Endpoint (antenna not always required), see Photo 2:

Photo 2




Network Devices, see Photo 3:

Photo 3



AMI endpoints transmit meter information to the AMI system and will soon be on the vast majority of meters in San Diego. These AMI devices provide interval consumption data to the PUD's Customer Support Division. If these devices are damaged or communication is interrupted, this Division will be alerted of the situation. The endpoints are installed in water meter boxes, coffins, and vaults adjacent to the meter. A separate flat round antenna may also be installed through the meter box lid. This antenna is connected to the endpoint via cable. The following proper installation shall be implemented when removing the lid to avoid damaging the antenna, cable, and/or endpoint. Photo 4 below demonstrates a diagram of the connection:

Photo 4



The AMI device ERT/Endpoint/Transmitter shall be positioned and installed as discussed in this Appendix. If the ERT/Endpoint/Transmitter is disturbed, it shall be re-installed and returned to its original installation with the end points pointed upwards as shown below in Photo 5.

The PUD's code compliance staff will issue citations and invoices to you for any damaged AMI devices that are not re-installed as discussed in the Contract Document

Photo 5 below shows a typical installation of an AMI endpoint on a water meter.

Photo 5





Photo 6 below is an example of disturbance that shall be avoided:



You are responsible when working in and around meter boxes. If you encounter these endpoints, use proper care and do not disconnect them from the registers on top of the water meter. If the lid has an antenna drilled through, do not change or tamper with the lid and inform the Resident Engineer immediately about the location of that lid. Refer to Photo 7 below:


Photo 7



Another component of the AMI system are the Network Devices. The Network Devices are strategically placed units (mainly on street light poles) that collect interval meter reading data from multiple meters for transmission to the Department Control Computer. If you come across any of these devices on street lights that will be removed or replaced (refer to Photos 8 and 9 below), notify AMI Project Manager Arwa Sayed at (619) 362-0121 immediately.


Photo 8 shows an installed network device on a street light. On the back of each Network Device is a sticker with contact information. See Photo 9. **Call PUD Water Emergency Repairs at 619-515-3525 if your work will impact these street lights.** These are assets that belong to the City of San Diego and you shall be responsible for any costs of disruption of this network.

Photo 8



Network Device

Photo 9



If you encounter any bad installations, disconnected/broken/buried endpoints, or inadvertently damage any AMI devices or cables, notify the Resident Engineer immediately. The Resident Engineer will then immediately contact the AMI Project Manager, Arwa Sayed, at (619) 362-0121.

ATTACHMENT F

INTENTIONALLY LEFT BLANK

ATTACHMENT G

CONTRACT AGREEMENT

ATTACHMENT G

CONTRACT AGREEMENT

CONSTRUCTION CONTRACT

This contract is made and entered into between THE CITY OF SAN DIEGO, a municipal corporation, herein called "City", and <u>American Asphalt South, Inc.</u>, herein called "Contractor" for construction of <u>SLURRY SEAL GROUP 1801</u>; Bid No. K-18-1687-DBB-3; in the amount of <u>Two Million Two Hundred Ninety-Five Thousand Eight Hundred Eighty-Three Dollars and Fifty-Four Cents</u> (\$2,295,883.54), which is comprised of the Base Bid.

IN CONSIDERATION of the payments to be made hereunder and the mutual undertakings of the parties hereto, City and Contractor agree as follows:

- 1. The following are incorporated into this contract as though fully set forth herein:
 - (a) The attached Faithful Performance and Payment Bonds.
 - (b) The attached Proposal included in the Bid documents by the Contractor.
 - (c) Reference Standards listed in the Instruction to Bidders and the Supplementary Special Provisions (SSP).
 - (d) That certain documents entitled **SLURRY SEAL GROUP 1801**, on file in the office of the Public Works Department as Document No. **21004235**, as well as all matters referenced therein.
- 2. The Contractor shall perform and be bound by all the terms and conditions of this contract and in strict conformity therewith shall perform and complete in a good and workmanlike manner **SLURRY SEAL GROUP 1801**, Bid Number **K-18-1687-DBB-3**, San Diego, California.
- 3. For such performances, the City shall pay to Contractor the amounts set forth at the times and in the manner and with such additions or deductions as are provided for in this contract, and the Contractor shall accept such payment in full satisfaction of all claims incident to such performances.
- 4. No claim or suit whatsoever shall be made or brought by Contractor against any officer, agent, or employee of the City for or on account of anything done or omitted to be done in connection with this contract, nor shall any such officer, agent, or employee be liable hereunder.
- 5. This contract is effective as of the date that the Mayor or designee signs the agreement.

CONTRACT AGREEMENT (continued)

IN WITNESS WHEREOF, this Agreement is signed by the City of San Diego, acting by and through its Mayor or designee, pursuant to Municipal Code §22.3102 authorizing such execution.

THE CITY OF SAN DIEGO	APPROVED AS TO FORM
By Stephen Samara	Mara W. Elliott, City Attorney By Print Name: RYAN P. GERRIT
Principal Contract Specialist Public Works Department	Deputy City Attorney
Date: 11-29-2017	Date: 247
CONTRACTOR	
By JAR	
Print Name: Jeff letty	
Title: Vice President	
Date: November 15th 2017	
City of San Diego License No.: BAOLOO6/9	
State Contractor's License No.: <u>784769</u>	
DEPARTMENT OF INDUSTRIAL RELATIONS (DIR) F	REGISTRATION NUMBER: ////

CERTIFICATIONS AND FORMS

The Bidder, by submitting its electronic bid, agrees to and certifies under penalty of perjury
under the laws of the State of California, that the certifications, forms and affidavits submitted
as part of this bid are true and correct.

BIDDER'S GENERAL INFORMATION

To the City of San Diego:

Pursuant to "Notice Inviting Bids", specifications, and requirements on file with the City Clerk, and subject to all provisions of the Charter and Ordinances of the City of San Diego and applicable laws and regulations of the United States and the State of California, the undersigned hereby proposes to furnish to the City of San Diego, complete at the prices stated herein, the items or services hereinafter mentioned. The undersigned further warrants that this bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham: that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and, further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

The undersigned bidder(s) further warrants that bidder(s) has thoroughly examined and understands the entire Contract Documents (plans and specifications) and the Bidding Documents therefore, and that by submitting said Bidding Documents as its bid proposal, bidder(s) acknowledges and is bound by the entire Contract Documents, including any addenda issued thereto, as such Contract Documents incorporated by reference in the Bidding Documents.

NON-COLLUSION AFFIDAVIT TO BE EXECUTED BY BIDDER AND SUBMITTED WITH BID UNDER 23 UNITED STATES CODE 112 AND PUBLIC CONTRACT CODE 7106

State of California County of San Diego

The bidder, being first duly sworn, deposes and says that he or she is authorized by the party making the foregoing bid that the bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or pald, and will not pay, any fee to any corporation, partnership, company association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

DRUG-FREE WORKPLACE

I hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-17 regarding Drug-Free Workplace as outlined in the WHITEBOOK, Section 7-13.3, "Drug-Free Workplace", of the project specifications, and that;

This company_has in place a drug-free workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of subdivisions a) through c) of the policy as outlined.

AMERICAN WITH DISABILITIES ACT (ADA) COMPLIANCE CERTIFICATION

I hereby certify that I am familiar with the requirements of San Diego City Council Policy No. 100-4 regarding the American With Disabilities Act (ADA) outlined in the WHITEBOOK, Section 7-13.2, "American With Disabilities Act", of the project specifications, and that:

This company has in place workplace program that complies with said policy. I further certify that each subcontract agreement for this project contains language which indicates the subcontractor's agreement to abide by the provisions of the policy as outlined.

CONTRACTOR STANDARDS - PLEDGE OF COMPLIANCE

I declare under penalty of perjury that I am authorized to make this certification on behalf of the company submitting this bid/proposal, that as Contractor, I am familiar with the requirements of City of San Diego Municipal Code § 22.3004 regarding Contractor Standards as outlined in the WHITEBOOK, Section 7-13.4, ("Contractor Standards"), of the project specifications, and that Contractor has complied with those requirements.

I further certify that each of the Contractor's subcontractors whose subcontracts are greater than \$50,000 in value has completed a Pledge of Compliance attesting under penalty of perjury of having complied with City of San Diego Municipal Code § 22.3004.

Slurry Seal Group 1801 Contractor Standards – Pledge of Compliance (Rev. Apr. 2017)

EQUAL BENEFITS ORDINANCE CERTIFICATION

I declare under penalty of perjury that I am familiar with the requirements of and in compliance with the City of San Diego Municipal Code § 22.4300 regarding Equal Benefits Ordinance.

AFFIDAVIT OF DISPOSAL

(To be submitted upon completion of Construction pursuant to the contracts Certificate of Completion)

entered into and executed a	contract with the City of Sa	an Diego, a municipal corporatio	on, for:
entered into and executed a contract with the City of San Diego, a municipal corporation, for: SLURRY SEAL GROUP 1801 (Name of Project or Task) as particularly described in said contract and identified as Bid No. K-18-1687-DBB-3; SAP No. (WBS/IO/21004235; and WHEREAS, the specification of said contract requires the Contractor to affirm that "all brush, tra debris, and surplus materials resulting from this project have been disposed of in a legal manner"; and WHERE said contract has been completed and all surplus materials disposed of: NOW, THEREFORE, in consideration of the final payment by the City of San Diego to said Contractor under terms of said contract, the undersigned Contractor, does hereby affirm that all surplus materials as describer said contract have been disposed of at the following location(s) and that they have been disposed of according to all applicable laws and regulations. Dated this			
SLURRY SEAL GROUP 1801 (Name of Project or Task) as particularly described in said contract and identified as Bid No. K-18-1687-DBB-3; SAP No. (WBS/IO/C 21004235; and WHEREAS, the specification of said contract requires the Contractor to affirm that "all brush, tradebris, and surplus materials resulting from this project have been disposed of in a legal manner"; and WHEREA said contract has been completed and all surplus materials disposed of: NOW, THEREFORE, in consideration of the final payment by the City of San Diego to said Contractor under t terms of said contract, the undersigned Contractor, does hereby affirm that all surplus materials as described said contract have been disposed of at the following location(s) and that they have been disposed of according to all applicable laws and regulations. Dated this DAY OF Series DAY OF DAY OF Series DAY OF Defore the undersigned, a Notary Public in and for sa County and State, duly commissioned and sworn, personally appeared known to me to be the Contractor named in the foregoing Release, at whose name is subscribed thereto, and acknowledged to me that said Contractor executed the said Release.			
21004235; and WHEREAS, the debris, and surplus material	ne specification of said contr s resulting from this project	act requires the Contractor to af have been disposed of in a legal	firm that "all brush, trash,
terms of said contract, the u	ndersigned Contractor, doe	es hereby affirm that all surplus	
and that they have been dis	posed of according to all ap	plicable laws and regulations.	
Dated this	DAY OF	•	
-			
ATTEST:			
State of	County of		
County and State, duly commend known to me to be thewhose name is subscribed t	missioned and sworn, person hereto, and acknowledged	onally appeared Contractor named in the	foregoing Release, and

LIST OF SUBCONTRACTORS

*** PROVIDED FOR ILLUSTRATIVE PURPOSES ONLY *** TO BE SUBMITTED IN ELECTRONIC FORMAT ONL Y*** SEE INSTRUCTIONS TO BIDDERS, FOR FURTHER INFORMATION

In accordance with the requirements of the "Subletting and Subcontracting Fair Practices Act", Section 4100, of the California Public Contract Code (PCC), the Bidder is to list below the name, address and license number of each Subcontractor who will perform work, labor, render services or specially fabricate and install a portion [type] of the work or improvement, in an amount of or in excess of 0.5% of the Contractor's total Bid. Failure to comply with this requirement may result in the Bid being rejected as non-responsive. The Contractor is to list only one Subcontractor for each portion of the Work. The Bidder's attention is directed to the Special Provisions - General; Paragraph 2-3 Subcontracts, which stipulates the percentage of the Work to be performed with the Bidder's own forces. The Bidder is to also list all SLBE, ELBE, DBE, DVBE, MBE, WBE, OBE, SDB, WoSB, HUBZone, and SDVOSB Subcontractors for which the Bidders are seeking recognition towards achieving any mandatory, voluntary, or both subcontracting participation percentages.

NAME, ADDRESS AND TELEPHONE NUMBER OF SUBCONTRACTOR	CONSTRUCTOR OR DESIGNER	SUBCONTRACTOR LICENSE NUMBER	TYPE OF WORK	DOLLAR VALUE OF SUBCONTRACT	MBE, WBE, DBE, DVBE, OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB®	WHERE CERTIFIED@	CHECK IF JOINT VENTURE PARTNERSHIP
Name:							
Name: Address: City: State: Zip: Phone: Email:							

①	As appropriate, Bidder shall identify Subcontractor as one of	the following and sh	all include a valid proof of certification (except for OBE, SLBE and	d ELBE):
	Certified Minority Business Enterprise	MBE	Certified Woman Business Enterprise	WBE
	Certified Disadvantaged Business Enterprise	DBE	Certified Disabled Veteran Business Enterprise	DVBE
	Other Business Enterprise	OBE	Certified Emerging Local Business Enterprise	ELBE
	Certified Small Local Business Enterprise	SLBE	Small Disadvantaged Business	SDB
	Woman-Owned Small Business	WoSB	HUBZone Business	HUBZone
	Service-Disabled Veteran Owned Small Business	SDVOSB		
2	As appropriate, Bidder shall indicate if Subcontractor is certifi	ied by:		
	City of San Diego	CITY	State of California Department of Transportation	CALTRANS
	California Public Utilities Commission	CPUC		
	State of California's Department of General Services	CADoGS	City of Los Angeles	LA
	State of California	CA	U.S. Small Business Administration	SBA

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

NAMED EQUIPMENT/MATERIAL SUPPLIER LIST

*** PROVIDED FOR ILLUSTRATIVE PURPOSES ONLY *** TO BE SUBMITTED IN ELECTRONIC FORMAT ONLY *** SEE INSTRUCTIONS TO BIDDERS FOR FURTHER INFORMATION

NAME, ADDRESS AND TELEPHONE NUMBER OF VENDOR/SUPPLIER	MATERIALS OR SUPPLIES	DOLLAR VALUE OF MATERIAL OR SUPPLIES	SUPPLIER (Yes/No)	MANUFACTURER (Yes/No)	MBE, WBE, DBE, DVBE OBE, ELBE, SLBE, SDB, WoSB, HUBZone, OR SDVOSB®	WHERE
					301030	
Name:						
Address:						
City <u>:</u>						
State:					1	
Zip <u>: </u>						
Phone:						
Email:						
Name:						·
Address:						
City:						
State:						
Zip:						
Phone:						
Email:						
As appropriate, Bidder shall identify Vendor/Suppli					or OBE, SLBE and ELBE):	
Certified Minority Business Enterprise	MBE			ness Enterprise		WBE
Certified Disadvantaged Business Enterprise	DBE			eran Business Enterpri		DVBE
Other Business Enterprise	OBE			al Business Enterprise		ELBE
Certified Small Local Business Enterprise	SLBE		Small Disadvantaged Business			SDB
Woman-Owned Small Business	WoS		ne Business		Н	UBZone
Service-Disabled Veteran Owned Small Business		OSB				
As appropriate, Bidder shall indicate if Vendor/Sup	,					
City of San Diego	CITY		California Dep	artment of Transporta	ation CA	LTRANS
California Public Utilities Commission	CPU:	-				
State of California's Department of General Servi			os Angeles			LA
State of California	CA	U.S. Sm	all Business Ad	lministration		SBA

The Bidder will not receive any subcontracting participation percentages if the Bidder fails to submit the required proof of certification.

ELECTRONICALLY SUBMITTED FORMS

THE FOLLOWING FORMS MUST BE SUBMITTED IN PDF FORMAT WITH BID SUBMISSION

The following forms are to be completed by the bidder and submitted (uploaded) electronically with the bid in PlanetBids.

- A. BID BOND See Instructions to Bidders, Bidders Guarantee of Good Faith (Bid Security) for further instructions
- **B. CONTRACTOR'S CERTIFICATION OF PENDING ACTIONS**

Bids will not be accepted until ALL the above-named forms are submitted as part of the bid submittal

BID BOND

See Instructions to Bidders, Bidder Guarantee of Good Faith (Bid Security)

KNON	ALL MEN BY THESE PRESEN	ITS,			
That_	American Asphalt South	ı, Inc.			as Principal, and
P	The Guarantee Compan	y of North Ameri	ica USA		as Surety, are
THE J	and firmly bound unto The CitoTAL BID AMOUNT for the lives, our heirs, executors, acuse presents.	ne payment of whi	ich sum, w	ell and truly to	be made, we bind
	EAS, said Principal has subn dding schedule(s) of the OWI			•	ORK required under
	Slurry Seal Group 1801				
the m agreer furnish vold, c said O	THEREFORE, If said Principal anner required in the "Noti ment bound with said Contra hes the required Performan otherwise it shall remain in for WNER and OWNER prevails, ing a reasonable attorney's f	ce inviting Bids" er ict Documents, furn ce Bond and Paym uil force and effect, said Surety shall pa	nters into a sishes the re ent Bond, t In the eve ay all costs i	written Agreem quired certificat hen this obligati int suit is brough	nent on the form of ses of Insurance, and on shall be null and it upon this bond by
SIGNE	D AND SEALED, this	11th	day of	October	20 <u>17</u>
A	American Asphalt South, Inc. (Principal)	: (SEAL)		e Guarantee Con f North America (Surety)	mpany USA (SEAL)
Ву:	Ale Stone, Secretary (Signature)		By: Sa	ra Walliser, Attor (Signature	
(SEAL	AND NOTARIAL ACKNOWLED	GEMENT OF SURE	ΓY)		

Slurry Seal Group 1801 Bid Bond (Rev, Apr. 2017)

ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

validity of that document.		
State of California County ofButte)
On October 11, 2017	before me.	Elizabeth Collodi, Notary Public
	dilihhtroom	(insert name and title of the officer)
subscribed to the within instrume this/her/theix authorized capacity(person(s), or the entity upon beh	f satisfactory e nt and acknow iess), and that b alf of which the	vidence to be the person(s) whose name(s) is/sxs. videdged to me that ke/she/thay executed the same in by kis/her/their signature(s) on the instrument the e person(s) acted, executed the instrument. he laws of the State of California that the foregoing
		7-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A

ELIZABETH COLLODI

COMM. # 2056602

NOTARY PUBLIC - CALIFORNIA & COUNTY OF BUTTE

Comm. Expires FEB. 1, 2018

WITNESS my hand and official seal.

Signature -



The Guarantee Company of North America USA Southfield, Michigan

POWER OF ATTORNEY

KNOW ALL BY THESE PRESENTS: That THE GUARANTEE COMPANY OF NORTH AMERICA USA, a corporation organized and existing under the laws of the State of Michigan, having its principal office in Southfield. Michigan, does hereby constitute and appoint

Renee Ramsey, Richard W. Pratt, John Hopkins, Etizabeth Collodt, Bobble Beeny, Nancy Luttenbacher, Philisp O. Watkins, Keith T. Schuler, Melissa D. Diaz, Shawna Johnson, Mindy Whitehouse, Jennifer Lakmann, Sara Walliser, John J. Weber, Stephanie Agapotf Interwest Insurance Services, LLC

its true and lawful attorney(s)-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise.

The execution of such instrument(s) in pursuance of these presents, shall be as binding upon THE GUARANTEE COMPANY OF NORTH AMERICA USA as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at the principal office.

The Power of Attorney is executed and may be certified so, and may be revoked, pursuant to and by authority of Article IX, Section 9.03 of the By-Laws adopted by the Board of Directors of THE GUARANTEE COMPANY OF NORTH AMERICA USA at a meeting held on the 31st day of December, 2003. The President, or any Vice President, acting with any Secretary or Assistant Secretary, shall have power and authority:

 To appoint Attorney(s)-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, contracts of indemnity and other writings obligatory in the nature thereof; and

2. To revoke, at any time, any such Attorney-in-fact and revoke the authority given, except as provided below

3. In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.

4. In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner — Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of the Company adopted at a meeting duly called and held on the 6th day of December 2011, of which the following is a true excerpt:

RESOLVED that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any Power of Attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, contracts of indemnity and other writings obligatory in the nature thereof, and such signature and seal when so used shall have the same force and effect as though manually affixed.



STATE OF MICHIGAN

County of Oakland

IN WITNESS WHEREOF, THE GUARANTEE COMPANY OF NORTH AMERICA USA has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, this 2rd day of October, 2015.

THE GUARANTEE COMPANY OF NORTH AMERICA USA

Charle Charles L

Stephen C. Ruschak, President & Chief Operating Officer

Randall Musselman, Secretary

Concue pumbe

On this 2nd day of October, 2015 before me came the individuals who executed the preceding instrument, to me personally known, and being by me duly sworn, said that each is the herein described and authorized officer of The Guarantee Company of North America USA; that the seal affixed to said instrument is the Corporate Seal of said Company; that the Corporate Seal and each signature were duly affixed by order of the Board of Directors of said Company.



Cynthia A. Takai Notary Public, State of Michigan County of Oakland My Commission Expires February 27, 2018 Acting in Oakland County IN WITNESS WHEREOF, I have hereunto set my hand at The Guarantee Company of North America USA offices the day and year above written.

Cynthia a. Takai

I. Randall Musselman, Secretary of THE GUARANTEE COMPANY OF NORTH AMERICA USA, do hereby certify that the above and foregoing is a true and correct copy of a Power of Altomey executed by THE GUARANTEE COMPANY OF NORTH AMERICA USA, which is still in full force and effect.

IN WITNESS WHEREOF, I have thereunto set my hand and attached the seal of said Company this 11 day of October , 2017

former -

Randall Musselman, Secretary

CONTRACTOR'S CERTIFICATION OF PENDING ACTIONS

As part of its bid or proposal (Non-Price Proposal in the case of Design-Build contracts), the Bidder shall provide to the City a list of all instances within the past 10 years where a complaint was filed or pending against the Bidder in a legal or administrative proceeding alleging that Bidder discriminated against its employees, subcontractors, vendors or suppliers, and a description of the status or resolution of that complaint, including any remedial action taken.

CHECK O	NE BOX ON	LY.	•			
· 🗶	аc	omplaint or per	tifies that within the past 10 nding action in a legal ad at its employees, subcontrac	iministrative p	roceeding	, alleging that Bidde
	con disc stat	nplaint or pend criminated agains	rtifies that within the past ing action in a legal adr it its employees, subcontrac of that complaint, including	ministrative pi ctors, vendors (roceeding or supplie	alleging that Bidders. A description of the
	DATE OF CLAIM	LOCATION	DESCRIPTION OF CLAIM	Litigation (Y/N)	STATUS	RESOLUTION/REMEDIAL ACTION TAKEN
•		undangsanti-onggo, gi ^{ririri} da ninkasun aya-unozi-a k mini kalla ra				
		ans handran er en ga an MAAAA MAAA MAAA MAAA MAAA AA AA AA AA A				
•			And Carlotte Space of Profession State Space (Space Space		The state of the s	ana (ilikuwa ka
•		one of the state o		A	dakkama dali ordina dakka (40 disk	gaget til gjelde de verdisk eller disk de gå had de kiloniter til en ett ver e sammen verkette statet.
		бан менда актими да аца ²⁸ (о^{нт}онт о у ресс ^{ор} нова дуже до у республика да городи (¹⁸ городи) (¹⁸ городи)				
Contracto	or Name:	American	Asphalt South	.Inc.		
Certified (Ву	Lyle	Asphalt South, Stone	Title	Secre.	dary for 13 rd 1017
			J. J	Data	Ochh	er 13rd 2017

USE ADDITIONAL FORMS AS NECESSARY

Signature

City of San Diego

CITY CONTACT: Antoinette Sanfilippo, Contract Specialist, Email: ASanfilippo@sandiego.gov
Phone No. (619) 533-3439, Fax No. (619) 533-3633

ADDENDUM A





FOR

SLURRY SEAL GROUP 1801

BID NO.:	K-18-1687-DBB-3
SAP NO. (WBS/IO/CC):	21004235
CLIENT DEPARTMENT:	2116
COUNCIL DISTRICT:	1, 2, 5, 6
PROJECT TYPE:	ID

BID DUE DATE:

2:00 PM
OCTOBER 24, 2017
CITY OF SAN DIEGO
PUBLIC WORKS CONTRACTS
1010 SECOND AVENUE, 14th FLOOR, MS 614C
SAN DIEGO, CA 92101

DEPUTY CITY ENGINEER

The engineering Specifications and Special Provisions contained herein have been prepared by or under the direction of the following Registered Engineer:

Registered Engineer For City Engineer 10/12/17

Seal

Date

A. CHANGES TO CONTRACT DOCUMENTS

The following changes to the Contract Documents are hereby made effective as though originally issued with the bid package. Bidders are reminded that all previous requirements to this solicitation remain in full force and effect.

B. NOTICE INVITING BIDS

1. To Bidding Documents, Cover page, **DELETE** in its entirety and **SUBSTITUTE** with page 4 of this Addendum.

C. SUPPLEMENTARY SPECIAL PROVISIONS

1. To Attachment E, Supplementary Special Provisions, Appendices, Appendix F, Project Location List, pages 89 through 92, **DELETE** in their entirety and **SUBSTITUTE** with pages 5 through 74 of this Addendum.

James Nagelvoort, Director Public Works Department

Dated: October 13, 2017

San Diego, California

JN/JB/egz

City of San Diego

CONTRACTOR'S NAME: American Asphalt Sc	outh, Inc.		
ADDRESS: 14436 Santa Ana Avenue, Fontana	a, CA 92337-7141		
TELEPHONE NO.: 909-427-8276	FAX NO.:		
CITY CONTACT: Antoinette Sanfilippo, Contr	ract Specialist, Email; ASanfilippo@sa	andiego,gov	
Phone No. (619) 533-3439, F	ax No. (619) 533-3633		
M Dahman / L Daria / agg			

BIDDING DOCUMENTS





FOR

SLURRY SEAL GROUP 1801

BID NO.:	K-18-1687-DBB-3	
SAP NO. (WBS/IO/CC);	21004235	
CLIENT DEPARTMENT:	2116	· · · · · · · · · · · · · · · · · · ·
COUNCIL DISTRICT:	1, 2, 5, 6	
PROJECT TYPE:	ID	

THIS CONTRACT WILL BE SUBJECT TO THE FOLLOWING:

- > THE CITY'S SUBCONTRACTING PARTICIPATION REQUIREMENTS FOR SLBE PROGRAM.
- ➤ PREVAILING WAGE RATES: STATE X FEDERAL T
- ➤ APPRENTICESHIP
- > THIS IS A GAS-TAX FUNDED CONTRACT THROUGH THE STATE OF CALIFORNIA.

BID DUE DATE:

2:00 PM
OCTOBER 24, 2017
CITY OF SAN DIEGO
PUBLIC WORKS CONTRACTS
1010 SECOND AVENUE, 14th FLOOR, MS 614C
SAN DIEGO, CA 92101

APPENDIX F

PROPOSED WORK FOR: \$1801

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1188-C7 CARMEL COUNTRY RD	DEL MAR MESA RD	SHAW VALLEY RD	1	Major	852 ft	62 ft	52824 ft²	
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	•	Crack Seal: 4063	ft				
Inlets: 0 ea	AC Repair: Base Material:	25.3 ton 0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE II/III WI	TH TYPE I OVER BIKE LANE.	STREET WITH MEDIAN.						
1188-G3 CARMEL MTN RD	STABLE VISTA WAY	SPUR CROSSING	WAY 1	Collector	553 ft	46 ft	25438 ft ²	Monday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft²	Crack Seal: 1957	Ct				
Inlet Markers: 0 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea					
Inlets: 0 ea	Base Material:	0.0 ton	Tranic Loops: 0 ea	ı w				
Comments: TYPE II WITH	TYPE I OVER BIKE LANE.							
1188-G7 CARMEL MTN RD	EQUESTRIAN RIDGE	LITTLE MCGONIG	LE RAN RD 1	Collector	830 ft	50 ft	41500 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area:	72.0 ft²	Crack Seal: 3192	ft				
	AC Repair:	1.0 ton	Traffic Loops: 0 ea					
Inlets: 2 ea	Base Material:	0.0 ton		_				
Comments: TYPE II WITH	TYPE I OVER BIKE LANE.							
1188-G7 CARMEL MTN RD	BEGIN	LITTLE MCGONIG	LE RAN RD 1	Major	236 ft	40 ft	9440 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 726 ft					
	AC Repair:	0.0 ton	Traffic Loops: 0 ea					
Inlets: 0 ea	Base Material:	0.0 ton						
Comments: TYPE II WITH	TYPE I OVER BIKE LANE.							
1190-B7 CANDY ROSE WY	CANDY ROSE CT	EVERGOLD ST	5	Residential	620 ft	37 ft	22940 ft ²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	224.0 ft ²	Crack Seal: 1765	ft				
Inlet Markers: 0 ea	AC Repair:	3.0 ton	Traffic Loops: 0 ea	-				
Inlets: 1 ea	Base Material:	0.0 ton	coopsi o co	. 😅				
Comments: TYPE I								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1190-B7 ANGELIQUE ST	CANDY ROSE WY	SCRIPPS POWAY	PY 5	Residential	135 ft	40 ft	5400 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	496.0 ft ² 6.6 ton	Crack Seal: 415 ft Traffic Loops: 8 ea	@ @ SCRIPP	C DOWAY D	ov.		
Inlets: 1 ea	Base Material:	0.0 ton	Tranic Loops: 6 ea	w w SCRIPP	3 POWAT P	τ		
Comments: TYPE I/II								
1190-B7 CANDY ROSE CT	BEGIN	CANDY ROSE WY	5	Residential	260 ft	40 ft	10400 ft ²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft²	Crack Seal: 800 ft					
Inlet Markers: 0 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea	@				
Inlets: 0 ea	Base Material:	0.0 ton	manic Loops: 0 ea	<u>u</u>				
Comments: TYPE I								
1190-B7 GINSTAR CT	CANDY ROSE WY	END	5	Residential	115 ft	480 ft	55200 ft²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft²	Crack Seal: 4246 f	+				
Inlet Markers: 0 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea					
Inlets: 1 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	w				
Comments: TYPE I								
1190-B7 CANDY ROSE WY	ANGELIQUE ST	END	5	Residential	250 ft	45 ft	11250 ft²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	776.0 ft²	Crack Seal: 865 ft					
Inlet Markers: 0 ea	AC Repair:	10.2 ton	Traffic Loops: 0 ea					
Inlets: 0 ea	Base Material:	0.0 ton	Trainic Loops: 0 ea	<u>w</u>				
Comments: TYPE I/II						-		
1190-B7 CANDY ROSE WY	EVERGOLD ST	ANGELIQUE ST	5	Residential	648 ft	38 ft	24624 ft²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	348.0 ft ²	Crack Seal: 1894 f	·			•	
Inlet Markers: 0 ea	AC Repair:	4.6 ton	Traffic Loops: 0 ea					
Inlets: 2 ea	Base Material:	0.0 ton	manic Loops: 0 ea	Ф				
Comments: TYPE I/II								
1190-B7 DAYMARK CT	BEGIN	EVERGOLD ST	5	Residential	250 ft	45 ft	11250 ft²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²						
Inlet Markers: 0 ea	AC Repair:	0.0 ton	Crack Seal: 865 ft	•				
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1190-B7 CANDY ROSE WY	GINSTAR CT	CANDY ROSE CT	5	Residential	240 ft	36 ft	8640 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 665 ft Traffic Loops: 0 ea	@				
Inlets: 2 ea Comments: TYPE I	Base Material:	0.0 ton	·					
1190-B7 EVERGOLD ST	DAYMARK CT	CANDY ROSE WY	5	Residential	150 ft	35 ft	5250 ft ²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²	Crack Seal: 404 ft					
Inlet Markers: 0 ea	AC Repair:	0.0 ton	Traffic Loops:	@				
Inlets: 2 ea	Base Material:	0.0 ton						
Comments: TYPE I		•						
1208-D1 MANOR RIDGE LN	CLOVERHURST WY	TIMBER BRANCH	WY 1	Residential	272 ft	33 ft	8976 ft²	Monday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²	Crack Seal: 690 ft					
Inlet Markers: 0 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea					
Inlets: 1 ea	Base Material:	0.0 ton	manic coops. o ea	w w				
Comments: TYPE I.								
1208-D1 TIMBER BRANCH WY	MANOR RIDGE LN	END	1	Residential	412 ft	34 ft	14008 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 1078 f	t				
Inlets: 1 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I.	Base Material:	0.0 ton						
							1005050	
1208-D1 CLOVERHURST WY	MANOR RIDGE LN	CARMEL COUNTR	Y RD 1	Residential	385 ft	36 ft	13860 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	72.0 ft²	Crack Seal: 1066 f	Ť				
Inlets: 0 ea	AC Repair:	1.0 ton	Traffic Loops: 5 ea	@ CARMEL (COUNTRY RE)		
	Base Material:	0.0 ton						
Comments: TYPE I.								
1208-D1 MANOR RIDGE LN	STERLING GROVE LN	CLOVERHURST W	Y 1	Residential	1396 ft	33 ft	46068 ft²	Monday
Hump Removal: 0 ft	AC Repair Area:	236.0 ft ²	Crack Seal: 3544 f	4				
Inlet Markers: 0 ea	AC Repair:	3.1 ton	Traffic Loops: 0 ea					
Inlets: 5 ea	Base Material:	0.0 ton	Trainic Loops: 0 ea	wy.				
Comments: TYPE I.								

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Da
1208-D1 MANOR RIDGE LN	TIMBER BRANCH WY	END	1	Residential	87 ft	26 ft	2262 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton	Crack Seal: 174 ft Traffic Loops: 0 ea	@ ,				
Comments: TYPE I.	base material:	0.0 ton						
1208-D1 STERLING GROVE LN	MANOR RIDGE LN	SAGAMORE WY	1	Residential	373 ft	32 ft	11936 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 918 ft					
Inlets: 0 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I.								
1208-D1 STERLING GROVE LN	SAGAMORE WY	END	1	Residential	537 ft	33 ft	17721 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1363 ft					
Inlets: 1 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I.								
1208-D1 GREENWILLOW LN	BEGIN	CLOVERHURST W	YY 1	Residential	812 ft	30 ft	24360 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	16.0 ft² 0.2 ton	Crack Seal: 1874 ft Traffic Loops: 0 ea					
Inlets: 1 ea Comments: TYPE I.	Base Material:	0.0 ton						
1208-D1 CARMEL COUNTRY RD	SAGAMORE WY	DEL MAR MESA R	D 1	Collector	1805 ft		119130 ft²	
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 9164 ft	:	,			
Inlets: 4 ea	Base Material:	0.0 ton	Traffic Loops: 20 ea	@ DEL MAR	MESA RD (1	11); GRA	ND DEL MAR	WY (9)
Comments: TYPE II WITH T	YPE I OVER BIKE LANE. ST	REET WITH MEDIAN.						
1208-D1 CARMEL COUNTRY RD	DERRYDOWN WY	CLOVERHURST W	YY 1	Collector	1110 ft	66 ft	73260 ft²	
Hump Removal: 0 ft	AC Repair Area:	112.0 ft ² 2.1 ton	Crack Seal: 5635 ft					
Inlet Markers: 1 ea	AC Repair:		Traffic Loops: 11 ea					

From	То	Council F District	unctional Class	Length	Width	Area	Trash Da
CLOVERHURST WY	CARMEL COUNTRY	r RD 1	Residential	504 ft	36 ft	18144 ft²	Monday
AC Repair Area: AC Repair: Base Material:	140.0 ft ² 1.9 ton 0.0 ton						
STERLING GROVE LN	CARMEL COUNTRY	Y RD 1	Residential	143 ft	37 ft	5291 ft ²	Monday
AC Repair Area: AC Repair: Base Material:	16.0 ft ² 0.2 ton 0.0 ton	Crack Seal: 407 ft Traffic Loops: 0 ea	@				
BEGIN	MANOR RIDGE LN		Residential	134 ft	26 ft	3484 ft²	Monday
		Crack Seal: 268 ft		13172	20 10	310116	rionady
Base Material:	0.0 ton	ranic coops: 0 ea	w				
DERRYDOWN WY	MANOR RIDGE LN	1	Residential	714 ft	33 ft	23562 ft²	Monday
AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton						
CLOVERHURST WY	DERRYDOWN WY	1	Residential	1367 ft	32 ft	43744 ft²	Monday
AC Repair Area: AC Repair: Base Material:	25.0 ft ² 0.3 ton 0.0 ton						
CLOVERHURST WY	SAGAMORE WY	1	Collector	747 ft	66 ft	49302 ft²	
AC Repair Area:	81.0 ft ²	Crack Seal: 3792 ft					
	CLOVERHURST WY AC Repair Area: AC Repair: Base Material: STERLING GROVE LN AC Repair Area: AC Repair: Base Material: BEGIN AC Repair Area: AC Repair: Base Material: DERRYDOWN WY AC Repair Area: AC Repair: Base Material: CLOVERHURST WY AC Repair Area: AC Repair: Base Material:	CLOVERHURST WY AC Repair Area: 140.0 ft² AC Repair: 1.9 ton Base Material: 0.0 ton STERLING GROVE LN AC Repair Area: 16.0 ft² AC Repair: 0.2 ton Base Material: 0.0 ton BEGIN AC Repair Area: 140.0 ft² AC Repair: 1.9 ton Base Material: 0.0 ton DERRYDOWN WY AC Repair Area: 0.0 ft² AC Repair: 0.0 ton DERRYDOWN WY AC Repair Area: 0.0 ft² AC Repair: 0.0 ton CLOVERHURST WY AC Repair Area: 25.0 ft² AC Repair: 0.3 ton Base Material: 0.0 ton CLOVERHURST WY AC Repair: 0.3 ton Base Material: 0.0 ton CLOVERHURST WY AC Repair: 0.3 ton Base Material: 0.0 ton	CLOVERHURST WY CARMEL COUNTRY RD AC Repair Area: 140.0 ft²	CLOVERHURST WY CARMEL COUNTRY RD AC Repair Area: 140.0 ft2 AC Repair: 1.9 ton Base Material: 0.0 ton CARMEL COUNTRY RD AC Repair: 1.9 ton Base Material: 0.0 ton CARMEL COUNTRY RD Traffic Loops: 0 ea @ STERLING GROVE LN AC Repair: 0.2 ton Base Material: 0.0 ton Carmel Country RD AC Repair: 0.2 ton Base Material: 0.0 ton Crack Seal: 407 ft Traffic Loops: 0 ea @ BEGIN MANOR RIDGE LN AC Repair: 1.9 ton Base Material: 0.0 ton Crack Seal: 268 ft Traffic Loops: 0 ea @ DERRYDOWN WY MANOR RIDGE LN AC Repair: 0.0 ton Crack Seal: 1812 ft Traffic Loops: 0 ea @ Crack Seal: 1812 ft Traffic Loops: 0 ea @ Crack Seal: 3365 ft Traffic Loops: 0 ea @ CLOVERHURST WY DERRYDOWN WY AC Repair: 0.0 ton CLOVERHURST WY DERRYDOWN WY AC Repair: 0.3 ton Base Material: 0.0 ton CLOVERHURST WY DERRYDOWN WY AC Repair: 0.3 ton Traffic Loops: 0 ea @ CLOVERHURST WY DERRYDOWN WY 1 Residential Crack Seal: 3365 ft Traffic Loops: 0 ea @ CLOVERHURST WY DERRYDOWN WY 1 Collector	CLOVERHURST WY	CLOVERHURST WY	CLOVERHURST WY

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1208-D1 CLOVERHURST WY	CARMEL COUNTRY RD	GREENWILLOW L	1	Residential	191 ft	37 ft	7067 ft²	Monday
Hump Removal: 15 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material;	0.0 ft ² 0.0 ton	Crack Seal: 544 ft Traffic Loops: 4 ea	@ CARMEL (COUNTRY RI	D		
Comments: TYPE I.	base Material:	0.0 (011						
1208-E1 SHANNON RIDGE LN	CRAVEN RIDGE WY	WILLOWMERE LN	1	Residential	270 ft	33 ft	8910 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 685 ft					
Inlets: 1 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I.								
1208-E1 STONE HAVEN WY	CARMEL COUNTRY RD	WILLOWMERE LN	1	Residential	153 ft	36 ft	5508 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 424 ft					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 9 ea	@ CARMEL (COUNTRY RI	D		
Comments: TYPE I.			****	-				
1208-E1 WEATHERSTONE CT	BEGIN	WILLOWMERE LN	. 1	Residential	287 ft	34 ft	9758 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 751 ft Traffic Loops: 10	ea @				
Inlets: 0 ea Comments: TYPE I.	Base Material:	0.0 ton						
1208-E1 WILLOWMERE LN	SHANNON RIDGE LN	STONE HAVEN WY	1	Residential	902 ft	33 ft	29766 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 2290 f					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Inlets: 2 ea	AC Repair: Base Material:	4.1 ton 4.1 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I.								
1208-E1 SHANNON RIDGE LN	DERRYDOWN WY	CRAVEN RIDGE W	Y 1	Residential	892 ft	33 ft	29436 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	35.0 ft ²	Crack Seal: 2264 f	t				
Inlets: 0 ea	AC Repair: Base Material:	1.1 ton 1.1 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I.								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Da
1208-E1 STONE HAVEN WY	WILLOWMERE LN	SHANNON RIDGE	LN 1	Residential	372 ft	33 ft	12276 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 944 ft Traffic Loops: 10	ea @				
Comments: TYPE I.								
1208-E1 CARMEL COUNTRY RD	CRAVEN RIDGE WY	DERRYDOWN WY	1	Collector	921 ft	68 ft	62628 ft ²	
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area:	24.0 ft ²	Crack Seal: 4818	ft				
Inlets: 2 ea	AC Repair: Base Material:	0.3 ton 0.0 ton	Traffic Loops: 11 e	a @ CRAVEN I	RIDGE WY			
Comments: TYPE II WITH TY								
1208-E1 SPICEWOOD CT	CLOVERHURST WY	END	1	Residential	173 ft	33 ft	5709 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	16.0 ft ²	Crack Seal: 439 ft	:				•
Inlets: 0 ea	AC Repair: Base Material:	0.2 ton 0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE I.	Dusc Haterian	0.0 (0.1)						
1208-E1 CLOVERHURST WY	SPICEWOOD CT	DERRYDOWN WY	1	Residential	473 ft	33 ft	15609 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1201	· -				
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE I.								
1208-E1 BRITTANY FORREST LN	BEGIN	LAUREL CHASE DE	R 1	Residential	93 ft	33 ft	3069 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 236 ft Traffic Loops: 0 ea					
Inlets: 0 ea	Base Material:	0.0 ton	•					
Comments: TYPE I.								
1208-E1 CARMEL COUNTRY RD	STONE HAVEN WY	CRAVEN RIDGE W	YY 1	Collector	886 ft	67 ft	59362 ft ²	
Hump Removal: 0 ft Inlet Markers: 1 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 4566	ft				
	AC Repair:	0.0 ton	Traffic Loops: 15 e	a @ STONE H	AVEN WY (8): CRAVE	N RIDGE WY	(5)

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1208-E1 DERRYDOWN WY	CARMEL COUNTRY RD	GREENWILLOW L	N 1	Residential	167 ft	37 ft	6179 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 475 f Traffic Loops: 0 e					
Inlets: 2 ea	Base Material:	0.0 ton	rianic zoops. 0 c	a eu				
Comments: TYPE I.				1		*		
1208-E1 CLOVERHURST WY	BRETTONWOOD CT	SPICEWOOD CT	1	Residential	723 ft	33 ft	23859 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 1835	ft				
Inlets: 4 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 e	a @				
Comments: TYPE I.	24301141011411	0.0 (0.1						
1208-E1 CLOVERHURST WY	BEGIN	BRETTONWOOD (T 1	Residential	108 ft	33 ft	3564 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 274 f	t				
Inlets: 0 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 e	a @				
Comments: TYPE I.								
1208-E1 LAUREL CHASE DR	CARMEL MTN RD	BRITTANY FORRI	EST LN 1	Residential	134 ft	37 ft	4958 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 381 f	t				
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 e	a @				
Comments: TYPE I.								
1208-E1 CARMEL COUNTRY RD	CARMEL MTN RD	STONE HAVEN W	Y 1	Collector	570 ft	67 ft	38190 ft²	
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	60.0 ft²	Crack Seal: 2938	ft				
Inlets: 2 ea	AC Repair: Base Material:	0.8 ton 0.0 ton	Traffic Loops: 20	ea @ CARMEL	MTN RD (12); STONE	HAVEN WY (8)
Comments: TYPE II WITH	TYPE I OVER BIKE LANE. STR							
1208-E1 BRETTONWOOD CT	CLOVERHURST WY	END	1	Residential	272 ft	34 ft	9248 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft²	Crack Seal: 711				÷ - . • . •	
Inlets: 0 ea	AC Repair:	0.0 ton	Traffic Loops: 0 e					
Comments: TYPE I.	Base Material:	0.0 ton						

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Da
1208-E1 CRAVEN RIDGE WY	CARMEL COUNTRY RD	SHANNON RIDGE	LN 1	Residential	315 ft	36 ft	11340 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft² 0.0 ton	Crack Seal: 872 ft Traffic Loops: 5 ea		COUNTRY RI)		
Inlets: 2 ea	Base Material:	0.0 ton						
Comments: TYPE I.								
1208-E1 WILLOWMERE LN	STONE HAVEN WY	WEATHERSTONE (T 1	Residential	584 ft	33 ft	19272 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 1 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 1482	f t				
Inlet markers: 1 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea					
Inlets: 2 ea	Base Material:	0.0 ton	manic Loops. 0 ea	w w				
Comments: TYPE I.								
1208-E1 SHANNON RIDGE LN	WILLOWMERE LN	STONE HAVEN WY	1	Residential	736 ft	33 ft	24288 ft ²	Monday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²	Crack Seal: 1868	(1				
Inlet Markers: 0 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea					
Inlets: 1 ea	Base Material:	0.0 ton	Tranic Loops. 0 ea	e eu				
Comments: TYPE I.								
1208-E2 HUNTERS GLEN DR	HAVENRIDGE WY	AMBERGLADES LN	1	Residential	425 ft	33 ft	14025 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 1079	(1				
	AC Repair:	0.0 ton	Traffic Loops: 0 ea	· -				
Inlets: 0 ea	Base Material:	0.0 ton	Trame Loops. 0 cc					
Comments: TYPE I.								
1208-E2 CARMEL MTN RD	CARMEL COUNTRY RD	LAUREL CHASE DE	1	Major	575 ft	62 ft	35650 ft ²	Monday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²	Crack Seal: 2742	e.				
Inlet Markers: 0 ea	AC Repair:	0.0 ton	Traffic Loops: 12 e	-	DMEL COLIN	TDV DD		
Inlets: 0 ea	Base Material:	0.0 ton	manic Loops: 12 e	a wa wa wa a	MILL COON	IKI KU		
Comments: TYPE II WITH	TYPE I OVER BIKE LANE.							
1208-E2 CARMEL MTN RD	PLUMCREST LN	CARMEL COUNTRY	'RD 1 .	Major	576 ft	64 ft	36864 ft²	Monday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²		~				
Inlet Markers: 1 ea	AC Repair:	0.0 ton	Crack Seal: 2836		MEL COLUM			
Inlets: 1 ea	Base Material:	0.0 ton	Traffic Loops: 15 e	a world on CAF	KMEL COUN	IKYKD		
	TYPE I OVER BIKE LANE.			•				

TB Map Page Street Name	From	То		nctional Le Class	ngth	Width	Area	Trash Day
1208-E2 PLUMCREST LN	HAVENRIDGE WY	CARMEL MTN RD	1 Re	esidential 13	5 ft	36 ft	4860 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 374 ft Traffic Loops: 0 ea @	· ·				
Comments: TYPE I.								
1208-E2 CARMEL MTN RD	AMBERGLADES LN	PLUMCREST LN	1	Major 80	0 ft	56 ft	44800 ft ²	•
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area: AC Repair:	689.0 ft² 10.3 ton	Crack Seal: 3446 ft Traffic Loops: 12 ea @	AMBERGLADES	LN			
Inlets: 2 ea	Base Material:	2.0 ton						
Comments: TYPE II WITH T	YPE I OVER BIKE LANE.							
1208-E2 HAVENRIDGE WY	HAVEN BROOK PL	END	1 Re	esidential 21	5 ft	39 ft	8385 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 645 ft					
Inlets: 1 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea @	0				
Comments: TYPE I.								
1208-E2 HAVEN BROOK PL	BEGIN	HAVENRIDGE WY	1 R€	esidential 31	6 ft	38 ft	12008 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 924 ft Traffic Loops: 0 ea @)				
1208-E2 HUNTERS GLEN DR	BEGIN	HAVENRIDGE WY	1 Re	esidential 84	2 ft	40 ft	33680 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 2591 ft Traffic Loops: 0 ea @	Ď				
1208-E2 BRIARLAKE WOODS DR	LAUREL CHASE DR	END	1 Re	esidential 53	3 ft	34 ft	18122 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1394 ft Traffic Loops: 0 ea @	n				•
Inlets: 2 ea Comments: TYPE I.	Base Material:	0.0 ton	rrame coops: 0 ea @	ñ				

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1208-E2 HAVENRIDGE WY	HUNTERS GLEN DR	PLUMCREST LN	1	Residential	547 ft	32 ft	17504 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 3 ea Comments: TYPE I.	AC Repair Area: AC Repair: Base Material:	20.0 ft ² 0.3 ton 0.0 ton	Crack Seal: 1346 f Traffic Loops: 0 ea	_				
1208-E2 HAVENRIDGE WY	PLUMCREST LN	HAVEN BROOK PL		Residential	 248 ft	32 ft	7936 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 610 ft Traffic Loops: 0 ea		21010	32 10		Tionday
1208-E2 WILLOWMERE LN	WEATHERSTONE CT	END	1	Residential	 129 ft	33 ft	4257 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 327 ft Traffic Loops: 0 ea		223 10		1257 10	
1208-F1 BRITTANY FORREST LN	LAUREL CHASE DR	TIMBER BROOK L	N 1	Residential	977 ft	33 ft	32241 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 2 ea Comments: TYPE I.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 2480 f Traffic Loops: 0 ea	t				,
1208-F2 BRIARLAKE WOODS DR	HEATHER RUN CT	GABLEWOOD WY	1	Residential	197 ft	33 ft	6501 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 500 ft Traffic Loops: 0 ea	@				,
1208-F2 BRITTANY FORREST LN	TIMBER BROOK LN	END	1	Residential	140 ft	33 ft	4620 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 355 ft Traffic Loops: 0 ea	@				
Comments: TYPE I.	Base Material:	0.0 ton					•	

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1208-F2 TIMBER BROOK LN	GABLEWOOD WY	CONCORD WOOD	5 WY 1	Residential	282 ft	33 ft	9306 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 716 ft Traffic Loops: 0 ea					
Inlets: 0 ea	Base Material:	0.0 ton						
Comments: TYPE I.								
1208-F2 EVANS WOOD WY	BEGIN	GABLEWOOD WY	1	Residential	152 ft	33 ft	5016 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 386 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	ı @				
Comments: TYPE I.								
1208-F2 CARMEL MTN RD	SPUR CROSSING WAY	EQUESTRIAN RID	GE 1	Collector	1090 ft	50 ft	54500 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 4192	ft				
Inlets: 2 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE II WITH T	YPE I OVER BIKE LANE. SKIN	PATH ABOUT 5/6 SMALL	TRACTOR MARKS					
1208-F2 BRIARLAKE WOODS DR	BEGIN	HEATHER RUN CT	1	Local	139 ft	34 ft	4726 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 364 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE I.								
1208-F2 BRIARLAKE WOODS DR	CONCORD WOODS WY	LAUREL CHASE D	R 1	Residential	327 ft	33 ft	10791 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 830 fl	t .				
Inlets: 2 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE I.								
1208-F2 CARMEL MTN RD	GALLOP CREST CT	STABLE VISTA W	AY 1	Collector	2211 ft	40 ft	88440 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 3 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 6803	ft				
Inlets: 3 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	a @				
' Comments: TYPE II WITH T	YPE I OVER BIKE LANE.							

TB Map Page Street Name	From	То	Council I District	unctional Class	Length	Width	Area	Trash Day
1208-F2 TIMBER BROOK LN	CARMEL MTN RD	BRITTANY FORRE	ST LN 1	Residential	123 ft	38 ft	4674 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 360 ft Traffic Loops: 0 ea	@				
				5	146.6	26.0	E056 63	
1208-F2 TIMBER BROOK LN Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	CONCORD WOODS WY AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 404 ft Traffic Loops: 0 ea	Residential @	146 ft	36 ft	5256 ft²	
Comments: TYPE I.	Base Material:	0.0 ton						
1208-F2 CARMEL MTN RD	LAUREL CHASE DR	LAUREL CHASE DE	R 1	Major	170 ft	56 ft	9520 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	60.0 ft ²	Crack Seal: 732 ft	riajos	17010	50 10	3320 10	. ioniday
Inlets: 0 ea	AC Repair: Base Material:	0.8 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE II WITH T	YPE I OVER BIKE LANE.							
1208-F2 HEATHER RUN CT	BRIARLAKE WOODS DR	END	1	Local	121 ft	33 ft	3993 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 307 ft Traffic Loops: 0 ea	@				
Comments: TYPE I.								
1208-F2 BRIARLAKE WOODS DR	MOSSWOOD CV	CONCORD WOODS	5 WY 1	Residential	252 ft	33 ft	8316 ft ²	Monday
2200 12 BREAKE WOODS BR								
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 640 ft Traffic Loops: 0 ea	@				
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea	@ Residential	509 ft	33 ft	16797 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I.	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	Residential	509 ft	33 ft	16797 ft²	Monday

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1208-F2 MOSSWOOD CV	BRIARLAKE WOODS DR	END	1	Residential	151 ft	45 ft	6795 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 523 ft Traffic Loops: 0 ea	@ ;				
Comments: TYPE I.	Base Material:	0.0 ton						
1208-F2 CARMEL MTN RD	LAUREL CHASE DR	TIMBER BROOK LN	1 1	Major	760 ft	58 ft	44080 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 3391 f					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE II WITH T	YPE I OVER BIKE LANES.							
1208-F2 CARMEL MTN RD	TIMBER BROOK LN	GALLOP CREST CT	1	Collector	1476 ft	50 ft	73800 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area: AC Repair:	480.0 ft ² 6.3 ton	Crack Seal: 5677					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE II WITH T	YPE I OVER BIKE LANES.			•,•				
1208-F2 BRIARLAKE WOODS DR	GABLEWOOD WY	MOSSWOOD CV	1	Residential	144 ft	33 ft	4752 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 1 ea Inlets: 1 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 366 ft Traffic Loops: 0 ea					
Comments: TYPE I.	Base Material:	0.0 ton						
1208-F2 GABLEWOOD WY	EVANS WOOD WY	END	1	Residential	238 ft	34 ft	8092 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 622 ft Traffic Loops: 0 ea					
Comments: TYPE I.								
1208-F2 GABLEWOOD WY	TIMBER BROOK LN	EVANS WOOD WY	1	Residential	212 ft	33 ft	6996 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 538 ft Traffic Loops: 0 ea					
Inlets: 0 ea	Base Material:	0.0 ton	rraine Loops: 0 ea	w w				
Comments: TYPE I.								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1208-F2 LAUREL CHASE DR	BRIARLAKE WOODS DR	CARMEL MTN RD	1	Residential	148 ft	36 ft	5328 ft²	
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 410 ft Traffic Loops: 0 ea	@				
1208-F2 CONCORD WOODS WY	BRIARLAKE WOODS DR	TIMBER BROOK LA	<u> </u>	Residential	423 ft	33 ft	13959 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1074 f Traffic Loops: 0 ea	ì	423 10		13939 11-	Monday
Comments: TYPE I.								
1208-H4 SCHILLING AV	GRANBY WY	GLENDOVER LN	6	Residential	335 ft	29 ft	9715 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	360.0 ft ² 4.8 ton 0.0 ton	Crack Seal: 747 ft Traffic Loops: 0 ea					
1208-J1 FRAMES PORT PL	RAVEN RIDGE PT	END	6	Residential	481 ft	30 ft	14430 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1110 f Traffic Loops: 0 ea					·
1208-J2 CAM MIRANDA	SEAN TAYLOR LN	CALLE CRISTOBAL	. 6	Residential	103 ft	33 ft	3399 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	_	Crack Seal: 261 ft Traffic Loops: 5 ea					,
1208-J2 VIETTA TR	RAVEN RIDGE PT	END	6	Residential	332 ft	32 ft	10624 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	1.3 ton	Crack Seal: 817 ft Traffic Loops: 0 ea	@				
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	·					

October 13, 2017 Slurry Seal Group 1801 ADDENDUM A

Page 19 of 74 10/10/2017 15 of 69

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1208-J2 PAUL BARWICK CT	BEGIN	MASON HEIGHTS	LN 6	Residential	435 ft	31 ft	13485 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	150.0 ft ² 2.0 ton 0.0 ton	Crack Seal: 1037 f Traffic Loops: 0 ea					
1208-J2 BRENNER SPRINGS WY	MASON HEIGHTS LN	SEAN TAYLOR LN	6	Residential	251 ft	32 ft	8032 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:		Crack Seal: 618 ft Traffic Loops: 0 ea		251 10	32 IL	8032 112	Tuesday
	DECTN	NACON LIFTCUTC		D - :	250 €	22 C	11456 52	Td
1208-J2 APRIL LEIGH TR Hump Removal: 0 ft Inlet Markers: 0 ea	BEGIN AC Repair Area: AC Repair:	MASON HEIGHTS 0.0 ft ² 0.0 ton	Crack Seal: 881 ft		358 ft	32 ft	11456 ft²	Tuesday
Inlets: 1 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
1208-J2 MASON HEIGHTS LN	BRENNER SPRINGS WY	PAUL BARWICK C	T 6	Danidantial	140 5	20 F	F772 62	T
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 444 ft Traffic Loops: 0 ea		148 ft	39 ft	5772 ft²	Tuesday
Comments: TYPE I/II.								
1208-J2 KEISHA TR Hump Removal: 0 ft	CAM MIRANDA	KEISHA CV	6	Residential	177 ft	32 ft	5664 ft ²	Tuesday
Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	80.0 ft ² 2.5 ton 2.5 ton	Crack Seal: 436 ft Traffic Loops: 0 ea					
Comments: TYPE I/II.								
1208-J2 RAVEN RIDGE PT	VIETTA TR	FRAMES PORT PL	6	Residential	216 ft	34 ft	7344 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea	AC Repair Area: AC Repair: Base Material:	60.0 ft ² 0.8 ton 0.0 ton	Crack Seal: 565 ft Traffic Loops: 0 ea					
Comments: TYPE I/II.								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1208-J2 MASON HEIGHTS LN	PAUL BARWICK CT	PORRECA PT	6	Residential	240 ft	32 ft	7680 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 591 ft Traffic Loops: 0 ea					
1208-J2 SEAN TAYLOR LN	CAM MIRANDA	APRIL LEIGH TR	6	Residential	302 ft	33 ft	9966 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:		Crack Seal: 767 ft Traffic Loops: 0 ea		302 IL	33 IL	9900112	Tuesday
1208-J2 CAM MIRANDA	CALLE CRISTOBAL	KEISHA TR	6	Residential	127 ft	33 ft	4191 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 322 ft Traffic Loops: 5 ea		ISTOBAL			·
Comments: TYPE I/II.		·						_ _
1208-J2 SEAN TAYLOR LN Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	BEGIN AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	GS WY 6 Crack Seal: 677 ft Traffic Loops: 0 ea		238 ft	37 ft	8806 ft²	Tuesday
1208-J2 CHERYL RIDGE CT	RAVEN RIDGE PT	END	6	Residential	211 ft	36 ft	7596 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	50.0 ft ² 0.7 ton 0.0 ton	Crack Seal: 584 ft Traffic Loops: 0 ea		10			. 222337
1208-J2 MASON HEIGHTS LN	DENNIG PL	ALVAREZ MEADO	w ct 6	Residential	243 ft	33 ft	8019 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 617 ft Traffic Loops: 0 ea					
Comments: TYPE I/II.								

TB Map Page Street Name	From	To	Council District	Functional Class	Length	Width	Area	Trash Day
1208-J2 KEISHA TR	BEGIN	CAM MIRANDA	6	Residential	327 ft	31 ft	10137 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 780 ft Traffic Loops: 0 ea	@				
1208-J2 PORRECA PT	BEGIN	MASON HEIGHTS	LN 6	Residential	210 ft	33 ft	6930 ft ²	Tuesday
Hump Removal: 53 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:		Crack Seal: 533 ft Traffic Loops: 0 ea		210 16	33 11	0930 11-	Tuesuay
1208-J2 MASON HEIGHTS LN	PORRECA PT	DENNIG PL		Residential	240 ft	 33 ft	7920 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 609 ft Traffic Loops: 0 ea		24010	35 10	792010	idesday
Comments: TYPE I/II.	Base Material:	0.0 ton						
1208-J2 SEAN TAYLOR LN	BRENNER SPRINGS WY	CAM MIRANDA	6	Residential	652 ft	33 ft	21516 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	80.0 ft ² 1.1 ton 0.0 ton	Crack Seal: 1655 f	-				·
1208-J2 RAVEN RIDGE PT	CHERYL RIDGE CT	VIETTA TR	6	Residential	241 ft	33 ft	7953 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 612 ft Traffic Loops: 0 ea				7300.0	
1208-J2 ALVAREZ MEADOW CT	BEGIN	MASON HEIGHTS	5 LN 6	Residential	170 ft	36 ft	6120 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 471 ft Traffic Loops: 0 ea	@				

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1208-J2 APRIL LEIGH TR	MASON HEIGHTS LN	SEAN TAYLOR LN	6	Residential	227 ft	33 ft	7491 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	48.0 ft ² 0.6 ton 0.0 ton	Crack Seal: 576 ft Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								
1208-J2 DENNIG PL	BEGIN	MASON HEIGHTS	LN 6	Residential	252 ft	34 ft	8568 ft ²	Tuesday
Hump Removal: 44 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	120.0 ft ²	Crack Seal: 659 ft					
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
1208-J2 KEISHA CV Hump Removal: 0 ft Inlet Markers: 0 ea	KEISHA TR AC Repair Area:		6 Crack Seal: 1812 f	Residential	673 ft	35 ft	23555 ft²	Tuesday
Inlets: 2 ea	AC Repair: Base Material:	2.9 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.			7					
1208-J2 MASON HEIGHTS LN	ALVAREZ MEADOW CT	APRIL LEIGH TR	6	Residential	179 ft	34 ft	6086 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 468 ft Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								
1208-J2 BRENNER SPRINGS WY	SEAN TAYLOR LN	CALLE CRISTOBAL	. 6	Residential	129 ft	33 ft	4257 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 327 ft Traffic Loops: 0 ea	@				
Comments: TYPE I/II.	Base Material:	0.0 ton						
1208-J2 FRAMES PORT PL	CALLE CRISTOBAL	RAVEN RIDGE PT	6	Residential	142 ft	33 ft	4686 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	260.0 ft ² 3.4 ton	Crack Seal: 360 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1208-J2 RAVEN RIDGE PT	BEGIN	CHERYL RIDGE CT	6	Residential	181 ft	36 ft	6516 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	72.0 ft ² 1.0 ton 0.0 ton	Crack Seal: 501 ft Traffic Loops: 10	ea @				
1208-J4 SCHILLING AV	ADERMAN AV	CAMTO ALVAREZ	6	Residential	348 ft	61 ft	21228 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area:1 AC Repair: Base Material:	,265.0 ft² 16.7 ton 0.0 ton	Crack Seal: 1633	ft		OTIC	2122011-	ruesuay
Comments: TYPE I/II. SLU	JRRY LIMITS: ADERMAN AV T	O MÍRA MESA BLVD.						
1208-J4 SCHILLING AV	PENRIDGE ST	KEMERTON RD	6	Residential	304 ft	36 ft	10944 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 1 ea	AC Repair Area:5 AC Repair:	,148.0 ft ² 68.0 ton	Crack Seal: 842 ft					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE I/II.								
1208-J4 ANGETON DR	CARRINGTON DR	ANGETON CT	6	Residential	216 ft	33 ft	7128 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 548 ft Traffic Loops: 0 ea					
1208-J4 SCHILLING AV	CALSTON WY	ADERMAN AV		Residential	198 ft	44 ft	8712 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:		Crack Seal: 670 ft Traffic Loops: 0 ea	:	130 11	77 10		i desday
1208-J4 SCHILLING AV	KEMERTON RD	CALSTON WY	6	Residential	323 ft	38 ft	12274 ft ²	Tuesday
Hump Removal: 4 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	688.0 ft ² 9.1 ton 0.0 ton	Crack Seal: 944 ft					
Comments: TYPE I/II.								

ADDENDUM A

Page 24 of 74 10/10/2017 20 of 69

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Day
1208-J4 BANNISTER LN	CARRINGTON DR	BANNISTER WY	6	Residential	495 ft	33 ft	16335 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	78.0 ft ² 1.0 ton 0.0 ton	Crack Seal: 1257 ft Traffic Loops: 0 ea					
1208-J4 ADKINS WY	BEGIN	MATSON WY	6	Residential	197 ft	38 ft	7486 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:		Crack Seal: 576 ft Traffic Loops: 0 ea		237 10	30 10	7,0010	raesaay
1208-J4 ANGETON CT Hump Removal: 0 ft Inlet Markers: 0 ea	ANGETON DR AC Repair Area:		6 Crack Seal: 649 ft	Residential	228 ft	37 ft	8436 ft²	Tuesday
Inlets: 0 ea Comments: TYPE I/II.	AC Repair: Base Material:		Traffic Loops: 0 ea	@				
1208-J4 DARWELL CT	DANCY RD	END	6	Residential	501 ft	38 ft	19038 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area:1 AC Repair: Base Material:	1,327.0 ft ² 36.2 ton 31.9 ton	Crack Seal: 1464 ft Traffic Loops: 0 ea					·
1208-J4 CARRINGTON DR	BANNISTER LN	MIRA MESA BL	6	Residential	136 ft	36 ft	4896 ft ²	Tuesday
Hump Removal: 12 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:		Crack Seal: 377 ft Traffic Loops: 0 ea			_		,
1208-J4 CARRINGTON DR	ANGETON DR	BANNISTER LN	6	Residential	293 ft	36 ft	10548 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	2.2 ton	Crack Seal: 811 ft Traffic Loops: 0 ea	@				
Comments: TYPE I/II.	Base Material:	0.0 ton						

TB Map Page Street Name	From	То	Council Funct District Cla	IONATO	Width	Area	Trash Day
1208-J4 MATSON PL	BEGIN	MATSON WY	6 Resid	lential 335 ft	38 ft	12730 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	630.0 ft ² 8.3 ton 0.0 ton	Crack Seal: 979 ft Traffic Loops: 0 ea @				
	CLENDOVED IN	DENDID OF CT	C	lastial 102 ft	20.6	F760 f 3	T
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	GLENDOVER LN AC Repair Area: AC Repair: Base Material:	PENRIDGE ST 0.0 ft ² 0.0 ton 0.0 ton	6 Residence of Res	lential 192 ft	30 ft	5760 ft²	Tuesday
Comments: TYPE I/II.							
1208-J4 BANNISTER WY Hump Removal: 0 ft Inlet Markers: 0 ea	DANCY RD AC Repair Area:		6 Resid	dential 482 ft	33 ft	15906 ft²	Tuesday
Inlets: 4 ea Comments: TYPE I/II.	AC Repair: Base Material:	15.2 ton 8.8 ton	Traffic Loops: 0 ea @				
1208-J4 ADERMAN AV	DANCY RD	MIRA MESA BL	6 Resid	dential 615 ft	37 ft	22755 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	284.0 ft ² 5.2 ton 2.5 ton	Crack Seal: 1750 ft Traffic Loops: 5 ea @ M	IIRA MESA BL			
1208-J5 DANCY RD	CLAUSER ST	FLANDERS DR	6 Resid	dential 203 ft	33 ft	6699 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	72.0 ft ² 1.0 ton 0.0 ton	Crack Seal: 515 ft Traffic Loops: 0 ea @				. 20004)
1208-J5 DANCY RD	TILTON ST	CLAUSER ST	6 Resid	dential 225 ft	33 ft	7425 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	1.4 ton	Crack Seal: 571 ft Traffic Loops: 0 ea @				
Comments: TYPE I/II.	Base Material:	0.0 ton	•				

TB Map Page Street Name	From	То	Council Function District Class	Lenath	Width	Area	Trash Day
1208-J5 DANCY RD	KEOKI ST	PRESLEY ST	6 Resider	ntial 446 ft	33 ft	14718 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 3 ea	AC Repair Area: AC Repair: Base Material:	48.0 ft ² 0.6 ton 0.0 ton	Crack Seal: 1132 ft Traffic Loops: 0 ea @				
Comments: TYPE I/II.			•	•			
1208-J5 DARDEN RD	DARDEN CT	FLANDERS DR	6 Resider	ntial 250 ft	33 ft	8250 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	165.0 ft ² 2.2 ton	Crack Seal: 635 ft Traffic Loops: 0 ea @				
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Tranic Loops. U ca @				
1208-J5 DANCY RD	BOLIN ST	TILTON ST	6 Resider	ntial 331 ft	33 ft	10923 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	104.0 ft ²	Crack Seal: 840 ft				·
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Traffic Loops: 0 ea @				
1208-J5 ANGETON DR	ANGETON CT	DANCY RD	6 Residei	ntial 224 ft	33 ft	7392 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	- ·	Crack Seal: 569 ft Traffic Loops: 0 ea @	22.75		733210	racsau,
1208-J5 DANCY RD	PRESLEY ST	BOLIN ST	6 Resider	 ntial 324 ft	33 ft	10692 ft ²	Tuesday
Hump Removal: 13 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 822 ft Traffic Loops: 0 ea @				·
1208-J5 DARDEN RD	BEGIN	PENROD LN	6 Resider	ntial 137 ft	38 ft	5206 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	917.0 ft ² 12.1 ton	Crack Seal: 400 ft				
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Traffic Loops: 0 ea @				

TB Map Page Street Name	From	То	Council Function District Class	al Length	Width	Area	Trash Day
1208-J5 DARDEN RD	PENROD LN	DARDEN CT	6 Resident	ial 586 ft	33 ft	19338 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	612.0 ft ² 11.9 ton 6.6 ton	Crack Seal: 1488 ft Traffic Loops: 0 ea @				
1208-J5 CHEVIOT CT	FLANDERS DR	END	6 Resident	ial 389 ft	38 ft	14782 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:		Crack Seal: 1137 ft Traffic Loops: 0 ea @	idi 369 it	30 10	1470210-	ruesuay
	FLANDERS DR	FUB	C Paridan	:-1 452.6	20 ft	F014 #3	T
1208-J5 DARDEN RD Hump Removal: 0 ft Inlet Markers: 0 ea	FLANDERS DR AC Repair Area: AC Repair:	276.0 ft ² 3.6 ton	6 Resident Crack Seal: 447 ft	ial 153 ft	38 ft	5814 ft²	Tuesday
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Traffic Loops: 0 ea @				
1208-J5 CHEVIOT CT	BEGIN	FLANDERS DR	6 Resident	ial 216 ft	38 ft	8208 ft ²	Tuesday
Hump Removal: 20 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	96.0 ft ² 1.3 ton 0.0 ton	Crack Seal: 631 ft Traffic Loops: 0 ea @		-		
1208-J5 ANGETON DR	DANCY RD	END	6 Residen	tial 324 ft	38 ft	12312 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:		Crack Seal: 947 ft Traffic Loops: 0 ea @	32			,
1208-J5 DANCY RD	BEGIN	KEOKI ST	6 Residen	tial 278 ft	45 ft	12510 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	699.0 ft ² 9.2 ton 0.0 ton	Crack Seal: 962 ft Traffic Loops: 0 ea @	. •			
Comments: TYPE I/II.							

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Day
1208-J5 PENROD LN	DARDEN RD	FLANDERS DR	6	Residential	597 ft	33 ft	19701 ft²	Tuesday
Hump Removal: 15 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I/II.	AC Repair Area:1 AC Repair: Base Material:		Crack Seal: 1515 ft Traffic Loops: 0 ea					
1208-J5 ADERMAN AV	FLANDERS DR	DANCY RD	- 6	Residential	567 ft	37 ft	20979 ft ²	Tuesday
Hump Removal: 14 ft Inlet Markers: 0 ea Inlets: 2 ea	AC Repair Area: AC Repair: Base Material:	75.0 ft ² 1.0 ton 0.0 ton	Crack Seal: 1614 ft Traffic Loops: 0 ea					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Comments: TYPE I/II.								
1209-A1 THOMAS HAYES LN	GEHRING CT	NORCANYON WY	. 6	Residential	455 ft	33 ft	15015 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1155 ft Traffic Loops: 0 ea					
Comments: TYPE I/II.	Base Material:	0.0 ton						
1209-A1 TRAILBRUSH TR	BEGIN	TRAILBRUSH PT	6	Residential	158 ft	38 ft	6004 ft ²	Tuesday
Hump Removal: 0 ft Iniet Markers: 0 ea Iniets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 462 ft Traffic Loops: 0 ea	@				
1209-A1 THOMAS HAYES LN	HAGANS CR	MEYNCKE WY	6	Residential	 237 ft	37 ft	8769 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	60.0 ft ² 0.8 ton 0.0 ton	Crack Seal: 675 ft Traffic Loops: 0 ea		23/ IL	37 IL	070311-	ruesudy
1209-A1 WINDY RIDGE RD	BEGIN	WINDY RIDGE W	Y 6	Residential	718 ft	39 ft	28002 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 2154 ft Traffic Loops: 0 ea					
Comments: TYPE I/II.								

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Day
1209-A1 TRAILBRUSH PT	TRAILBRUSH TR	END	6	Residential	568 ft	38 ft	21584 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1660 ft Traffic Loops: 0 ea					
1209-A1 NORCANYON WY Hump Removal: 0 ft Inlet Markers: 0 ea	THOMAS HAYES LN AC Repair Area: AC Repair:	0.0 ft ²	6 Crack Seal: 1273 ft	Residential	517 ft	32 ft	16544 ft²	Tuesday
Inlets: 1 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
1209-A1 RIVER RIM RD	WINANS CV	DELL RIM CT	6	Residential	285 ft	33 ft	9405 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	40.0 ft ²	Crack Seal: 723 ft	Residential	20310	33 10	J403 10	racsaay
Inlets: 0 ea Comments: TYPE I/II.	AC Repair: Base Material:	0.5 ton 0.0 ton	Traffic Loops: 0 ea	@				
1209-A1 LANDBREEZE WY	THOMAS HAYES LN	NORCANYON WY	6	Residential	491 ft	29 ft	14239 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	414.0 ft ² 6.3 ton 1.5 ton	Crack Seal: 1095 ft Traffic Loops: 0 ea					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
1209-A1 PRAIRIE SHADOW RD	PRAIRIE SHADOW PT	END	6	Residential	216 ft	38 ft	8208 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 631 ft Traffic Loops: 0 ea				0200.0	, ,
1209-A1 NORCANYON WY	LANDBREEZE WY	RIVER RIM RD	6	Residential	276 ft	33 ft	9108 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	987.0 ft ² 14.0 ton	Crack Seal: 701 ft Traffic Loops: 0 ea	a				
Inlets: 1 ea Comments: TYPE I/II.	Base Material:	1.7 ton	ame Loops. 0 ea	&				

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Day
1209-A1 NORCANYON WY	RIVER RIM RD	END	6	Residential	206 ft	40 ft	8240 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	436.0 ft ² 5.8 ton 0.0 ton	Crack Seal: 634 ft Traffic Loops: 0 ea	@				
1209-A1 THOMAS HAYES LN	BADAMI CR	LANDBREEZE WY	6	Residential	407 ft	33 ft	13431 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	25.0 ft ² 0.8 ton 0.8 ton	Crack Seal: 1033 ff Traffic Loops: 0 ea					
1209-A1 RIVER RIM RD	DELL RIM CT	NORCANYON WY	6	Residential	287 ft	33 ft	9471 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	352.0 ft ² 4.7 ton 0.0 ton	Crack Seal: 729 ft Traffic Loops: 0 ea	@				
1209-A1 GEHRING CT	THOMAS HAYES LN	END	6	Residential	118 ft	38 ft	4484 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	100.0 ft ² 1.3 ton 0.0 ton	Crack Seal: 345 ft Traffic Loops: 0 ea	@				
1209-A1 MEYNCKE WY	THOMAS HAYES LN	RIVER RIM RD	6	Residential	211 ft	33 ft	6963 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	224.0 ft ² 3.0 ton 0.0 ton	Crack Seal: 536 ft Traffic Loops: 0 ea	@				
1209-A1 DELL RIM CT	BEGIN	RIVER RIM RD	6	Residential	148 ft	38 ft	5624 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	508.0 ft ² 6.7 ton 0.0 ton	Crack Seal: 433 ft Traffic Loops: 0 ea	@				

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-A1 BADAMI CR	BEGIN	THOMAS HAYES LI	6	Residential	87 ft	65 ft	5655 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	72.0 ft² 1.0 ton 0.0 ton	Crack Seal: 435 ft Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								
1209-A1 RIVER RIM RD	MEYNCKE WY	WINANS CV	6	Residential	474 ft	32 ft	15168 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1167					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.			•	*				
1209-A1 THOMAS HAYES LN	LANDBREEZE WY	GEHRING CT	6	Residential	251 ft	33 ft	8283 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 637 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.		-1						
1209-A1 NORCANYON WY	BEGIN	THOMAS HAYES LI	N 6	Residential	539 ft	40 ft	21560 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1658 in Traffic Loops: 0 ea					
Comments: TYPE I/II.			vi n					
1209-A1 HAGANS CR	BEGIN	THOMAS HAYES L	N 6	Residential	100 ft	44 ft	4400 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	4.0 ton	Crack Seal: 338 ft Traffic Loops: 0 ea					
Comments: TYPE I/II.	Base Material:	0.0 ton						
1209-A1 PRAIRIE SHADOW PT	PRAIRIE SHADOW RD	END	6	Residential	285 ft	38 ft	10830 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	284.0 ft ² 3.8 ton	Crack Seal: 833 ft					·
Inlets: 0 ea	AC Repair: Base Material:	0.0 ton	Traffic Loops: 0 ea	. @				
Comments: TYPE I/II.								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-A1 THOMAS HAYES LN	MEYNCKE WY	BADAMI CR	6	Residential	464 ft	33 ft	15312 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1178 f Traffic Loops: 0 ea	-				
Comments: TYPE I/II.								
1209-A1 WINANS CV	BEGIN	RIVER RIM RD	6	Residential	89 ft	63 ft	5607 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	48.0 ft ² 0.6 ton	Crack Seal: 431 ft					
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
<u> </u>			-·					-
1209-A2 ACAMA CT Hump Removal: 65 ft Inlet Markers: 0 ea	CALLE CRISTOBAL AC Repair Area:	PRAIRIE SHADOW	Crack Seal: 319 ft	Local	122 ft	34 ft	4148 ft²	Tuesday
Inlets: 0 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.			****			-		
1209-A2 PRAIRIE SHADOW RD	BEGIN	ACAMA CT	6	Residential	393 ft	38 ft	14934 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	88.0 ft ² 1.2 ton	Crack Seal: 1149 f Traffic Loops: 0 ea	_				
Inlets: 0 ea Comments: TYPE I/II. UNCO	Base Material:	0.0 ton		•				
Comments. Tipe 1/11. UNCC	——————————	·		·				
1209-A2 SANTA ARMINTA AV	PRAIRIE WOOD DR	LOS SABALOS ST	6	Residential	182 ft	37 ft	6734 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea	AC Repair Area: AC Repair:	90.0 ft ² 1.2 ton	Crack Seal: 518 ft Traffic Loops: 0 ea					
Comments: TYPE I/II.	Base Material:	0.0 ton						
1209-A2 WINDY RIDGE WY	CALLE CRISTOBAL	WINDY RIDGE RD	6	Residential	122 ft	33 ft	4026 ft ²	Tuesday
Hump Removal: 28 ft Inlet Markers: 0 ea	AC Repair Area:	20.0 ft ²	Crack Seal: 310 ft					,
Inlets: 0 ea	AC Repair: Base Material:	0.3 ton 0.0 ton	Traffic Loops: 5 ea	@ CALLE CR	ISTOBAL			

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-A2 TRAILBRUSH PT	WINDY RIDGE RD	TRAILBRUSH TR	6 .	Residential	137 ft	35 ft	4795 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 369 ft Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								
1209-A2 PRAIRIE SHADOW RD	PRAIRIE WOOD DR	PRAIRIE SHADOV	V PT 6	Residential	208 ft	34 ft	7072 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 544 ft Traffic Loops: 0 ea	a				
Inlets: 0 ea	Base Material:	0.0 ton		•				
Comments: TYPE I/II.		•						
1209-A2 PRAIRIE SHADOW RD	АСАМА СТ	DRY BARK CT	6	Residential	264 ft	34 ft	8976 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 690 ft					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea (@				
Comments: TYPE I/II.								
1209-A2 PRAIRIE SHADOW RD	DRY BARK CT	PRAIRIE WOOD	OR 6	Residential	185 ft	34 ft	6290 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 484 ft Traffic Loops: 0 ea	@				
1209-A2 DRY BARK CT	PRAIRIE SHADOW RD	END	6	Residential	185 ft	38 ft	7030 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:		Crack Seal: 541 ft Traffic Loops: 0 ea				,	, , , , , ,
Comments: TYPE I/II.	***							
1209-A2 PRAIRIE WOOD DR	CALLE CRISTOBAL	PRAIRIE SHADOV	V RD 6	Residential	120 ft	33 ft	3960 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 305 ft Traffic Loops: 5 ea		RISTOBAL			
Comments: TYPE I/II.	base material:	o.o ton						

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Day
1209-A2 WINDY RIDGE RD	WINDY RIDGE WY	TRAILBRUSH PT	6 1	Residential	196 ft	34 ft	6664 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 513 ft					
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Traffic Loops: 0 ea	<u>a</u>				
1209-A4 MATSON WY	DANCY RD	MATSON PL	6	Residential	322 ft	33 ft	10626 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:1	•	Crack Seal: 817 ft					·
Inlets: 0 ea	AC Repair: Base Material:	34.0 ton 21.7 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.						_		
1209-A4 ADKINS WY	MATSON WY	GIFFIN WY	6	Residential	493 ft	33 ft	16269 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area:1 AC Repair:	,154.0 ft ² 16.0 ton	Crack Seal: 1251 ft					
Inlets: 2 ea	Base Material:	1.3 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								
1209-A4 BANDELL CT	DANCY RD	END	6	Residential	407 ft	38 ft	15466 ft ²	Tuesday
Hump Removal: 5 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	511.0 ft ² 6.8 ton	Crack Seal: 1190 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.						===		
1209-A4 GIFFIN WY	DANCY RD	ADKINS WY	6	Residential	588 ft	33 ft	19404 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:1 AC Repair:	,721.0 ft² 22.7 ton	Crack Seal: 1493 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	(C)				
Comments: TYPE I/II.								
1209-A4 FLANDERS PL	FLANDERS DR	END	6 1	Residential	548 ft	38 ft	20824 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:1		Crack Seal: 1602 ft					
Inlets: 0 ea	AC Repair: Base Material:	18.0 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								•

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Day
1209-A4 MATSON WY	MATSON PL	ADKINS WY	6	Residential	250 ft	33 ft	8250 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area:1 AC Repair:	16.6 ton	Crack Seal: 635 ft Traffic Loops: 0 ea	@				
Comments: TYPE I/II.	Base Material:	4.0 ton						
1209-A5 DARDEN CT	DARDEN RD	END	6	Residential	208 ft	38 ft	7904 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	160.0 ft ² 3.6 ton	Crack Seal: 608 ft					
Inlets: 0 ea	Base Material:	2.5 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								
1209-A5 ADERMAN AV	BEGIN	FLANDERS DR	6	Residential	285 ft	36 ft	10260 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 1 ea	AC Repair Area: AC Repair:	452.0 ft ²	Crack Seal: 789 ft					
Inlets: 1 ea	Base Material:	9.4 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								
1209-B1 RIMRIDGE LN	LORIRAE PL	WALZ CT	6	Residential	283 ft	29 ft	8207 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 631 ft Traffic Loops: 0 ea	@				
						·		
1209-B1 SANTA ARMINTA AV Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	CALLE NUEVA AC Repair Area: AC Repair: Base Material:	SURCO DR 0.0 ft ² 0.0 ton 0.0 ton	6 Crack Seal: 719 ft Traffic Loops: 0 ea	Residential @	246 ft	38 ft	9348 ft²	Tuesday
1209-B1 CORLEY CT	BEGIN	TORRELL WY	6	Residential	278 ft	38 ft	10564 ft²	Tuesday
Hump Removal: 50 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 813 ft Traffic Loops: 0 ea	@				
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	rrame Loops: 0 ea	w.				
Comments: TIFE 1/11.								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-B1 CALLE NUEVA	AVNDA DEL GATO	SANTA ARMINTA	AV 6	Residential	932 ft	34 ft	31688 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 2438 Traffic Loops: 0 ea					
· · · · · · · · · · · · · · · · · · ·	CALLE BARTO			D 1	264.6		10000 63	
1209-B1 SANTA ARMINTA AV Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	CALLE DARIO AC Repair Area: AC Repair: Base Material:	CALLE JALAPA 0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 772 ft Traffic Loops: 0 ea		264 ft	38 ft	10032 ft²	Tuesday
1209-B1 THOMAS HAYES LN	CALLE CRICTORAL	HAGANS CR:		Residential	402.6		14874 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	CALLE CRISTOBAL AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1144 Traffic Loops: 0 ea	ft	402 ft	37 ft	148/4 112	Tuesday
1209-B1 SANTA ARMINTA AV	CALLE DEL HUMO	CALLE NUEVA	6	Residential	264 ft	38 ft	10032 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 772 ft Traffic Loops: 0 ea					
1209-B1 SANTA ARMINTA AV	CALLE JALAPA	CALLE DEL HUMO	6	Residential	193 ft	 38 ft	7334 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 564 ft Traffic Loops: 0 ea	:				,
1209-B1 RIMRIDGE LN	AVNDA DEL GATO	RUSK CV	6	Residential	287 ft	31 ft	8897 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	80.0 ft ² 1.1 ton 0.0 ton	Crack Seal: 684 ft Traffic Loops: 0 ea					
Comments: TYPE I/II.								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-B1 RIMRIDGE LN	RIVER RIM RD	AVNDA DEL GATO	6	Residential	335 ft	37 ft	12395 ft²	Tuesday
Hump Removal: 50 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	145.0 ft ² 1.9 ton 0.0 ton	Crack Seal: 953 ft Traffic Loops: 0 ea					
Comments: TIPE 1/11.								
1209-B1 LORIRAE PL	RIMRIDGE LN	END	6	Residential	151 ft	38 ft	5738 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	40.0 ft ² 0.5 ton	Crack Seal: 441 ft Traffic Loops: 0 ea					
Inlets: 1 ea	Base Material:	0.0 ton						
Comments: TYPE I/II.								
1209-B1 AVNDA DEL GATO	RIMRIDGE LN	END	6	Residential	66 ft	65 ft	4290 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	80.0 ft ² 1.1 ton	Crack Seal: 330 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	u @				
Comments: TYPE I/II.								
1209-B1 CORLEY CT	TORRELL WY	CALLE CRISTOBAL	. 6	Residential	246 ft	30 ft	7380 ft²	Tuesday
Hump Removal: 13 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	100.0 ft ² 1.3 ton 0.0 ton	Crack Seal: 568 ft Traffic Loops: 0 ea					
1209-B1 RUSK CV	RIMRIDGE LN	END	6	Residential	76 ft	71 ft	5396 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 415 ft Traffic Loops: 0 ea	:	70 is	,110	335010	rucsday
1209-B1 SANTA ARMINTA AV	SURCO DR	AQUARIUS DR	6	Residential	391 ft	37 ft	14467 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	80.0 ft ² 1.1 ton	Crack Seal: 1113	•				
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	ı w				
Comments: TYPE I/II.								

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Da
1209-B1 RIMRIDGE LN	WALZ CT	END	6	Residential	272 ft	38 ft	10336 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 795 ft Traffic Loops: 0 ea	@				
Comments: TYPE I/II.							·	
1209-B1 AVNDA DEL GATO	CALLE NUEVA	TORRELL WY	6	Residential	226 ft	37 ft	8362 ft ²	Tuesday
Hump Removal: 80 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	52.0 ft² 0.7 ton	Crack Seal: 643 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								
1209-B1 RIMRIDGE LN	RUSK CV	LORIRAE PL	6	Residential	384 ft	29 ft	11136 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 857 ft					
	Al Panairi							
Inlets: 1 ea	AC Repair: Base Material:	2.7 ton 0.0 ton	Traffic Loops: 0 ea	@				
	•	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II. UN	Base Material:	0.0 ton	Traffic Loops: 0 ea	@ Residential	202 ft	38 ft	7676 ft²	Tuesda
Comments: TYPE I/II. UN 1209-B1 LOTT PT Hump Removal: 0 ft Inlet Markers: 0 ea	Base Material: COVER 1 SURVEY MONUMEN	0.0 ton 「@ 8265.	6 Crack Seal: 590 ft	Residential	202 ft	38 ft	7676 ft²	Tuesday
Comments: TYPE I/II. UN 1209-B1 LOTT PT Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	Base Material: COVER 1 SURVEY MONUMENT SANTA ARMINTA AV AC Repair Area:	0.0 ton (@ 8265. END 0.0 ft ²	6	Residential	202 ft	38 ft	7676 ft²	Tuesday
Comments: TYPE I/II. UN 1209-B1 LOTT PT Hump Removal: 0 ft Inlet Markers: 0 ea	Base Material: COVER 1 SURVEY MONUMENT SANTA ARMINTA AV AC Repair Area: AC Repair:	0.0 ton (@ 8265. END 0.0 ft ² 0.0 ton	6 Crack Seal: 590 ft Traffic Loops: 0 ea	Residential	202 ft	38 ft	7676 ft²	Tuesday
Comments: TYPE I/II. UN 1209-B1 LOTT PT Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	Base Material: COVER 1 SURVEY MONUMENT SANTA ARMINTA AV AC Repair Area: AC Repair:	0.0 ton (@ 8265. END 0.0 ft ² 0.0 ton	6 Crack Seal: 590 ft Traffic Loops: 0 ea	Residential	202 ft 726 ft	38 ft 30 ft	7676 ft ²	<u></u>
Comments: TYPE I/II. UN 1209-B1 LOTT PT Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	Base Material: COVER 1 SURVEY MONUMENT SANTA ARMINTA AV AC Repair Area: AC Repair: Base Material:	0.0 ton (@ 8265. END 0.0 ft ² 0.0 ton 0.0 ton	6 Crack Seal: 590 ft Traffic Loops: 0 ea	Residential @ Residential				Tuesday
Comments: TYPE I/II. UN 1209-B1 LOTT PT Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II. 1209-B1 TORRELL WY Hump Removal: 0 ft	Base Material: COVER 1 SURVEY MONUMENT SANTA ARMINTA AV AC Repair Area: AC Repair: Base Material: CORLEY CT AC Repair Area:	0.0 ton (@ 8265. END 0.0 ft² 0.0 ton 0.0 ton AVNDA DEL GATO 306.0 ft²	6 Crack Seal: 590 ft Traffic Loops: 0 ea	Residential @ Residential				<u></u>
Comments: TYPE I/II. UN 1209-B1 LOTT PT Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II. 1209-B1 TORRELL WY Hump Removal: 0 ft Inlet Markers: 0 ea	Base Material: COVER 1 SURVEY MONUMENT SANTA ARMINTA AV AC Repair Area: AC Repair: Base Material: CORLEY CT AC Repair Area: AC Repair:	0.0 ton (a) 8265. END 0.0 ft ² 0.0 ton 0.0 ton AVNDA DEL GATO 306.0 ft ² 5.4 ton	6 Crack Seal: 590 ft Traffic Loops: 0 ea	Residential @ Residential				<u></u>
Comments: TYPE I/II. UN 1209-B1 LOTT PT Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II. 1209-B1 TORRELL WY Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea	Base Material: COVER 1 SURVEY MONUMENT SANTA ARMINTA AV AC Repair Area: AC Repair: Base Material: CORLEY CT AC Repair Area: AC Repair:	0.0 ton (a) 8265. END 0.0 ft ² 0.0 ton 0.0 ton AVNDA DEL GATO 306.0 ft ² 5.4 ton	6 Crack Seal: 590 ft Traffic Loops: 0 ea	Residential @ Residential				Tuesday
Comments: TYPE I/II. UN 1209-B1 LOTT PT Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II. 1209-B1 TORRELL WY Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I/II.	Base Material: COVER 1 SURVEY MONUMENT SANTA ARMINTA AV AC Repair Area: AC Repair: Base Material: CORLEY CT AC Repair Area: AC Repair: Base Material:	0.0 ton (a) 8265. END 0.0 ft ² 0.0 ton 0.0 ton AVNDA DEL GATO 306.0 ft ² 5.4 ton 2.3 ton	6 Crack Seal: 590 ft Traffic Loops: 0 ea 6 Crack Seal: 1675 ft Traffic Loops: 0 ea	Residential @ Residential @	726 ft	30 ft	21780 ft²	

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-B1 RIVER RIM RD	RIMRIDGE LN	MEYNCKE WY	6	Residential	528 ft	37 ft	19536 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	40.0 ft ² 1.3 ton 1.3 ton	Crack Seal: 1503 f Traffic Loops: 0 ea	-				
1209-B1 AVNDA DEL GATO	CALLE CRISTOBAL	RIMRIDGE LN	6	Residential	120 ft	36 ft	4320 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	84.0 ft ² 1.1 ton 0.0 ton	Crack Seal: 332 ft Traffic Loops: 5 ea		220 (0	00.10	.020.10	, , , , , , , , , , , , , , , , , , , ,
1209-B1 AVNDA DEL GATO	TORRELL WY	CALLE CRISTOBAL	. 6	Residential	143 ft	38 ft	5434 ft ²	Tuesday
Hump Removal: 38 ft Inlet Markers: 0 ea	AC Repair Area:	926.0 ft²	Crack Seal: 418 ft	Residential	143 10	30 11	343416	ruesday
Inlets: 1 ea Comments: TYPE I/II.	AC Repair: Base Material:	12.2 ton 0.0 ton	Traffic Loops: 5 ea	@				
	CALLE COYCEONAL	DIMPID CE IN		Destinated	125.0	20.5	2045.63	— • •
1209-B1 LORIRAE PL Hump Removal: 38 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	CALLE CRISTOBAL AC Repair Area: AC Repair: Base Material:	RIMRIDGE LN 0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 301 ft Traffic Loops: 0 ea	Residential	135 ft	29 ft	3915 ft²	Tuesday
1209-B2 SANTA ARMINTA AV	AVNDA DEL GATO	CALLE DARIO	6	Residential	225 ft	38 ft	8550 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 658 ft Traffic Loops: 0 ea		220 10			
1209-B2 SANTA ARMINTA AV	HERRING CV	LOTT PT	6	Residential	282 ft	38 ft	10716 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 824 ft Traffic Loops: 0 ea					
Comments: TYPE I/II.								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-B2 HERRING CV	SANTA ARMINTA AV	END	6	Residential	214 ft	38 ft	8132 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 626 ft Traffic Loops: 0 ea					
Comments: TYPE I/II.	buse Flaterial.	0.0 (0)1						
1209-B2 SANTA ARMINTA AV	LOTT PT	AVNDA DEL GATO	6	Residential	490 ft	38 ft	18620 ft²	Tuesday
Hump Removal: 20 ft Inlet Markers: 1 ea	AC Repair Area: AC Repair:	177.0 ft ² 2.3 ton	Crack Seal: 1432 : Traffic Loops: 0 ea					
Inlets: 2 ea Comments: TYPE I/II.	Base Material:	0.0 ton						
1209-B2 SANTA ARMINTA AV	LOS SABALOS ST	HERRING CV	6	Residential	395 ft	38 ft	15010 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1155					·
Inlets: 2 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Traffic Loops: 0 ea	. @				
1209-F1 ASPENDELL DR	BEGIN	ASPENDELL WY	5	Residential	376 ft	28 ft	10528 ft²	Tuesday
Hump Removal: Inlet Markers: 2 ea Inlets: 2 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 810 ft Traffic Loops: 0 ea					
1209-F1 ASPENDELL WY	BEGIN	ASPENDELL DR	5	Residential	344 ft	32 ft	11008 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 847 ft Traffic Loops: 0 ea	-				,
1209-F2 LONGDALE PL	BEGIN	MCDOWELL CT	5	Residential	472 ft	30 ft	14160 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 1 ea Inlets: 1 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1089 to Traffic Loops: 0 ea					
Comments: TYPE I	Base Material:	0.0 ton						

ADDENDUM A

Page 41 of 74 10/10/2017 37 of 69

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Day
1209-G1 RIDGE RUN WY	ASHLOCK LN	ASHLOCK WY	5	Residential	1021 ft	32 ft	32672 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 4 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 2513 ft Traffic Loops: 0 ea					
Comments: TYPE I								
1209-G1 TRILLIUM WY	MAYAPPLE WY	SWAN LAKE DR	5	Residential	196 ft	30 ft	5880 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 452 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II					·			
1209-G1 ASHLOCK LN	STONY RIDGE WY	ASHLOCK WY	5	Residential	160 ft	32 ft	5120 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft² 0.0 ton	Crack Seal: 394 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I								
1209-G1 MAYAPPLE WY	MAYAPPLE CT	TRILLIUM WY	5	Residential	210 ft	30 ft	6300 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area: AC Repair: Base Material:	490.0 ft ² 6.5 ton 0.0 ton	Crack Seal: 485 ft Traffic Loops: 0 ea	@				
1209-G1 ASPENDELL DR	BRECKENRIDGE DR	TRAIL CREST DR	5	Residential	1278 ft	30 ft	38340 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 4 ea Inlets: 4 ea Comments: TYPE I	` AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 2949 f Traffic Loops: 0 ea					
1209-G1 RIDGE RUN WY	ASHLOCK WY	TRAIL CREST DR	5	Residential	135 ft	30 ft	4050 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ²	Crack Seal: 312 ft					,
Inlets: 0 ea Comments: TYPE I	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				

TB Map Page Street Name	From	То	Council Function District Class	al Length	Width	Area	Trash Day
1209-G1 TRILLIUM WY	TRILLIUM CT	MAYAPPLE WY	5 Resident	ial 283 ft	30 ft	8490 ft ²	Tuesday
Hump Removal: Inlet Markers: 1 ea Inlets: 2 ea Comments: TYPE I/II	AC Repair Area: AC Repair: Base Material:	325.0 ft ² 4.3 ton 0.0 ton	Crack Seal: 653 ft Traffic Loops: 0 ea @				
1209-G1 WINDING RIDGE DR	MC KINNEY CT	ASPENDELL DR	5 Resident	al 1092 ft	32 ft	34944 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 4 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:		Crack Seal: 2688 ft Traffic Loops: 0 ea @	. 2022 10	<i>32 1</i> 0	3.37	, assau,
1209-G1 STONY RIDGE WY	ASHLOCK LN	SWAN LAKE DR	5 Resident	ial 262 ft	32 ft	8384 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ²	Crack Seal: 645 ft				
Inlets: 1 ea Comments: TYPE I	Base Material:	0.0 ton	Traffic Loops: 0 ea @				
1209-G1 STONY RIDGE WY	TRAIL CREST DR	ASHLOCK LN	5 Resident	al 230 ft	32 ft	7360 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 566 ft Traffic Loops: 0 ea @				,
1209-G1 WINDING RIDGE DR	MCBURNEY RIDGE LN	MC KINNEY CT	 5 Resident	ial 1548 ft	38 ft	58824 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 4 ea Inlets: 4 ea Comments: TYPE I. BROKE	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 4525 ft Traffic Loops: 0 ea @				·····• ',
1209-G1 TRILLIUM WY	NORTHWICK WY	TRILLIUM CT	5 Resident	ial 176 ft	32 ft	5632 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets:	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 433 ft Traffic Loops: 0 ea @				
Comments: TYPE I/II							

ADDENDUM A

Page 43 of 74 10/10/2017 39 of 69

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-G1 ASPENDELL DR	ASPENDELL WY	BRECKENRIDGE D	PR 5	Residential	422 ft	34 ft	14348 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 2 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1104 · Traffic Loops: 0 ea					
1209-G1 BRECKENRIDGE DR	WELLSONA CT	RAEDENE WY	5	Residential	320 ft	32 ft	10240 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	120.0 ft ² 1.6 ton 0.0 ton	Crack Seal: 788 ft Traffic Loops: 0 ea					·
1209-G1 RIDGE RUN WY	TRAIL CREST DR	END	5	Residential	90 ft	30 ft	2700 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 208 ft Traffic Loops: 0 ea					·
1209-G1 TRILLIUM CT	BEGIN	TRILLIUM WY	5	Residential	162 ft	30 ft	4860 ft²	Tuesday
Hump Removal: Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 374 ft Traffic Loops: 0 ea					
1209-G1 WELLSONA CT	BEGIN	BRECKENRIDGE I	DR 5	Residential	130 ft	32 ft	4160 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 320 ft Traffic Loops: 0 ea	<u> </u>				
1209-G1 BRECKENRIDGE DR	ASPENDELL DR	WELLSONA CT	5	Residential	148 ft	32 ft	4736 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 1 ea Inlets: 1 ea	AC Repair Area: AC Repair: Base Material:	36.0 ft ² 0.5 ton 0.0 ton	Crack Seal: 364 ft Traffic Loops: 0 ea					·
Comments: TYPE I	Dage Flaterial.	3.0 (01)						

TB Map Page Street Name	From	То	Council I District	unctional Class	Length	Width	Area	Trash Day
1209-G1 ASHLOCK WY	ASHLOCK LN	RIDGE RUN WY	5	Residential	592 ft	32 ft	18944 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 1 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1457 ft Traffic Loops: 0 ea					
Inlets: 2 ea Comments: TYPE I	Base Material:	0.0 ton	rume goops. To ea	•				
1209-G1 SWAN LAKE DR	BEGIN	STONY RIDGE WY	5	Residential	352 ft	32 ft	11264 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 866 ft					
Inlets: 1 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II								
1209-G1 STONY RIDGE WY	SWAN LAKE DR	STONY RIDGE CT	5	Residential	320 ft	32 ft	10240 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	42.0 ft ²	Crack Seal: 788 ft					
Inlets: 1 ea	AC Repair: Base Material:	1.3 ton 1.3 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I. RAIS	E MONUMENT= 1							
1209-G1 STONY RIDGE WY	STONY RIDGE CT	SWAN LAKE DR	5	Residential	886 ft	32 ft	28352 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 2181 fl	:				
Inlets: 3 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I								
1209-G1 SWAN LAKE DR	STONY RIDGE WY	STONY RIDGE WY	5	Residential	1146 ft	32 ft	36672 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 2821 ft Traffic Loops: 0 ea					
Inlets: 4 ea	Base Material:	0.0 ton	manic Loops: 0 ea	w				
Comments: TYPE I								
1209-G1 STONY RIDGE CT	STONY RIDGE WY	END	5	Residential	334 ft	32 ft	10688 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 2 ea	AC Repair Area: AC Repair: Base Material:	40.0 ft ² 1.3 ton 1.3 ton	Crack Seal: 822 ft Traffic Loops:	@				·
Comments: TYPE I.								

TB Map Page Street Name	From	То	Council I District	Functional Class	Length	Width	Area	Trash Day
1209-G1 MCDOWELL CT	LONGDALE PL	END	5	Residential	346 ft	30 ft	10380 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	140.0 ft ² 1.9 ton	Crack Seal: 798 ft Traffic Loops: 0 ea	@				
Inlets: 0 ea Comments: TYPE I. PCC PA	Base Material: NELS IN SEGMENT.	0.0 ton	·					
1209-G1 MC KINNEY CT	WINDING RIDGE DR	END	5	Residential	546 ft	30 ft	16380 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1260 f					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I								
1209-G2 HEARTWOOD WY	SWAN LAKE DR	HEARTWOOD CT	5	Residential	198 ft	30 ft	5940 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft² 0.0 ton	Crack Seal: 457 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II								
1209-G2 BELLADONNA WY	NORTHWICK WY	POCHARD WY	5	Residential	870 ft	30 ft	26100 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area: AC Repair: Base Material:	1,480.0 ft ² 19.5 ton 0.0 ton	Crack Seal: 2008 f Traffic Loops: 0 ea					
1209-G2 MCBURNEY RIDGE LN	WINDING RIDGE DR	END	5	Residential	378 ft	30 ft	11340 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 2 ea Comments: TYPE I. BROKE	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 872 ft Traffic Loops: 0 ea		370 10	3010	113.010	idesday
1209-G2 MAYAPPLE WY	POCHARD WY	MAYAPPLE CT	· 5	Residential	678 ft	30 ft	20340 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 1565 f	t	070 IC	30 10	20340 16-	idesudy
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-G2 LONGDALE PL	MCDOWELL CT	BRECKENRIDGE D	R 5	Residential	168 ft	30 ft	5040 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 388 ft Traffic Loops: 0 ea					
Inlets: 2 ea Comments: TYPE I	Base Material:	0.0 ton	Trame Loops. 0 ea	w w				
1209-G2 SWAN LAKE DR	HEARTWOOD WY	STONEY WY	5	Residential	272 ft	34 ft	9248 ft²	Tuesday
Hump Removal: Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I/II	AC Repair Area: AC Repair: Base Material:	400.0 ft ² 5.3 ton 0.0 ton	Crack Seal: 711 ft Traffic Loops: 0 ea	@				
1209-G2 BRECKENRIDGE DR	LONGDALE PL	WESTWARD CT	5	Residential	865 ft	38 ft	32870 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area: AC Repair:	360.0 ft ² 4.8 ton	Crack Seal: 2528 f				÷	
Inlets: 2 ea Comments: TYPE I	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
1209-G2 WINDING RIDGE DR	CRYSTAL OAKS WY	FARMINGDALE ST	5	Residential	210 ft	38 ft	7980 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 614 ft Traffic Loops: 0 ea	@				
1209-G2 SWAN LAKE DR	STONEY WY	TRILLIUM WY	5	Residential	376 ft	34 ft	12784 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 983 ft Traffic Loops: 0 ea		270.13	2		
1209-G2 WINDING RIDGE DR	FARMINGDALE ST	LUXEMBOURG WY	5	Residential	238 ft	38 ft	9044 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	377.0 ft ²	Crack Seal: 696 ft		•			,
Inlets: 0 ea Comments: TYPE I	AC Repair: Base Material:	5.0 ton 0.0 ton	Traffic Loops: 0 ea	@				

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-G2 RAVENSTHORPE WY	WINDING RIDGE DR	END	5	Residential	595 ft	30 ft	17850 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 1 ea Inlets: 2 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	165.0 ft ² 4.1 ton 3.3 ton	Crack Seal: 1373 f					
1209-G2 MAYAPPLE CT	BEGIN	MAYAPPLE WY	5	Residential	118 ft	30 ft	3540 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: 1 AC Repair: Base Material:	•	Crack Seal: 272 ft Traffic Loops: 0 ea		11010	30 10	33 10 10	racoday
Comments: TYPE I/II	base material:	0.0 (01)					•	
1209-G2 FARMINGDALE ST	VANDEMEN WY	WINDBROOK WY	5	Residential	274 ft	 36 ft	9864 ft²	Tuesday
Hump Removal: Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I	AC Repair Area:1 AC Repair: Base Material:	1,400.0 ft² 18.5 ton 0.0 ton	Crack Seal: 759 ft Traffic Loops: 0 ea					
1209-G2 WINDING RIDGE DR	LUXEMBOURG WY	MCBURNEY RIDG	ELN 5	Residential	292 ft	38 ft	11096 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 854 ft Traffic Loops: 0 ea					,
1209-G2 STONEY WY	SWAN LAKE DR	WEATHERHILL W	Y 5	Residential	438 ft	34 ft	14892 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1146 Traffic Loops: 0 ea	ft				· · · · · · · · · · · · · · · · · · ·
1209-G2 WINDING RIDGE DR	TREYBURN WY	CRYSTAL OAKS V	vY 5	Residential	242 ft	37 ft	8954 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	2.3 ton	Crack Seal: 689 ft Traffic Loops: 0 ea					
Comments: TYPE I	Base Material:	0.0 ton						

TB Map Page Street Name	From	То	Council I District	Functional Class	Length	Width	Area	Trash Day
1209-G2 HEARTWOOD CT	HEARTWOOD WY	END	5	Residential	218 ft	30 ft	6540 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area: AC Repair: Base Material:	749.0 ft ² 10.8 ton 1.5 ton	Crack Seal: 503 ft Traffic Loops: 0 ea	@				
1209-G2 WESTWARD CT	BRECKENRIDGE DR	RAEDENE WY		Residential	420 ft	30 ft	12600 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 2 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 969 ft Traffic Loops: 0 ea		420 10	30 10	12000 11	ruesuay
Comments: TYPE I/II								
1209-G2 BRECKENRIDGE DR	RAEDENE WY	LONGDALE PL		Residential	218 ft	32 ft	6976 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ²	Crack Seal: 537 ft					,
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I								
1209-G2 SWAN LAKE DR	POCHARD WY	HEARTWOOD WY	5	Residential	202 ft	34 ft	6868 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 528 ft Traffic Loops: 0 ea	@				
Inlets: 0 ea	Base Material:	0.0 ton		_				
Comments: TYPE I/II								
1209-G2 WINDING RIDGE DR	RAVENSTHORPE WY	TREYBURN WY	5	Residential	318 ft	36 ft	11448 ft²	Tuesday
Hump Removal: Inlet Markers: 1 ea Inlets: 1 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 881 ft Traffic Loops: 0 ea	@				
1209-G2 POCHARD WY	MAYAPPLE WY	SWAN LAKE DR	5	Residential	194 ft	30 ft	5820 ft ²	Tuesday
Hump Removal: Inlet Markers: 0 ea Inlets: 2 ea	AC Repair Area: AC Repair: Base Material:	825.0 ft ² 10.9 ton 0.0 ton	Crack Seal: 448 ft Traffic Loops: 0 ea	@				
Comments: TYPE I/II								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-G2 BRECKENRIDGE DR	WESTWARD CT	WINDING RIDGE	DR 5	Residential	1322 ft	38 ft	50236 ft ²	Tuesday
Hump Removal: Inlet Markers: 2 ea Inlets: 2 ea	AC Repair Area: AC Repair: Base Material:	208.0 ft ² 2.8 ton 0.0 ton	Crack Seal: 3864 f					
Comments: TYPE I								
1209-G2 FARMINGDALE ST	GOLDEN BIRCH WY	SWAN LAKE DR	5	Residential	508 ft	38 ft	19304 ft²	Tuesday
Hump Removal: Inlet Markers: 0 ea Inlets: 1 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1485 t	•				
Comments: TYPE I	Base Material:	0.0 ton						
1209-G2 WESTWARD CT	BEGIN	BRECKENRIDGE	DR 5	Residential	471 ft	30 ft	14130 ft²	Tuesday
Hump Removal: 60 ft Inlet Markers: 2 ea	AC Repair Area: AC Repair:	64.0 ft ²	Crack Seal: 1087	Ť				· '
Inlets: 2 ea	Base Material:	2.0 ton 2.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I. Conci	rete panels in middle of segm	ent.						
1209-G2 LUXEMBOURG WY	WINDING RIDGE DR	EŅD	5	Residential	526 ft	30 ft	15780 ft ²	Tuesday
Hump Removal: 15 ft Inlet Markers: 1 ea Inlets: 2 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1214 : Traffic Loops: 0 ea	-				
Comments: TYPE I	Base Material:	0.0 ton						
		· · · · · · · · · · · · · · · · · · ·						
1209-G2 BRECKENRIDGE WY	BRECKENRIDGE DR	END	5	Residential	694 ft	30 ft	20820 ft ²	Tuesday
Hump Removal: Inlet Markers: 2 ea Inlets: 3 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1602: Traffic Loops: 0 ea					
	WINDING RIDGE DR	END	5	Residential	542 ft	30 ft	16260 ft²	Tuesday
1209-G2 TREYBURN WY								,
1209-G2 TREYBURN WY Hump Removal: Inlet Markers: 1 ea Inlets: 2 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1251 Traffic Loops: 0 ea					

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-G2 CRYSTAL OAKS WY	BEGIN	WINDING RIDGE	DR 5	Residential	620 ft	32 ft	19840 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 1 ea Inlets: 1 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1526 f Traffic Loops: 0 ea					
Comments: TYPE I	Base Material:	0.0 ton						
1209-G2 RAEDENE WY	WESTWARD CT	BLUE SUMMIT CT	5	Residential	320 ft	30 ft	9600 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 738 ft					
Inlets: 0 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II								
1209-G2 FARMINGDALE ST	SWAN LAKE DR	SCRIPPS RANCH	BL 5	Residential	538 ft	44 ft	23672 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	1,157.0 ft² 15.3 ton	Crack Seal: 1821	t				
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 4 ea	@ 4@SCRIP	PS RANCH E	3L		
Comments: TYPE I/II								
1209-G2 VANDEMEN WY	BEGIN	FARMINGDALE ST	5	Residential	272 ft	30 ft	8160 ft ²	Tuesday
Hump Removal:	AC Repair Area:	137.0 ft ²	Crack Seal: 628 ft					
Inlet Markers: 0 ea	AC Repair:	1.8 ton	Traffic Loops: 0 ea	ര				
Inlets: 0 ea	Base Material:	0.0 ton	114111C 200p31 0 ca	_				
Comments: TYPE I								
1209-G2 SWAN LAKE DR	FARMINGDALE ST	POCHARD WY	5	Residential	195 ft	34 ft	6630 ft ²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²	Crack Seal: 510 ft					
Inlet Markers: 0 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea	@				
Inlets: 2 ea	Base Material:	0.0 ton	Trainic Loops. O ca	<u>u</u>				
Comments: TYPE I/II								
1209-G2 WINDING RIDGE DR	BRECKENRIDGE DR	RAVENSTHORPE V	WY 5	Residential	348 ft	38 ft	13224 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area:		Crack Seal: 1017 f	ì				
Inlets: 2 ea	AC Repair: Base Material:	7.4 ton 7.3 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-G2 FARMINGDALEST	WINDBROOK WY	GOLDEN BIRCH W	Y 5	Residential	248 ft	37 ft	9176 ft²	Tuesday
Hump Removal: 10 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	40.0 ft ² 0.5 ton	Crack Seal: 706 ft Traffic Loops: 0 ea	@				
Comments: TYPE I	Base Material:	0.0 ton						
1209-G2 CHAFFINCH CT	GOLDEN BIRCH WY	END	,5	Residential	432 ft	30 ft	12960 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	20.0 ft ² 0.3 ton	Crack Seal: 997 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I								
1209-G2 BLUE SUMMIT CT	BEGIN	RAEDENE WY	5	Residential	450 ft	30 ft	13500 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area: AC Repair:	0.0 ft² 0.0 ton	Crack Seal: 1038 f					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II				·				
1209-G2 RAEDENE WY	BLUE SUMMIT CT	BRECKENRIDGE D	R 5	Residential	967 ft	30 ft	29010 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 2232 f					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	ш				
Comments: TYPE I/II								
1209-G2 POCHARD WY	SWAN LAKE DR	WOODCRAFT WY	5	Residential	488 ft	30 ft	14640 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	475.0 ft ² 6.3 ton	Crack Seal: 1126 f	ŧ		÷		
Inlets: 0 ea	AC Repair: Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II								
1209-G2 GOLDEN BIRCH WY	BEGIN	CHAFFINCH CT	5 `	Residential	255 ft	30 ft	7650 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 588 ft					
Inlets: 0 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I								

TB Map Page Street Name	From	То	Council I District	unctional Class	Length	Width	Area	Trash Day
1209-G2 NORTHWICK WY	BELLADONNA WY	TRILLIUM WY	5	Residential	344 ft	30 ft	10320 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 794 ft Traffic Loops: 0 ea	@				
Comments: TYPE I/II								
1209-G2 WINDBROOK WY	BEGIN	FARMINGDALE ST	. 5	Residential	384 ft	30 ft	11520 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	1.6 ton	Crack Seal: 886 ft Traffic Loops: 0 ea	@				
Comments: TYPE I	Base Material:	0.0 ton						
1209-G2 FARMINGDALE ST	WINDING RIDGE DR	VANDEMEN WY	5	Residential	210 ft	36 ft	7560 ft ²	Tuesday
Hump Removal: 40 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 582 ft Traffic Loops: 0 ea	@				·
Inlets: 2 ea Comments: TYPE I	Base Material:	0.0 ton	Traine Loops. 0 ea	w.				
1209-G2 GOLDEN BIRCH WY	CHAFFINCH CT	FARMINGDALE ST	. 5	Residential	180 ft	30 ft	5400 ft ²	Tuesday
Hump Removal: Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	60.0 ft ² 0.8 ton 0.0 ton	Crack Seal: 415 ft Traffic Loops: 0 ea	@				
1209-G2 POCHARD WY	BELLADONNA WY	MAYAPPLE WY	5	Residential	214 ft	30 ft	6420 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area:3 AC Repair: Base Material:	4,445.0 ft ² 45.5 ton 0.0 ton	Crack Seal: 494 ft Traffic Loops: 0 ea	@				
1209-H2 HEARTWOOD WY	HEARTWOOD CT	WOODCRAFT WY	5	Residential	436 ft	30 ft	13080 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 2 ea	AC Repair Area: AC Repair: Base Material:	206.0 ft ² 2.7 ton 0.0 ton	Crack Seal: 1006 ft Traffic Loops: 0 ea					
Comments: TYPE I/II								

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1209-H2 WOODCRAFT WY	POCHARD WY	HEARTWOOD WY	5	Residential	228 ft	30 ft	6840 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea Inlets: 2 ea Comments: TYPE I/II	AC Repair Area:1 AC Repair: Base Material:	,020.0 ft ² 13.5 ton 0.0 ton	Crack Seal: 526 ft Traffic Loops: 0 ea					
1209-H2 WEATHERHILL WY	CLARIDGE CT	STONEY WY	5	Residential	452 ft	30 ft	13560 ft ²	Tuesday
Hump Removal: Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1043 f Traffic Loops: 0 ea					
1209-H2 WEATHERHILL CT	WEATHERHILL WY	END	5	Residential	354 ft	30 ft	10620 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 1 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 817 ft			,		,
Inlets: 1 ea Comments: TYPE I	AC Repair: Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
1209-H2 CLARIDGE CT	BEGIN	WEATHERHILL W	Y 5	Residential	142 ft	30 ft	4260 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	260.0 ft ² 8.2 ton 8.1 ton	Crack Seal: 328 ft Traffic Loops: 0 ea					·
1209-H2 WEATHERHILL WY	WEATHERHILL CT	CLARIDGE CT	5	Residential	206 ft	30 ft	6180 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 475 ft Traffic Loops: 0 ea		20010	55 16	320010	. acady
1209-H2 WEATHERHILL WY	SCRIPPS RANCH BL	WEATHERHILL CT	. 5	Residential	530 ft	30 ft	15900 ft²	Tuesday
Hump Removal: 6 ft Inlet Markers: 0 ea Inlets: 3 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1223 Traffic Loops: 0 ea	-				

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Day
1210-B1 LIBELLE CT	BEGIN	EVERGOLD ST	5	Residential	180 ft	40 ft	7200 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 1 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 554 ft Traffic Loops: 0 ea	@				
Comments: TYPE I								
1210-B1 EVERGOLD ST	FIDELIO WY	FANTASIA WY	5	Residential	260 ft	35 ft	9100 ft ²	Tuesday
Hump Removal: 68 ft Inlet Markers: 1 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 700 ft					
Inlets: 1 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I		0.0 (0.1)						
1210-B1 CANDY ROSE WY	CYPRESS CANYON PAI	RK DR MISTY BLUE CT	5	Residential	1410 ft	35 ft	49350 ft ²	Tuesday
Hump Removal: 6 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 3796 ft					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I								
1210-B1 FANTASIA WY	FANTASIA CT	EVERGOLD ST	5	Residential	230 ft	26 ft	5980 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 460 ft Traffic Loops: 0 ea	@				
Comments: TYPE I								
1210-B1 FANTASIA CT	BEGIN	FANTASIA WY	5	Residential	269 ft	40 ft	10760 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 828 ft Traffic Loops: 0 ea	@				
Comments: TYPE I								
1210-B1 CYPRESS CANYON PARK DR	CANDY ROSE WY	MUNDIAL ST	5	Residential	205 ft	36 ft	7380 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	262.0 ft ² 3.5 ton	Crack Seal: 568 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II								
October 13, 2017		ADDEND	IIM A				Page 5	5 of 74

ADDENDUM A

Page 55 of 74 10/10/2017 51 of 69

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1210-B1 NIKITA CT	ANGELIQUE ST	END	5	Residential	130 ft	48 ft	6240 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	60.0 ft² 0.8 ton	Crack Seal: 480 ft Traffic Loops: 0 ea	@				
Inlets: 0 ea Comments: TYPE I/II	Base Material:	0.0 ton	•					
1210-B1 CANDY ROSE WY	MISTY BLUE CT	PORCELINA CT	5	Residential	265 ft	35 ft	9275 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 713 ft					
Inlets: 0 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I								
1210-B1 AVONETTE CT	ANGELIQUE ST	END	5	Residential	105 ft	60 ft	6300 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ² 0.0 ton	Crack Seal: 485 ft					
Inlets: 0 ea	AC Repair: Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II								
1210-B1 LITTLE SILVER CT	ANGELIQUE ST	END	5	Residential	115 ft	58 ft	6670 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 513 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II						•		
1210-B1 ANGELIQUE ST	CYPRESS CANYON PAR	K DR LITTLE SILVER CT	5	Residential	200 ft	40 ft	8000 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 615 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II								
1210-B1 ANGELIQUE ST	AVONETTE CT	MARGINATA CT	5	Residential	300 ft	42 ft	12600 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 969 ft					
Inlets: 2 ea	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II			•					

Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
CYPRESS CANYON PARK DR	MUNDIAL ST	EVERGOLD ST	5	Residential	420 ft	36 ft	15120 ft ²	Tuesday
Removal: 0 ft	AC Repair Area:	394.0 ft²						
Markers: 1 ea	AC Repair:	5.2 ton						
Inlets: 1 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
omments: TYPE I/II				-				
EVERGOLD ST	LIBELLE CT	CYPRESS CANYO	N PARK DR 5	Residential	225 ft	30 ft	6750 ft ²	Tuesday
Removal: 0 ft	AC Repair Area:	0.0 ft ²						
t Markers: 0 ea	•	-		_				
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	(0)				
omments: TYPE I								
MISTY BLUE CT	BEGIN	CANDY ROSE WY	5	Residential	410 ft	40 ft	16400 ft²	Tuesday
Removal: 0 ft	AC Repair Area:	0.0 ft²						
t Markers: 0 ea	<u>-</u>							
Inlets: 1 ea	•		Traffic Loops: 0 ea	@				
omments: TYPE I								
ANGELIQUE ST	CYPRESS CANYON RD	NIKITA CT	5	Residential	185 ft	41 ft	7585 ft²	Tuesday
Removal: 0 ft	AC Repair Area:	200.0 ft²						
t Markers: 0 ea	•	· · · -						
Inlets: 0 ea	Base Material:	0.0 ton	iraπic Loops: 0 ea	@				
omments: TYPE I/II								
MUNDIAL ST	LIBELLE CT	CYPRESS CANYO	PARK DR 5	Residential	214 ft	30 ft	6420 ft ²	Tuesday
Removal: 10 ft	AC Repair Area:	40.0 ft ²						
t Markers: 0 ea	-							
Inlets: 0 ea	Base Material:		Traffic Loops: 0 ea	@				
omments: TYPE I/II								
MARGINATA CT	BEGIN	ANGELIQUE ST	5	Residential	195 ft	45 ft	8775 ft ²	Tuesday
Removal: 0 ft	AC Repair Area:	0.0 ft²	Con als Cont. CZE &					
Markers: 0 ea	AC Repair:	0.0 ton						
Inlets: 0 ea	Base Material:	0.0 ton	manic Loops: 0 ea	w				
omments: TYPE I/II								
	CYPRESS CANYON PARK OR Removal: 0 ft : Markers: 1 ea	CYPRESS CANYON PARK Removal: 0 ft Removal: 1 ea	AC Repair Area: 0.0 ton	CYPRESS CANYON PARK Removal: 0 ft Markers: 1 ea Inlets: 1 ea Base Material: EVERGOLD ST Inlets: 1 ea Base Material: EVERGOLD ST Removal: 0 ft Markers: 0 ea Inlets: 0 ea Domments: TYPE I/II EVERGOLD ST Removal: 0 ft Markers: 0 ea AC Repair Area: AC Repair: 0.0 ton CYPRESS CANYON PARK DR Traffic Loops: 0 ea Domments: TYPE I/II EVERGOLD ST Removal: 0 ft Markers: 0 ea Base Material: 0.0 ton CANDY ROSE WY ST Removal: 0 ft Markers: 0 ea AC Repair Area: Markers: 0 ea AC Repair: 0.0 ton CANDY ROSE WY ST Removal: 0 ft Markers: 0 ea AC Repair: 0.0 ton Traffic Loops: 0 ea Domments: TYPE I AC Repair Area: 0.0 ton Traffic Loops: 0 ea Domments: TYPE I AC Repair Area: 0.0 ton Traffic Loops: 0 ea Domments: TYPE I/II AC Repair Area: AC Repair: 0.0 ton Traffic Loops: 0 ea Domments: TYPE I/II AC Repair Area: AC Repair: 0.0 ton Traffic Loops: 0 ea Domments: TYPE I/II AC Repair Area: AC Repair: 0.0 ton Traffic Loops: 0 ea Domments: TYPE I/II AC Repair Area: AC Repair Area: AC Repair: 0.0 ton Traffic Loops: 0 ea Domments: TYPE I/II AC Repair Area: AC Repair Area: AC Repair: 0.0 ton Traffic Loops: 0 ea Domments: TYPE I/II AC Repair Area: AC Repair Area: AC Repair Area: AC Repair Area: AC Repair: CYPRESS CANYON PARK DR AC Repair Area: AC R	Calcada Calc	CYPRESS CANYON PARK MUNDIAL ST EVERGOLD ST 5 Residential 420 ft	CYPRESS CANYON PARK MUNDIAL ST EVERGOLD ST 5 Residential 420 ft 36 ft	To District Class Length Watch Area

Slurry Seal Group 1801

10/10/2017 53 of 69

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1210-B1 FANTASIA CT	FANTASIA WY	END	5	Residential	265 ft	40 ft	10600 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 1 ea Inlets: 1 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 815 ft Traffic Loops: 0 ea					
Comments: TYPE I								
1210-B1 BLUE DIAMOND CT	BEGIN	ANGELIQUE ST	5	Residential	130 ft	55 ft	7150 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 550 ft					
	AC Repair:	0.0 ton	Traffic Loops: 0 ea					
Inlets: 0 ea	Base Material:	0.0 ton		C				
Comments: TYPE I/II								
1210-B1 ANGELIQUE ST	NIKITA CT	CYPRESS CANYON	PARK DR 5	Residential	200 ft	43 ft	8600 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 662 ft			*		
	AC Repair:	0.0 ton	Traffic Loops: 0 ea					
Inlets: 1, ea	Base Material:	0.0 ton	•	-				
Comments: TYPE I/II								
1210-B1 CANDY ROSE WY	PORCELINA CT	GINSTAR CT	. 5	Residential	270 ft	35 ft	9450 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 727 ft					
	AC Repair:	0.0 ton	Traffic Loops: 0 ea					
Inlets: 0 ea	Base Material:	0.0 ton	•	•				
Comments: TYPE I								
1210-B1 CYPRESS CANYON PARK DR	CITY BOUNDARY	CANDY ROSE WY	5	Prime	100 ft	36 ft	3600 ft ²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft²						
Inlet Markers: 0 ea	AC Repair:	0.0 ton	Crack Seal: 277 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II CUT	THE LIMIT ON CITY BOUND							
1210-B1 EVERGOLD ST	FANTASIA WY	ELEONORE CT		Residential	305 ft	35 ft	10675 ft²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft²						
Inlet Markers: 2 ea	AC Repair:	0.0 ton	Crack Seal: 821 ft					•
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	(0)				
Comments: TYPE I								
October 13, 2017		ADDEND	JM A					8 of 74

10/10/2017 54 of 69

TB Map Page Street Name	From	То	Council I District	Functional Class	Length	Width	Area	Trash Day
1210-B1 MISTY BLUE CT	CANDY ROSE WY	END	5	Residential	85 ft	60 ft	5100 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 392 ft Traffic Loops: 0 ea	@				
Comments: TYPE I								
1210-B1 MUNDIAL ST	BEGIN	LIBELLE CT	5	Residential	155 ft	32 ft	4960 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 382 ft Traffic Loops: 0 ea	@				
Inlets: 0 ea Comments: TYPE I	Base Material:	0.0 ton						
1210-B1 PORCELINA CT	CANDY ROSE WY	END	5	Residential	240 ft	45 ft	10800 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	216.0 ft ² 2.9 ton 0.0 ton	Crack Seal: 831 ft Traffic Loops: 0 ea	@				·
Comments. Tipe 1				· · · · · · · · · · · · · · · · · · ·				
1210-B1 ELEONORE CT Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	EVERGOLD ST AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	5 Crack Seal: 646 ft Traffic Loops: 0 ea	Residential @	210 ft	40 ft	8400 ft²	Tuesday
1210-B1 FIDELIO WY	EVERGOLD ST	FIDELIO CT	5	Residential	214 ft	27 ft	5778 ft²	Tuesday
Hump Removal: 15 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I/II	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 444 ft Traffic Loops: 0 ea					,
1210-B1 CYPRESS CANYON PARK	EVERGOLD ST	JAGUAR CT		Residential	200 ft	37 ft	7400 ft ²	T
Hump Removal: 30 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II	AC Repair Area: AC Repair: Base Material:		Crack Seal: 569 ft Traffic Loops: 0 ea		200 11	J) 11	740010	Tuesday
October 13, 2017		ADDENI			-		Page 5	 9 of 74

October 13, 2017 Slurry Seal Group 1801 Page 59 of 74 10/10/2017 55 of 69

TB Map Page Street Name	From	То	Council Functional District Class	Length	Width	Area	Trash Day
1210-B1 EVERGOLD ST	ELEONORE CT	CASSINI CT	5 Residential	245 ft	35 ft	8575 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 1 ea Inlets: 1 ea	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 660 ft Traffic Loops: 0 ea @				
Comments: TYPE I							
1210-B1 FIDELIO CT	FIDELIO WY	END	5 Residential	219 ft	40 ft	8760 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 674 ft Traffic Loops: 0 ea @				
Inlets: 0 ea Comments: TYPE I	Base Material:	0.0 ton	Traine Loops. Oca @				
	·			0.65.6	40.5	10500 53	- ,
1210-B1 LIBELLE CT Hump Removal: 0 ft Inlet Markers: 0 ea	MUNDIAL ST AC Repair Area:	END 0.0 ft ²	5 Residential Crack Seal: 815 ft	265 ft	40 ft	10600 ft²	Tuesday
Inlets: 0 ea Comments: TYPE I	AC Repair: Base Material:	0.0 ton 0.0 ton	Traffic Loops: 0 ea @				
1210-B1 ANGELIQUE ST Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE I/II	BLUE DIAMOND CT AC Repair Area: AC Repair: Base Material:	40.0 ft ² 0.5 ton 0.0 ton	5 Residential Crack Seal: 2940 ft Traffic Loops: 0 ea @	910 ft	42 ft	38220 ft²	Tuesday
1210-B1 LIBELLE CT	EVERGOLD ST	MUNDIAL ST	5 Residential	315 ft	30 ft	9450 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 727 ft Traffic Loops: 0 ea @			•	
1210-B1 FIDELIO WY	FIDELIO CT	END	5 Residential	216 ft	40 ft	8640 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 665 ft Traffic Loops: 0 ea @		٠		
Comments: TYPE I/II	Base Material:	0.0 ton					

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1210-B1 ANGELIQUE ST	LITTLE SILVER CT	BLUE DIAMOND	CT 5	Residential	325 ft	41 ft	13325 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 2 ea	AC Repair Area:	48.0 ft ²	Crack Seal: 1025	t				
Inlets: 2 ea	AC Repair: Base Material:	0.6 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II								
1210-B1 CYPRESS CANYON PARK DR	JAGUAR CT	ANGELIQUE ST	5	Residential	515 ft	37 ft	19055 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 1466	ît .				
Inlets: 0 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II	Base Material:	0.0 ton						
1210-B1 JAGUAR CT	CYPRESS CANYON PAR	RK DR END	5	Residential	125 ft	58 ft	7250 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	160.0 ft ²	Crack Seal: 558 ft					
Inlets: 0 ea	AC Repair: Base Material:	2.1 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II	Just Haterian	010 1011						
1210-B1 EVERGOLD ST	CYPRESS CANYON PAR	RK DR FIDELIO WY	5	Residential	875 ft	35 ft	30625 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 2356	ft				
Inlets: 3 ea	AC Repair:	1.9 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I	Base Material:	0.0 ton						
1210-B1 EVERGOLD ST	CASSINI CT	DAYMARK CT	5	Residential	240 ft	36 ft	8640 ft ²	Tuesday
Hump Removal: 0 ft	AC Repair Area:	0.0 ft ²						
Inlet Markers: 1 ea	AC Repair:	0.0 ton	Crack Seal: 665 ft					
Inlets: 1 ea	Base Material:	0.0 ton	Traffic Loops:	@				
Comments: TYPE I				• *				
1210-B1 CASSINI CT	BEGIN	EVERGOLD ST	5	Residential	158 ft	45 ft	7110 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	0.0 ft ²	Crack Seal: 547 ft					
Inlets: 0 ea	AC Repair:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I	Base Material:	0.0 ton					,	
October 13, 2017 Slurry Seal Group 1801		ADDEND	UM A		***************************************			1 of 74 0/2017

Slurry Seal Group 1801

10/10/2017 57 of 69

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1210-B1 ANGELIQUE ST	MARGINATA CT	CANDY ROSE WY	5	Residential	360 ft	42 ft	15120 ft²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 1163					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	ı w				
Comments: TYPE I/II								
1210-C1 CYPRESS CANYON PARK DR	CYPRESS TERRACE PL	CITY BOUNDARY	. 5	Prime	120 ft	36 ft	4320 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	224.0 ft ² 3.0 ton	Crack Seal: 332 ft					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE I/II								
1248-A2 SOLEDAD MTN RD	PASEO MIRADA	DESERT VIEW DR	1	Major	171 ft	64 ft	10944 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 842 ft	:				
Inlets: 0 ea	AC Repair: Base Material:	3.2 ton 0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE II/III WITE	H TYPE I OVER BIKE LANES	. PARALLEL PARKING ON EA	ST AND WEST SIDES.					
1248-A2 SOLEDAD MTN RD	DESERT VIEW DR	PALM CANYON DE	1	Major	380 ft	65 ft	24700 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 1900	ft				
Inlets: 0 ea	AC Repair: Base Material:	5.5 ton 0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE II/III WITE	H TYPE I OVER BIKE LANES	. PARALLEL PARKING ON EA	ST AND WEST SIDES.					
1248-A2 SOLEDAD MTN RD	PALM CANYON DR	PALOMINO CR	1	Major	1014 ft	65 ft	65910 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 1 ea	AC Repair Area:2	•	Crack Seal: 5070	ft				
Inlets: 1 ea	AC Repair: Base Material:	28.3 ton 0.0 ton	Traffic Loops: 0 ea	a @				
Comments: TYPE II/III WITI	H TYPE I OVER BIKE LANES	. PARALLEL PARKING ON EA	ST AND WEST SIDES.					
1248-A3 SOLEDAD MTN RD	SOLEDAD RANCHO RD	EDGEWORTH RD	2	Major	518 ft	70 ft	36260 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:	350.0 ft²	Crack Seal: 2789	ft				

AC Repair:

4.6 ton

Traffic Loops: 0 ea @

Inlets: 0 ea

Base Material:

0.0 ton

Comments: TYPE II/III WITH TYPE I OVER BIKE LANE AND PARALLEL PARKING. STREET WITH MEDIAN.

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1248-A3 SOLEDAD MTN RD	PACIFICA DR	PASEO MIRADA	. 1	Major	688 ft	65 ft	44720 ft²	Monday
Hump Removal: 0 ft	AC Repair Area:2	,407.0 ft²	Constr Contr 2444	0.6				
Inlet Markers: 0 ea	AC Repair:	31.8 ton	Crack Seal: 344					
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops:	@				
Comments: TYPE II/III V	NITH TYPE I OVE BIKE LANES.	PARALLEL PARKING ON EA	ST AND WEST SIDES.					
1248-A3 SOLEDAD MTN RD	CORAL REEF AV	PACIFICA DR	1	Major	1229 ft	65 ft	79885 ft²	Monday
Hump Removal:	AC Repair Area:1	,185.0 ft²	Crack Seal: 614	E A				
Inlet Markers: 0 ea	AC Repair:	15.6 ton	Traffic Loops: 0					
Inlets: 2 ea	Base Material:	0.0 ton	manic Loops: 0	ea wa				
Comments: TYPE II/III V	WITH TYPE I IN OVER BIKE LAN	ES. PARALLEL PARKING AT	EAST & WEST SIDES.	DO NOT SLURR	Y INTERSEC	TION AT	CORAL REEF	AVE.
1248-A3 SOLEDAD MTN RD	EDGEWORTH RD	CORAL REEF AV	2	Major	863 ft	60 ft	51780 ft ²	Monday
Hump Removal: 0 ft	AC Repair Area:	886.0 ft ²	Crack Seal: 398	2 ft				
Inlet Markers: 2 ea	AC Repair:	11.7 ton	Traffic Loops: 0					
Inlets: 3 ea	Base Material:	0.0 ton	Traffic Loops: 0	ea w				
Comments: TYPE II/III V PROJECT.	WITH TYPE I OVER BIKE LANE	AND PARALLEL PARKING. S	TREET WITH MEDIAN.	AVOID CORAL I	REEF INTERS	SECTION	DUE TO SEW	ER LATERAL
1248-B4 SOLEDAD MTN RD	LORING ST	CROWNHILL RD	2	Major	524 ft	64 ft	33536 ft ²	Monday
Hump Removal: 157 ft	AC Repair Area:	182.0 ft ²		0.5				
Inlet Markers: 0 ea	AC Repair:	2.4 ton	Crack Seal: 258					
Inlets: 1 ea	Base Material:	0.0 ton	Traffic Loops: 0	ea @				
Comments: TYPE II/III V	WITH TYPE I OVER BIKE LANE.	STREET WITH MEDIAN.						
1248-B4 SOLEDAD MTN RD	CROWNHILL RD	SOLEDAD RANCH	HORD 2	- Major	1300 ft	64 ft	83200 ft²	Monday
Hump Removal: 0 ft	AC Repair Area: 1	.336.0 ft²						
Inlet Markers: 1 ea	AC Repair:	17.6 ton	Crack Seal: 640					
Inlets: 2 ea	Base Material:	0.0 ton	Traffic Loops: 0	ea @				
Comments: TYPE II/III V	WITH TYPE I OVER BIKE LANE							
1267-H7 SUNSET CLIFFS BL	BERMUDA AV	PESCADERO AV	2	Prime	387 ft	35 ft	13545 ft²	Monday
Hump Removal: 20 ft	AC Repair Area: 1	458 n ft-2						
Inlet Markers: 0 ea	AC Repair :	19.3 ton	Crack Seal: 104	-				
Inlets: 1 ea	Base Material:	0.0 ton	Traffic Loops: 0	ea @				
Comments: TYPE II/III.	RESTORE PARALLEL PARKING							
		ADDEND	DUM A				Page	54 of 74
October 13, 2017 Jurry Seal Group 1801		ADDEND	OMA					0/2017

October 13, 2017 Slurry Seal Group 1801 10/10/2017 60 of 69

TB Map Page Street Name	From	То	Council Functional District Class	Length	Width	Area	Trash Day
1267-H7 SUNSET CLIFFS BL	PESCADERO AV	ORCHARD AV	2 Prime	372 ft	35 ft	13020 ft²	Monday
Hump Removal: 24 ft Inlet Markers: 0 ea Inlets: 2 ea Comments: TYPE II/III. R	AC Repair Area: AC Repair: Base Material: ESTORE PARALLEL PARKING	8.6 ton 0.0 ton	Crack Seal: 1002 ft Traffic Loops: 0 ea @				
1267-H7 SUNSET CLIFFS BL		BERMUDA AV	2 Prince	440 🖶	25.6	15400 (1 2	Manda
Hump Removal: 0 ft Inlet Markers: 0 ea	POINT LOMA AV AC Repair Area:		2 Prime Crack Seal: 1185 ft	440 ft	35 ft	15400 ft²	Monday
Inlets: 3 ea	AC Repair: Base Material:	6.5 ton 0.0 ton	Traffic Loops: 0 ea @				
Comments: TYPE II/III. R	ESTORE PARALLEL PARKING	STRIPING.					
1267-J7 DEL MAR AV	FROUDE ST	EBERS ST	2 Residential	639 ft	39 ft	24921 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 1917 ft				
Inlets: 0 ea	AC Repair: Base Material:	3.1 ton 0.0 ton	Traffic Loops: 0 ea @				
Comments: TYPE I/II. RAI	ISE 2 WATER VALVES AT FRO	OUDEINTERSECTION.					
1267-J7 ORCHARD AV	GUIZOT ST	FROUDE ST	2 Prime	627 ft	39 ft	24453 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	901.0 ft ² 11.9 ton	Crack Seal: 1881 ft				
Inlets: 0 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea @				
Comments: TYPE I/II.							
1267-J7 DEL MAR AV	SANTA BARBARA ST	GUIZOT ST	2 Residential	621 ft	39 ft	24219 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	330.0 ft ² 4.4 ton 0.0 ton	Crack Seal: 1863 ft Traffic Loops: 0 ea @				
Comments: TYPE I/II. RA							
1267-J7 SANTA BARBARA ST	DEL MAR AV	CORONADO AV	2 Prime	384 ft	39 ft	14976 ft²	Monday
Hump Removal: 20 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	10.7 ton	Crack Seal: 1152 ft Traffic Loops: 0 ea @				
Comments: TYPE I/II.	Base Material:	0.0 ton					

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Day
1267-J7 EBERS ST	PESCADERO AV	ORCHARD AV	2	Residential	305 ft	37 ft	11285 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 868 ft Traffic Loops: 0 ea	a				
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	mame 200ps.					
1267-J7 DEL MAR AV	GUIZOT ST	FROUDE ST	2	Residential	682 ft	39 ft	26598 ft²	Monday
Hump Removal: 6 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 2046 ft					
Inlets: 0 ea	AC Repair: Base Material:	1.9 ton 0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE I/II.								
1267-J7 SUNSET CLIFFS BL	ORCHARD AV	DEL MAR AV	2	Prime	379 ft	35 ft	13265 ft²	Monday
Hump Removal: 40 ft Inlet Markers: 1 ea	AC Repair Area: AC Repair:	390.0 ft ² 5.2 ton	Crack Seal: 1020 ft					
Inlets: 1 ea	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
Comments: TYPE II/III. R	ESTORE PARALLEL PARKING	STRIPING.						
1267-J7 DEL MONTE AV	GUIZOT ST	GUIZOT ST	2	Residential	112 ft	54 ft	6048 ft ²	Monday
Hump Removal: 16 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area:1 AC Repair: Base Material:	.,024.0 ft² 13.5 ton 0.0 ton	Crack Seal: 465 ft Traffic Loops: 0 ea	@				·
1267-J7 DEL MAR AV	EBERS ST	SUNSET CLIFFS	BL 2	Residential	622 ft	39 ft	24258 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: 1 AC Repair: Base Material:	1,150.0 ft ² 15.2 ton 0.0 ton	Crack Seal: 1866 ft Traffic Loops: 0 ea					
1268-A7 DEL MONTE AV	VENICE ST	SANTA BARBARA	A ST 2	Residential	622 ft	51 ft	31722 ft²	Monday
Hump Removal: 50 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area:1 AC Repair: Base Material:	1,376.0 ft ² 18.2 ton 0.0 ton	Crack Seal: 2440 ft Traffic Loops: 0 ea					
zincesi o ca								

TB Map Page Street Name	From	То	Council Fu District	ınctional Class	Length	Width	Area	Trash Day
1268-A7 SANTA BARBARA ST	CORONADO AV	SANTA CRUZ AV	2	Prime	344 ft	39 ft	13416 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	484.0 ft ² 6.4 ton 0.0 ton	Crack Seal: 1032 ft Traffic Loops: 0 ea	@				
1268-A7 DEL MONTE AV	SANTA BARBARA ST	GUIZOT ST	2 R	Residential	528 ft	51 ft	26928 ft²	Monday
Hump Removal: 14 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area:2 AC Repair: Base Material:	2,528.0 ft ² 36.2 ton 4.8 ton	Crack Seal: 2071 ft Traffic Loops: 0 ea	@				
1268-A7 DEL MONTE AV	CATALINA BL	VENICE ST	. 2 R	Residential	521 ft	40 ft	20840 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1603 ft Traffic Loops: 0 ea	@				
1268-A7 NIAGARA AV	VENICE ST	SANTA BARBARA	ST 2 R	Residential	619 ft	40 ft	24760 ft ²	Tuesday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area:2 AC Repair: Base Material:	2,896.0 ft ² 38.2 ton 0.0 ton	Crack Seal: 1905 ft Traffic Loops: 0 ea	@				
1268-A7 SANTA BARBARA ST	SANTA CRUZ AV	DEL MONTE AV	2	Prime	313 ft	40 ft	12520 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:		Crack Seal: 963 ft Traffic Loops: 0 ea					,
1268-B5 RIALTO ST	FAMOSA BL	WEST POINT LON	IABL 2 R	Residential	506 ft	33 ft	16698 ft²	
Hump Removal: Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area:2 AC Repair: Base Material:	2,342.0 ft ² 30.9 ton 0.0 ton	Crack Seal: 1284 ft Traffic Loops: 0 ea 0	@				

AC Repair Area: AC Repair: Base Material: LOVIS ST AC Repair Area: AC Repair: Base Material: AMULOS ST AC Repair Area: AC Repair: Base Material: AMULOS ST AC Repair Area: AC Repair: AC Repair: AC Repair: AC Repair: Base Material:	## WEST POIN 48.0 ft ² 0.6 ton 0.0 ton ## WEST POIN 302.0 ft ² 8.4 ton 7.6 ton CLOVIS ST 0.0 ft ² 0.0 ton 0.0 ton	Crac Traffic T LOMA BL Crac Traffic Crac	2 k Seal: 782 ft Loops: 0 ea 2 k Seal: 886 ft Loops: 0 ea 2 k Seal: 1607 Loops: 0 ea	@ Residential @ Residential	363 ft 349 ft 633 ft	28 ft 33 ft 33 ft	10164 ft ² 11517 ft ² 20889 ft ²	Monday
AC Repair: Base Material: LOVIS ST AC Repair Area: AC Repair: Base Material: AMULOS ST AC Repair Area: AC Repair: Base Material:	0.6 ton 0.0 ton WEST POIN 302.0 ft ² 8.4 ton 7.6 ton CLOVIS ST 0.0 ft ² 0.0 ton 0.0 ton	Traffic T LOMA BL Crac Traffic Crac	2 :k Seal: 886 ft Loops: 0 ea	@ Residential @ Residential				Monday
AC Repair Area: AC Repair: Base Material: AMULOS ST AC Repair Area: AC Repair: Base Material:	302.0 ft ² 8.4 ton 7.6 ton CLOVIS ST 0.0 ft ² 0.0 ton 0.0 ton	Crac Traffic Crac Traffic	k Seal: 886 ft Loops: 0 ea	@ Residential				Monday
AC Repair: Base Material: AMULOS ST AC Repair Area: AC Repair: Base Material:	8.4 ton 7.6 ton CLOVIS ST 0.0 ft ² 0.0 ton 0.0 ton	Traffic Crac Traffic	2 ck Seal: 1607	@ Residential	633 ft	33 ft	20889 ft ²	
AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Traffic	: k Seal: 1607	ft	633 ft	33 ft	20889 ft²	
AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Traffic	: k Seal: 1607					
Base Material:	0.0 ton		Loops: 0 ea	, (a				
	TEMECULA	ST						
AC Renair Area:			2	Residential	330 ft	38 ft	12540 ft²	Monday
AC Repair: Base Material:			ck Seal: 965 ft Loops: 0 ea					
CLOVIS ST	WEST POIN	IT LOMA BL	2	Residential	692 ft	35 ft	24220 ft ²	Monday
		Crac	ck Seal: 1863	ft				
BEGIN	VALETA ST		2	Residential	319 ft	39 ft	12441 ft²	Monday
AC Repair Area: AC Repair: Base Material:	•							
	AC Repair Area: AC Repair: Base Material: EGIN AC Repair Area: AC Repair:	AC Repair Area: 114.0 ft ² AC Repair: 1.5 ton Base Material: 0.0 ton EGIN VALETA ST AC Repair Area:1,404.0 ft ² AC Repair: 19.1 ton	AC Repair Area: 114.0 ft ² Crac AC Repair: 1.5 ton Traffic Base Material: 0.0 ton EGIN VALETA ST AC Repair Area:1,404.0 ft ² Crac AC Repair: 19.1 ton Traffic	AC Repair Area: 114.0 ft ² Crack Seal: 1863 AC Repair: 1.5 ton Base Material: 0.0 ton Traffic Loops: 0 ea AC Repair Area: 1,404.0 ft ² AC Repair: 19.1 ton Crack Seal: 957 ft Traffic Loops: 0 ea	AC Repair Area: 114.0 ft ² AC Repair: 1.5 ton Base Material: 0.0 ton Crack Seal: 1863 ft Traffic Loops: 0 ea @ Residential AC Repair Area: 1,404.0 ft ² AC Repair: 19.1 ton Crack Seal: 957 ft Traffic Loops: 0 ea @	AC Repair Area: 114.0 ft ² AC Repair: 1.5 ton Base Material: 0.0 ton Crack Seal: 1863 ft Traffic Loops: 0 ea @ Residential 319 ft AC Repair Area: 1,404.0 ft ² AC Repair: 19.1 ton Crack Seal: 957 ft Traffic Loops: 0 ea @	AC Repair Area: 114.0 ft ² AC Repair: 1.5 ton Base Material: 0.0 ton Crack Seal: 1863 ft Traffic Loops: 0 ea @ Residential 319 ft 39 ft AC Repair Area: 1,404.0 ft ² AC Repair: 19.1 ton Crack Seal: 957 ft Traffic Loops: 0 ea @	AC Repair Area: 114.0 ft ² AC Repair: 1.5 ton Base Material: 0.0 ton Crack Seal: 1863 ft Traffic Loops: 0 ea @ Residential 319 ft 39 ft 12441 ft ² AC Repair Area: 1,404.0 ft ² AC Repair: 19.1 ton Crack Seal: 957 ft Traffic Loops: 0 ea @

TB Map Page Street Name	From	То	Council Function District Class	al Length	Width	Area	Trash Day
1268-B5 CLOVIS ST	MENTONE ST	TEMECULA ST	2 Resident	al 273 ft	34 ft	9282 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair:	4.1 ton	Crack Seal: 714 ft Traffic Loops: 0 ea @				
Comments: TYPE I/II.	Base Material:	0.0 ton					
1268-B5 CLOVIS ST	VALETA ST	MONTALVO ST	2 Resident	al 132 ft	33 ft	4356 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	406.0 ft ² 5.4 ton 0.0 ton	Crack Seal: 335 ft Traffic Loops: 0 ea @				
1268-B5 MENTONE ST	CAMULOS ST	CLOVIS ST	2 Resident	al 625 ft	35 ft	21875 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	48.0 ft ² 0.6 ton 0.0 ton	Crack Seal: 1683 ft Traffic Loops: 0 ea @	ai 025 it	33 IC	210/310	Monday
1268-B5 MONTALVO ST	CLOVIS ST	WEST POINT LO	MA BL 2 Resident	al 870 ft	33 ft	28710 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	30.0 ft ² 0.9 ton 0.9 ton	Crack Seal: 2208 ft Traffic Loops: 0 ea @				
Comments: TYPE I/II.							
1268-B5 VALETA ST Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	SOTO ST AC Repair Area: AC Repair: Base Material:	294.0 ft ² 3.9 ton 0.0 ton	2 Resident Crack Seal: 944 ft Traffic Loops: 0 ea @	al 323 ft	38 ft	12274 ft²	
1268-B5 VALETA ST	ETIWANDA ST	END	2 Resident	al 101 ft	16 ft	1616 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 1 ea	AC Repair Area: AC Repair:	0.0 ft ² 0.0 ton	Crack Seal: 124 ft Traffic Loops: 0 ea @				
Inlets: 1 ea Comments: TYPE I/II.	Base Material:	0.0 ton	rrain c Loops: ∪ ea @				

TB Map Page Street Name	From	.То	Council I District	Functional Class	Length	Width	Area	Trash Day
1268-B5 MONTALVO ST	CAMULOS ST	CLOVIS ST	2	Residential	624 ft	33 ft	20592 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	0.0 ft ² 0.0 ton 0.0 ton	Crack Seal: 1584 f Traffic Loops: 0 ea	-				
1268-B5 CLOVIS ST	MONTALVO ST	MENTONE ST	2	Residential	282 ft	34 ft	9588 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area:1, AC Repair: Base Material:		Crack Seal: 738 ft Traffic Loops: 0 ea		202.10		3300 10	. Torida,
1268-B5 CAMULOS ST	TEMECULA ST	FAMOSA BL	2	Residential	171 ft	38 ft	6498 ft ²	Monday
Hump Removal: Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	25.0 ft ² 0.8 ton 0.8 ton	Crack Seal: 500 ft Traffic Loops: 0 ea		17110	30 11	013010	Tonday
1268-B5 VALETA ST	CLOVIS ST	SOTO ST	2	Residential	441 ft	37 ft	16317 ft²	
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area:1 AC Repair: Base Material:		Crack Seal: 1255 f Traffic Loops: 0 ea					
1268-B5 FAMOSA BL	CAMULOS ST	RIALTO ST	2	Residential	192 ft	28 ft	5376 ft ²	Monday
Hump Removal: Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	20.0 ft ² 0.3 ton 0.0 ton	Crack Seal: 414 ft Traffic Loops: 0 ea					
1268-B5 CAMULOS ST Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	MONTALVO ST AC Repair Area:1 AC Repair: Base Material:	#ENTONE ST ,820.0 ft ² 24.0 ton 0.0 ton	Crack Seal: 883 ft Traffic Loops: 0 ea	Residential @	319 ft	36 ft	11484 ft²	Monday

TB Map Page Street Name	From	То	Council Functional District Class	Length	Width	Area	Trash Day
1268-B5 MENTONE ST	BEGIN	CAMULOS ST	2 Residential	302 ft	32 ft	9664 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area:1 AC Repair: Base Material:	.,702.0 ft² 22.5 ton 0.0 ton	Crack Seal: 743 ft Traffic Loops: 0 ea @				
1268-B6 MONTALVO ST	BEGIN	CAMULOS ST	2 Residential	534 ft	33 ft	17622 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area:2 AC Repair: Base Material:	,297.0 ft² 32.9 ton 4.4 ton	Crack Seal: 1356 ft Traffic Loops: 0 ea @ .				
1268-B6 VALETA ST	CAMULOS ST	CLOVIS ST	2 Residential	707 ft	38 ft	26866 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area:3	•	Crack Seal: 2067 ft				,
Inlets: 0 ea	AC Repair: Base Material:	50.7 ton 0.0 ton	Traffic Loops: 0 ea @				
Comments: TYPE I/II.	•						
1287-H1 DEVONSHIRE DR	TIVOLI ST	ADAIR ST	2 Residential	321 ft	34 ft	10914 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	308.0 ft ² 4.1 ton 0.0 ton	Crack Seal: 840 ft Traffic Loops: 0 ea @				
1287-H1 DEVONSHIRE DR	FROUDE ST	ALHAMBRA ST	2 Residential	421 ft	36 ft	15156 ft²	Monday
Hump Removal: 12 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	427.0 ft ² 5.6 ton 0.0 ton	Crack Seal: 1166 ft Traffic Loops: 0 ea @				
1287-H1 GUIZOT ST	DEVONSHIRE DR	LEON ST	2 Residential	490 ft	30 ft	14700 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:		Crack Seal: 1131 ft		-		,
Inlets: 0 ea	Base Material:	4.5 ton 0.0 ton	Traffic Loops: 0 ea @				

TB Map Page Street Name	From	То	Council F District	unctional Class	Length	Width	Area	Trash Day
1287-H1 DEVONSHIRE DR	GRANGER ST	TIVOLI ST	2	Residential	358 ft	34 ft	12172 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	171.0 ft ² 2.3 ton 0.0 ton	Crack Seal: 936 ft Traffic Loops: 0 ea	@				
1287-H1 DEVONSHIRE DR	OSPREY ST	GRANGER ST	2	Residential	375 ft	35 ft	·13125 ft²	Monday
Hump Removal: 54 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:		Crack Seal: 1010 ft Traffic Loops: 0 ea		3/3/10	33 10	.1312310-	Monday
Comments: TYPE I/II.								****
1287-H1 EBERS ST	ADAIR ST	POINT LOMA AV	2	Residential	259 ft	36 ft	9324 ft ²	Monday
Hump Removal: 31 ft Inlet Markers: 0 ea	AC Repair Area: AC Repair:	112.0 ft ² 1.5 ton	Crack Seal: 717 ft					
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	Traffic Loops: 0 ea	@				
·								
1287-H1 DEVONSHIRE DR Hump Removal: 60 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	ALHAMBRA ST AC Repair Area: 1 AC Repair: Base Material:	OSPREY ST .,109.0 ft ² 14.6 ton 0.0 ton	Crack Seal: 872 ft Traffic Loops: 0 ea	Residential @	324 ft	35 ft	11340 ft²	Monday
1287-H1 DEVONSHIRE DR	GUIZOT ST	FROUDE ST	2	Residential	809 ft	36 ft	29124 ft²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:		Crack Seal: 2240 ft Traffic Loops: 0 ea	t		30		Honday
1287-J1 SANTA BARBARA ST	ORCHARD AV	DEL MAR AV	2	Prime	386 ft	40 ft	15440 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	860.0 ft ² 11.4 ton 0.0 ton	Crack Seal: 1188 ft Traffic Loops: 0 ea	_				,

TB Map Page Street Name	From	То	Council Functional District Class	Length	Width	Area	Trash Day
1287-J1 ORCHARD AV	VENICE ST	SANTA BARBARA	ST 2 Prime	620 ft	40 ft	24800 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	496.0 ft ² 6.6 ton 0.0 ton	Crack Seal: 1908 ft Traffic Loops: 0 ea @				
1287-J1 ORCHARD AV	SANTA BARBARA ST	GUIZOT ST	2 Prime	643 ft	40 ft	25720 ft²	Monday
Hump Removal: 11 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 1978 ft Traffic Loops: 0 ea @	043 10	40 IC	23/2010	Honday
Inlets: 0 ea Comments: TYPE I/II.	Base Material:	0.0 ton	, -				
1287-J1 PESCADERO AV	SAVOY CR	SANTA BARBARA	ST 2 Residential	524 ft	34 ft	17816 ft²	Monday
Hump Removal: 13 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 1370 ft				,
Inlets: 0 ea	AC Repair: Base Material:	11.9 ton 2.5 ton	Traffic Loops: 0 ea @				
Comments: TYPE I/II. RES	STORE PARALLEL PARKING S	TRIPING SOUTH SIDE.					
1287-J1 SANTA BARBARA ST	PESCADERO AV	ORCHARD AV	2 Prime	350 ft	38 ft	13300 ft ²	Monday
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	AC Repair Area: AC Repair: Base Material:	316.0 ft ² 4.2 ton 0.0 ton	Crack Seal: 1023 ft Traffic Loops: 0 ea @				
		41114 APP A CT	2 Residential	271.6	20.6	7050 63	
Hump Removal: 0 ft Inlet Markers: 0 ea Inlets: 0 ea Comments: TYPE I/II.	LEON ST AC Repair Area: AC Repair: Base Material:	ALHAMBRA ST 376.0 ft ² 5.0 ton 0.0 ton	Crack Seal: 605 ft Traffic Loops: 0 ea @	271 ft	29 ft	7859 ft²	Monday
1287-J1 GUIZOT ST	ALHAMBRA ST	OSPREY ST	2 Residential	270 ft	29 ft	7830 ft²	Monday
Hump Removal: 5 ft Inlet Markers: 0 ea Inlets: 0 ea	AC Repair Area: AC Repair: Base Material:	474.0 ft ² 6.3 ton 0.0 ton	Crack Seal: 602 ft Traffic Loops: 0 ea @				

TB Map Page Street Name	From	То	Council District	Functional Class	Length	Width	Area	Trash Day
1288-A1 CORONADO AV	CHATSWORTH BL	CATALINA BL	2	Residential	1231 ft	37 ft	45547 ft ²	Monday
Hump Removal: 49 ft Inlet Markers: 0 ea	AC Repair Area:		Crack Seal: 3504	l ft				
Inlets: 0 ea	AC Repair: Base Material:	9.4 ton 2.3 ton	Traffic Loops: 0	ea @				
Comments: TYPE I/II.	buse Flaterial,	2.3 (01)						

Total Number of Locations: 408

Printed 10/24/2017

Bid Results

Bidder Details

Vendor Name

American Asphalt South, Inc.

Address

PO Box 310036 14436 Santa Ana Ave Fontana, CA 92331

United States

Respondee Lyle Stone

Respondee Title Corporate Secretary

Phone 909-427-8276 Ext.

Email lyles@americanasphaltsouth.com

Vendor Type CAU,MALE,PQUAL,CADIR

License # 784969

CADIR 1000000645

Bid Detail

Bid Format Electronic

Submitted October 24, 2017 1:51:18 PM (Pacific)

Delivery Method

Bid Responsive

Bid Status Submitted

Confirmation # 120495

Ranking 0

Respondee Comment

Addendum A Acknowleged

Buyer Comment

Attachments

File Title	File Name	File Type
Contractor's Certification of Pending Actions	Contractor's Certification of Pending Actions.pdf	Contractor's Certification of Pending Actions
Bid Bond	Bid Bond.pdf	Bid Bond

Line Items

Туре	Item Code	UOM	Qty	Unit Price	Line Total Comment
	Main Bid				
1	Bonds (Payment and Performance)				
	524126	LS	1	\$15,000.00	\$15,000.00
2	Traffic Control Including Plans & Permits				
	237310	LS	1	\$40,000.00	\$40,000.00
3	Field Orders - EOC Type II				
		AL	1	\$75,000.00	\$75,000.00
4	Raise Appurtenance to Grade (Water, Sewer)				
	237310	EA	35	\$275.00	\$9,625.00

Bid Results

Type 5	Item Code Raise Survey Monument to Grade	MON	Qty	Unit Price	Line Total Comment	t
	237310	EA	15	\$495.00	\$7,425.00	
6	Reconstruct Survey Monument Box					
	237310	EA	15	\$1,100.00	\$16,500.00	
7	Class II Base					
	237310	TON	207	\$100.00	\$20,700.00	
8	Traffic Detector Loop Replacement or Condui	t Stub Installed	1.			
	237310	EA	207	\$308.00	\$63,756.00	
9	Removal of Humps & Pavement Irregularities					
	237310	LF	1425	\$22.00	\$31,350.00	
10	Asphalt Pavement Repair					
	237310	TON	2000	\$178.00	\$356,000.00	
11	Rubber Polymer Modified Slurry Type I (Select	ct Streets)				
	237310	SF	2034409	\$0.11	\$223,784.99	
12	Rubber Polymer Modified Slurry Type I (Blke	Lane)				
	237310	SF	279304	\$0.17	\$47,481.68	
13	Rubber Polymer Modified Slurry Type II					
	237310	SF	909199	\$0.15	\$136,379.85	
14	Rubber Polymer Modified Slurry Type I Over	Гуре II				
	237310	SF	2962705	\$0.26	\$770,303.30	
15	Post-construction Requirements - Inlet Market	rs				
	237310	EA	85	\$22.00	\$1,870.00	
16	Rubber Polymer Modified Slurry Type II Over	Type III				
	237310	SF	565938	\$0.34	\$192,418.92	
17	Crack Seal					
	237310	LF	497860	\$0.33	\$164,293.80	
18	Remove, Replace & Install Traffic Striping, Ma		s, & Devices			
•	237310	LS	1	\$117,495.00	\$117,495.00	
19	Water Pollution Control Program Developmen					
	541330	LS	1	\$1,500.00	\$1,500.00	
20	Water Pollution Control Program Implementati					
	237990	LS	1	\$5,000.00	\$5,000.00	
				Subtotal	\$2,295,883.54	

Slurry Seal Group 1801 (K-18-1687-DBB-3), bidding on October 24, 2017 2:00 PM (Pacific)

Printed 10/24/2017

Bid Results

Type Item Code	ОМ	Qty	Unit Price Total	Line Total Com \$2,295,883.54	nment
Subcontractors					
Name & Address	Description	License Num	CADIR	Amount	Туре
Quality Construction & Engineering Inc. 8895 Towne Center Drive San Diego, CA 92122 United States	Asphalt Pavement Repair	1005282	1000026419	\$324,000.00	PQUAL,SLBE,CADI R,SDB
HMS Construction 2885 Scott Street Vista, CA 92081 United States	Traffic Detector Loop Replacement or Conduit Stub Installed	765590	1000000923	\$57,960.00	CAU,MALE,PQUAL, CADIR
PAL General Engineering, Inc. 5374 Eastgate Mall San Diego, CA 92121 United States	Raise Appurtenance to Grade, Raise Survey Monument to Grade, Reconstruct Survey Monument Box, Class II Base, Removal of Humps & Pavement Irregularities	916931	1000004280	\$78,044.00	PQUAL
Statewide Stripes, Inc. PO BOX 600710 San Diego, CA 92160 United States	Post-construction Requirements-Inlet Markers, Remove, Replace & Install Traffic Striping, Markers, & Devices	788286	1000001334	\$117,495.00 ·	