

Cross-section  
30th Street  
from  
south line Greely Ave  
to  
south line Bay Ave.

Department of Business Office  
100 State Street, Boston, Mass.

5

Dartmouth 28<sup>th</sup> to Fern  
E 11a (30<sup>th</sup>)

28<sup>th</sup> Dartmouth to "B"

28<sup>th</sup> Dtmith to No. Line Sa Park.

F.B. 184

Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

MINUTES	LKS.	MINUTES	LKS.	MINUTES	LKS.
1	2 1/3	21	49	41	95 2/3
2	4 2/3	22	51 1/3	42	98
3	7	23	53 2/3	43	100 1/3
4	9 1/3	24	56	44	102 2/3
5	11 2/3	25	58 1/3	45	105
6	14	26	60 2/3	46	107 1/3
7	16 1/3	27	63	47	109 2/3
8	18 2/3	28	65 1/3	48	112
9	21	29	67 2/3	49	114 1/3
10	23 2/3	30	70	50	116 2/3
11	25 2/3	31	72 1/3	51	119
12	28	32	74 2/3	52	121 1/3
13	30 1/3	33	77	53	123 2/3
14	32 2/3	34	79 1/3	54	126
15	35	35	81 2/3	55	128 1/3
16	37 1/3	36	84	56	130 2/3
17	39 2/3	37	86 1/3	57	133
18	42	38	88 2/3	58	135 1/3
19	44 1/3	39	91	59	137 2/3
20	46 2/3	40	93 1/3	60	140

TABLE FOR RUNNING ON SLOPES.

In the following table the first column shows the angle, the second the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement.

Angle	COR. IN LINKS	Angle	COR. IN LINKS	Angle	COR. IN LINKS	Angle	COR. IN LINKS
0		0		0		0	
4	0.24	11	1.88	18	5.14	25	10.54
5	0.38	12	2.24	19	5.76	26	11.26
6	0.55	13	2.63	20	6.42	27	12.24
7	0.76	14	3.06	21	7.11	28	13.37
8	0.98	15	3.53	22	7.85	29	14.34
9	1.24	16	4.02	23	8.64	30	15.47
10	1.55	17	4.56	24	9.47	35	22.07



Return to City Engineers Office  
City Hall, San Diego, Cal.

Ward  
Permie  
Curtwell 1

74.04

3.50 78.14 74.64 <sup>S.E. cor</sup> B.M. Greely ave

25' so. of Greely ave

E line	3.4	74.7
ct	3.3	74.8
1/4	3.2	74.9
c	3.0	75.1
1/4	3.0	75.1
cb	3.0	75.1
White	3.0	75.1

50' so. of Greely ave

White	3.2	74.9
ct	3.4	74.7
1/4	3.2	74.9
c	3.0	75.1
1/4	3.4	74.7
ct	3.4	74.7

Eline 78.14 3.4 74.7

ct 78.14 3.8 74.3

Eline 3.5 74.6

75' So. of Greeley Ave

Eline 3.2 74.9

111 So. of Greeley to Fuelle Line.

ct 3.4 74.7

Eline 3.6 74.5

1/4 3.4 74.7

ct 4.3 73.7

c 3.2 74.9

1/4 4.3 73.8

1/4 3.4 74.7

c 4.3 73.8

ct 3.6 74.5

1/4 4.4 73.7

White 3.7 74.4

ct 4.5 73.6

White 4.4 73.7

100' So. of Greeley Ave

X-section for 80' st.

White 4.0 74.1

ct 4.3 73.7

ct 4.4 73.7

White 4.6 73.5

1/4 4.0 74.1

c 4.1 74.0

1/4 3.9 74.2



125' so. of Greeley Ave

78.14

White	4.9	73.2
cf	4.6	73.5
1/4	4.7	73.4
c	4.6	73.5
1/4	4.6	73.5
cf	4.5	73.6
Flint	3.8	74.3

no. line alley / 160' so. of Greeley Ave

78.14

White	5.3	72.8
cf	5.2	72.9
1/4	5.2	72.9
c	5.2	72.9
1/4	4.8	73.3
cf	5.2	72.9
Flint	5.0	73.1

No. alley line / 140' so. of Greeley Ave

Flint	4.1	74.0
cf	4.5	73.6
1/4	4.8	73.3
c	4.8	73.3
1/4	4.9	73.2
cf	4.6	73.5
White	4.9	73.2

175' so. of Greeley Ave

Flint	4.9	73.2
cf	5.6	72.5
1/4	5.0	73.1
c	5.6	72.5
1/4	5.6	72.5
cf	5.7	72.4
White	5.4	72.7

## 200' so of Greely arc

78.14

White	5.7	72.4
of	6.1	72.0
1/4	6.0	72.1
0	6.0	72.1
1/4	5.7	72.4
of	5.9	72.2
Flint	5.5	72.6

## 250' so of Greely arc

78.14

White	6.7	71.4
of	6.5	71.6
1/4	6.9	71.2
0	6.7	71.4
1/4	6.2	71.9
of	6.6	71.5
Flint	6.4	71.7

## 225' so of Greely arc

Flint	5.8	72.3
of	6.2	71.9
1/4	5.6	72.5
0	6.3	71.8
1/4	6.2	71.8
of	6.1	72.0
White	5.7	72.4

## 275' so of Greely arc

Flint	6.9	71.2
of	7.0	71.1
1/4	6.7	71.4
0	7.1	71.0
1/4	7.2	70.9
of	7.3	70.8
White	6.8	71.3



300's. of Creedy No PROP line of Logans are

78.14

White	7.2	70.9
cb	7.6	70.5
1/4	7.9	70.2
c	7.5	70.6
1/4	7.5	70.6
cb	7.3	70.8
ELine	7.0	71.0

No curb of Logans are

ELine	7.2	70.9
cb	7.9	70.2
1/4	8.0	70.1
c	8.0	70.1
1/4	8.1	70.0
cb	8.2	69.9
White	7.5	70.6

NO 1/4 of Logans are

78.14

White	7.9	70.2
cb	8.0	70.1
1/4	8.3	69.8
c	8.0	70.1
1/4	8.0	70.1
cb	7.8	70.3
ELine	7.8	70.3

Center of Logans are

ELine	7.7	70.4
cb	7.8	70.3
1/4	7.9	70.2
c	8.0	70.1
1/4	8.3	69.8
cb	8.0	70.1
White	8.0	70.1

## So. 1/4 of Logan are

78.14

W Line	8.5	69.6
cb	8.5	69.6
1/4	8.8	69.3
C	8.3	69.8
1/4	8.2	69.9
cb	8.1	70.0
E Line	8.0	70.1

## So. Curt of Logan are

E Line	8.4	69.7
cb	8.7	69.4
1/4	8.7	69.4
C	8.9	69.2
1/4	9.0	69.1
cb	9.3	68.8
W Line	8.6	69.5

## So. Propline of Logan are

W Line	78.14	8.5	69.6
cb		8.6	69.5
1/4		8.9	69.2
C		8.5	69.6
1/4		8.5	69.6
W		8.3	69.9
E Line		8.3	69.8
TIP.	2.62	72.80	77.96

on Mt SE  
cor.  
20797731

## 25' So. of Logan are

E Line	3.0	69.8
cb	2.9	69.9
1/4	3.1	69.7
C	3.6	69.2
1/4	3.7	69.1
cb	3.7	69.1



W.Lire 72.80 3.9 68.9

ct

72.80 4.0 68.8

W.Lire

4.0 68.8

<sup>50</sup>/~~45~~ So. of Logans are

W.Lire 3.8 69.0

<sup>100</sup>/~~125~~ So. of Logans are

ct 3.8 69.0

W.Lire

4.4 68.4

1/4 4.0 68.8

ct

4.3 68.5

c 3.7 69.1

1/4

4.5 68.3

1/4 3.6 69.2

c

4.3 68.5

ct 3.7 69.1

1/4

3.7 69.1

E.Lire 3.8 69.0

ct

3.8 69.0

E.Lire

3.9 69.9

<sup>75</sup>/~~100~~ So. of Logans are

E.Lire 3.7 69.1

not in alley, <sup>125</sup>/~~140~~ So. of Logans are

ct 3.4 69.4

E.Lire

4.4 68.4

1/4 3.3 69.5

ct

4.2 68.6

c 3.8 69.0

1/4

3.9 68.9

1/4 4.1 68.7

c

4.5 68.3

1/4	72.80	4.6	68.2
ct		4.5	68.3
White		4.5	68.3

White alley 140' So. of Hogan Ave

White		4.6	68.2
ct		4.7	68.1
1/4		4.7	68.1
c		4.6	68.2
1/4		4.0	68.5
ct		4.3	68.5
E Line		4.4	68.4

80' line of alley 160' So. of Hogan Ave

E Line		4.4	68.4
ct		4.3	68.5
1/4		4.3	68.5

c	72.80	4.8	68.0
1/4		5.1	67.7
ct		5.1	67.7
White		5.2	67.6

175' So. of Hogan Ave

White		5.3	67.5
ct		5.3	67.5
1/4		5.8	67.0
c		5.2	67.6
1/4		4.5	68.3
ct		4.5	68.3
E Line		4.3	68.5

200' So. of Hogan Ave

E Line		5.2	67.6
ct		4.9	67.9



1/4	72.80	5.1	67.7	cb	72.80	7.0	65.8
C		6.0	66.8	1/4		6.8	66.0
1/4		6.5	66.3	C		7.2	65.6
cb		5.9	66.9	1/4		7.4	65.4
W Line		5.6	67.2	cb		7.5	65.3
				W Line		7.4	65.4

225' So. of Loggare

W Line		6.4	66.4
cb		6.7	66.1
1/4		6.9	65.9
C		6.4	66.4
1/4		5.8	67.0
cb		5.7	67.1
E Line		6.4	66.4

250' So. of Loggare

E Line		7.3	65.5
--------	--	-----	------

275' So. of Loggare

W Line		7.8	65.0
cb		8.0	64.8
1/4		7.7	65.1
C		7.8	65.0
1/4		7.5	65.3
cb		7.8	65.0
E Line		7.8	65.0

No. Profile of National Ave 300' S. of L.C.

72.50

E Line	8.2	64.6	E Line
ct	8.3	64.5	ct
1/4	8.3	64.5	1/4
c	8.7	64.1	c
1/4	8.6	64.2	1/4
ct	8.3	64.5	ct
W Line	8.0	64.8	W Line

No. Center of National Ave

W Line	8.0	64.8	W Line
ct	8.8	64.0	ct
1/4	8.8	64.0	1/4
c	8.8	64.0	c
1/4	8.7	64.1	1/4
ct	8.9	63.9	ct
E Line	8.5	64.3	E Line

No. 1/4 of National Ave

72.50

8.4	64.4	E Line
8.5	64.3	ct
8.5	64.3	1/4
8.5	64.3	c
8.6	64.2	1/4
8.5	64.3	ct
8.7	64.1	W Line

Center of National Ave

8.6	64.2	W Line
8.5	64.3	ct
8.5	64.3	1/4
8.5	64.3	c
8.5	64.3	1/4
8.5	64.3	ct
8.5	64.3	E Line



+43 No. Rail, S.D. Elec. R.R.

72.80

E Line	8.4	64.4
ct	8.5	64.3
1/4	8.5	64.3
c	8.5	64.3
1/4	8.5	64.3
ct	8.5	64.3
W Line	8.5	64.3

+49 So. Rail.

W Line	8.5	64.3
ct	8.5	64.3
1/4	8.5	64.3
c	8.5	64.3
1/4	8.5	64.3
ct	8.5	64.3
E Line	8.7	64.4

SO. 1/4 of National Ave

72.80

E Line	8.9	63.9
ct	8.9	63.9
1/4	8.7	64.1
c	8.8	64.0
1/4	8.9	63.9
ct	8.9	63.9
W Line	9.0	63.8

SO. CURB of National Ave

W Line	9.8	63.0
ct	10.1	62.7
1/4	9.6	63.2
c	9.6	63.2
1/4	9.0	63.8
ct	9.4	63.4
E Line	9.4	63.4

## 50' Prop Line National Ave

72.80

E Line 9.3 63.5

ct 9.4 63.4

1/4 9.7 63.1

0 10.0 62.8

1/4 10.5 62.3

ct 10.7 62.4

W Line 9.4 63.4

T.P. on National Ave 7.29 65.51Water High.old B.M.

0.59 66.33 ✓ 65.74

## 25' So. of National Ave

E Line 4.3 62.0

ct 4.0 62.3

1/4 4.0 62.3

0 4.4 61.9

1/4 4.3 62.0

ct

66.33 3.3 63.0

W Line 3.2 63.1

## 50' So. of National Ave

4.0 62.3

4.3 62.0

4.9 61.4

5.0 61.3

4.9 61.4

5.0 61.3

E Line 5.4 60.9

## 75' So. of National Ave

E Line 5.7 60.6

ct 5.7 60.6

1/4 5.7 60.6

0 6.0 60.3



1/4	66.33	5.6	60.7
ct		5.2	60.1
Wline		4.6	61.7

c	66.33	7.0	59.3
1/4		7.0	59.3
ct		6.5	59.8
Wline		5.8	60.5

100' So. of National ave

Wline		5.0	61.3
ct		6.0	60.3
1/4		6.4	59.9
c		6.4	59.9
1/4		6.6	59.7
ct		6.3	60.0
Eline		6.2	60.1

No. Line Alley 140' So. of National ave

Wline		6.3	60.0
ct		6.9	59.4
1/4		7.2	59.1
c		7.8	58.5
1/4		8.0	58.3
ct		7.6	58.7
Eline		7.6	58.7

125' So. of National ave

Eline		6.9	59.4
ct		7.0	59.3
1/4		7.3	59.0

So. Line Alley 160' So. of National ave

Eline		8.2	58.1
ct		8.1	58.2

1/4	66.33	8.3	58.0
c		8.1	58.2
1/4		8.0	58.3
cb		7.3	59.0
WLine		7.2	59.1

175' So. of National ave

WLine		7.6	58.7
cb		8.0	58.3
1/4		8.4	57.9
c.		8.7	57.6
1/4		8.9	57.4
cb		8.7	57.6
ELine		8.7	57.6

200' So. of National ave

66.33

ELine		9.0	57.3
cb		9.4	56.9
1/4		9.3	57.0
c		9.0	57.3
1/4		8.8	57.5
cb		8.4	57.9
WLine		8.5	57.8

225' So. of National ave

WLine		9.0	57.3
cb		9.0	57.3
1/4		9.0	57.3
c		9.4	56.9
1/4		9.7	56.6
cb		9.8	56.5
ELine		9.1	57.2



250' So. of National Ave

66.33

E Line	9.1	57.2
ct	10.3	56.0
1/4	10.2	56.1
c	9.9	56.4
1/4	9.4	56.9
ct	9.7	56.6
White	9.7	56.6

275' So. of National Ave

White	11.0	55.3
ct	10.9	55.4
1/4	10.7	55.6
c	10.6	55.7
1/4	10.8	55.5
ct	10.3	56.0
E Line	9.0	57.3

No. Prop. White of Grand Ave.

66.33

E Line	8.4	58.9
ct	10.2	56.1
1/4	10.6	55.7
c	11.0	55.3
1/4	11.9	54.4
ct	11.7	54.6
White	11.8	54.5

T.P. <sup>074417</sup>  
<sup>AW. cor</sup>  
Grand Ave

5.14 √ 59.72 11.75 54.58

No. Cor. White of Grand Ave.

White	5.9	53.8
ct	4.6	55.1
1/4	4.0	55.7
c	4.4	55.3
1/4	4.0	55.9
ct	3.4	55.3
E Line	1.5	58.2

No 1/4 of Grand arc

59.72

E Line	1.2	58.5
ct	3.5	56.2
1/4	4.0	55.7
c	4.2	55.5
1/4	4.7	55.0
ct	5.3	54.4
W Line	6.0	53.7

35' So. of No. Prop. Line

W Line	5.9	53.8
ct	5.4	54.3
1/4	4.5	55.2
c	4.5	55.2
1/4	4.3	55.4
ct	4.0	55.7
E Line	2.9	57.8

38' So. of No. Prop. Line Toe Slope

59.72

E Line	4.6	55.1
ct	4.4	55.3
1/4	4.5	55.2
c	5.1	54.6
1/4	5.8	53.9
ct	6.0	53.7
W Line	6.4	53.3

Center of Grand. St. R.R. Grade

W Line	5.5	54.2
ct	5.2	54.5
1/4	4.9	54.8
c	4.6	55.1
1/4	4.3	55.4
ct	4.0	55.7
E Line	3.7	56.0



45' So. R. P. Grade N. C. &amp; O.

59.72

E Line	3.7	56.0
ct	4.0	55.7
1/4	4.3	55.4
c	4.7	55.0
1/4	5.0	54.7
ct	5.3	54.4
W Line	5.5	54.2

So. 1/4 of Graded Arc

W Line	6.8	53.4
ct	6.2	53.5
1/4	5.7	54.0
c	4.5	55.2
1/4	4.2	55.5
ct	4.3	55.4
E Line	3.6	56.1

So. Curve of Grandarc

59.72

E Line	3.7	56.0
ct	3.7	56.0
1/4	3.2	56.5
c	3.4	56.3
1/4	3.9	55.8
ct	4.8	54.9
W Line	5.4	54.3

So. Prop. 1/4 of Grandarc

W Line	5.4	54.3
ct	4.7	55.0
1/4	4.0	55.7
c	3.3	56.4
1/4	3.2	56.5
ct	3.6	56.1
E Line	4.0	55.7

25' So. of Grand Ave

59.72

ELine	4.0	55.7
ct	3.9	55.8
1/4	3.4	55.3
c	4.2	55.5
1/4	4.8	54.9
ct	5.5	54.2
Wline	6.1	53.6

50' So. of Grand Ave

Wline	6.5	53.2
ct	5.5	54.2
1/4	4.6	55.1
c	4.1	55.6
1/4	3.6	56.1
ct	3.8	55.9
ELine	4.1	55.6

75' So. of Grand Ave

59.72

ELine	3.6	56.1
ct	3.2	56.5
1/4	3.3	56.4
c	4.5	55.2
1/4	5.0	54.7
ct	5.8	53.9
Wline	7.0	52.7

100' So. of Grand Ave

Wline	7.0	52.7
ct	5.9	53.8
1/4	5.5	54.2
c	5.2	54.5
1/4	4.5	55.2
ct	4.2	55.5
ELine	4.5	55.2



125' So. of Grand Ave

59.72

E Line	5.0	54.7
ct	5.2	54.5
1/4	5.2	54.5
c	5.2	54.5
1/4	5.5	54.2
ct	5.8	53.9
White	6.5	53.2

140' So. of Grand Ave

White	7.4	52.3
ct	6.6	53.1
1/4	6.4	53.3
c	6.2	53.5
1/4	5.9	53.8
ct	5.8	53.9
E Line	5.5	54.2

Sewer Alley 160' So. of Grand Ave

59.72

E Line	6.1	53.6
ct	6.3	53.4
1/4	6.4	53.3
c	6.9	52.8
1/4	7.6	52.1
ct	8.1	51.6
White	8.3	51.4

175' So. of Grand Ave

White	9.0	50.7
ct	8.5	51.2
1/4	8.4	51.3
c	8.1	51.6
1/4	7.3	52.4
ct	6.7	53.0
E Line	6.4	53.3

200' so. of Grand Ave

59.72

E Line	6.9	52.8
ct	7.2	51.5
1/4	7.6	52.1
0	8.4	51.3
1/4	9.2	50.5
ct	9.7	50.0
W Line	10.2	49.5

225' so. of Grand Ave

W Line	10.3	49.4
ct	9.1	50.6
1/4	8.6	51.1
0	8.3	51.4
1/4	7.8	51.9
ct	7.5	52.2
E Line	7.4	52.3

250' so. of Grand Ave

59.72

E Line	10.8	48.9
ct	9.9	49.8
1/4	9.3	50.4
0	8.8	50.9
1/4	8.8	50.9
ct	9.4	50.3
W Line	10.3	49.4

275' so. of Grand Ave

W Line	13.5	46.2
ct	12.3	47.4
1/4	11.5	48.2
0	11.7	48.0
1/4	12.4	47.3
ct	12.9	46.8
E Line	13.6	46.1



59.72

T.P.

5.01 52.03 ✓ 12.70 7.02

ct

52.03 7.2 44.8

E Line

6.9 45.1

300' 500' of Grand No. 1 of Boston Ave

E Line

6.7 45.3

ct

8.1 43.9

1/4

8.6 43.4

0

8.8 43.2

1/4

9.4 42.6

ct

9.1 42.9

W Line

10.3 41.7

No. 1 of Boston Ave

W Line

13.0 39.0

ct

12.1 39.9

1/4

11.2 40.8

0

10.4 41.6

1/4

9.5 42.5

No. 1/4 of Boston Ave

E Line

6.7 45.3

ct

7.9 44.1

1/4

9.1 42.9

0

10.6 41.4

1/4

11.8 40.2

ct

13.0 39.0

W Line

14.0 38.0

Center of Boston Ave

W Line

12.5 39.5

ct

11.0 41.0

1/4

10.6 ~~41.4~~

0

9.9 42.1

1/4	52.03	8.9	43.1
ct		7.6	44.4
ELine		6.1	45.9

c	52.03	7.0	45.0
1/4		4.9	47.1
ct		4.0	48.0
ELine		2.9	47.1 <sup>✓</sup>

## So 1/4 of Boston Ave

ELine	5.3	46.7
ct	7.1	44.9
1/4	8.4	43.6
c	9.5	42.5
1/4	9.9	42.1
ct	10.0	42.0
WLine	10.2	41.8

## So Prop Line of Boston Ave.

ELine	1.7	50.3
ct	1.5	50.5
1/4	1.4	50.6
c	1.9	50.1
1/4	2.8	49.2
ct	1.5	50.5
WLine	1.8	50.2

## So. Curb of Boston Ave

WLine	5.9	46.1
ct	7.1	44.9
1/4	7.5	44.5

off Road  
T.P. outline 3.985 53.630 2.38549 1.845<sup>✓</sup>



25' so. of Boston ave

53.13

White	1.8	51.8
cb	1.8	51.8
1/4	1.7	51.9
c	1.4	52.2
1/4	1.7	51.9
cb	1.4	52.2
Eline	0.6	53.0

50' so. of Boston ave

Eline	1.1	52.5
cb	1.2	52.4
1/4	1.3	52.3
c	2.2	51.4
1/4	1.8	51.8
cb	2.0	51.6
White	2.0	51.6

23

75' so. of Boston ave

53.13

White	3.0	50.6
cb	2.7	50.9
1/4	2.5	51.1
c	2.2	51.4
1/4	2.0	51.6
cb	1.8	51.8
Eline	1.9	51.7

100' so. of Boston ave

Eline	2.5	51.1
cb	2.8	50.8
1/4	2.9	50.7
c	3.1	50.5
1/4	3.2	50.4
cb	3.3	50.3
White	3.4	50.2

125' so. of Boston arc

53.63

W. Line	4.1	49.5
ct	4.0	49.6
3/4	4.0	49.6
c	3.8	49.8
1/4	3.6	50.0
cb	3.7	49.9
E. Line	3.4	50.2

So. line of Alley 160' so of Boston arc

53.63

White	6.1	47.5
ct	5.9	47.7
1/4	5.8	47.8
c	5.6	48.0
1/4	5.1	48.5
cb	4.8	48.8
E. Line	4.2	49.4

No. line of Alley 40' so. of Boston arc

E. Line	3.7	49.9
cb	3.9	49.7
1/4	4.0	49.6
c	4.5	49.1
1/4	4.8	48.8
cb	4.9	48.7
W. Line	5.0	48.6

175' so. of Boston arc

E. Line	5.3	48.3
ct	5.9	47.7
1/4	6.0	47.6
c	6.2	47.4
1/4	6.6	47.0
cb	6.8	46.8
White	6.9	46.7



200' so of Boston arc

53.63

W Line	8.3	45.3
ct	7.7	45.9
1/4	7.4	46.2
c	7.1	46.5
1/4	7.1	46.5
ct	6.8	46.8
E Line	6.2	47.4

225' so of Boston arc

E Line	7.6	46.0
ct	7.9	45.7
1/4	8.1	45.5
c	8.3	45.3
1/4	8.4	45.2
ct	8.9	45.7
W Line	9.4	44.2

25

250' so of Boston arc

53.63

W Line	10.1	43.5
ct	9.7	43.9
1/4	9.5	44.1
c	9.2	44.4
1/4	9.2	44.4
ct	8.8	44.8
E Line	8.3	44.3

275' so of Boston arc

E Line	9.3	44.3
ct	9.7	43.9
1/4	9.7	43.9
c	10.2	43.4
1/4	10.3	43.3
ct	10.6	43.0
W Line	10.9	42.7

301 So. of Boston No. Prop of Main St

53.63

W Line	11.5	42.1
cb	11.1	42.5
1/4	11.2	42.4
c	10.8	42.8
1/4	10.3	43.3
cb	10.3	43.3
E Line	10.3	43.3

8/5 '04

ON MAP

T.P. N.E. COR Boston 0.78 44.13 10.28 43.35

Ward  
Remmie  
Courtwell

No. Curb of Main St

E Line	1.2	42.9
cb	1.5	42.6
1/4	1.2	42.9
c	1.7	42.4
1/4	2.2	41.9

cb 44.13 2.1 42.0

W Line 2.2 41.9

No. 1/4 of Main St.

W Line 2.7 41.4

cb 2.7 41.4

1/4 2.3 41.8

c 2.1 42.0

1/4 1.9 42.2

cb 1.9 42.2

E Line 1.7 42.4

Center of Main St

E Line 2.1 42.0

cb 2.3 41.8

1/4 2.3 41.8

c 2.5 41.6

1/4 2.6 41.5



ct	44.13	3.1	41.0
WLine		3.2	40.9

50' N of Main St.

WLine		3.8	40.3
ct		3.8	40.3
1/4		3.3	40.8
c		3.2	40.9
1/4		3.1	41.0
ct		2.9	41.2
ELine		2.5	41.6

50' Cur of Main St.

ELine		2.9	41.2
ct		3.1	41.0
1/4		3.7	40.4
c		3.7	40.4

1/4	44.13	4.1	40.0
ct		4.3	39.8
WLine		4.3	39.8

50' Prop line of Main St.

WLine		4.9	39.2
ct		4.9	39.2
1/4		4.7	39.4
c		4.5	39.6
1/4		4.0	40.1
ct		3.7	40.4
ELine		3.4	40.7

25' So. of Main St.

ELine		4.3	39.8
ct		4.3	39.8
1/4		4.8	39.3

e	44.13	5.6	38.5
1/4		6.0	38.1
ct		6.1	38.0
White		6.1	38.0

## 50' so. of Main St.

White		7.5	36.6
ct		7.3	36.8
1/4		7.0	37.1
c		6.4	37.7
1/4		5.6	38.5
ct		5.1	39.0
Eline		4.7	39.4

## 75' so. of Main St.

44.13

Elite		5.8	38.3
ct		6.0	38.1
1/4		6.2	37.9
c		7.0	37.1
1/4		7.8	36.3
ct		8.6	35.5
White		9.0	35.1

## 100' so. of Main St.

White		10.7	33.4
ct		10.5	33.6
1/4		9.6	34.5
c		8.4	35.7
1/4		7.4	36.7
ct		6.6	37.5
Elite		6.2	37.9



125' So. of Main St.

44.13

ELine	6.7	37.4
ct	7.2	36.9
1/4	8.6	35.5
c	10.1	34.0
1/4	11.4	32.7
ct	12.1	32.0
WLine	12.5	31.6

140' So. of Main St.

WLine	13.5	30.6
ct	10.0	31.1
1/4	12.1	32.0
c	10.4	33.7
1/4	8.6	35.5
ct	7.7	36.4
ELine	7.2	36.9

160' So. of Main St.

49.13

ELine	7.4	36.7
ct	7.8	36.3
1/4	9.4	34.7
c	11.3	32.8
1/4	13.0	31.1
T.P. <sup>on pay</sup> online	4.42	36.19
ct	12.36	31.77
ct	6.3	29.9
WLine	6.6	29.6

175' So. of Main St.

WLine	7.6	28.6
ct	7.4	28.8
1/4	5.9	30.3
c	4.0	32.2
1/4	2.3	32.9
ct	0.8	35.4
ELine	0.1	36.1

200' So. of Main St.

36.19

FLite	3.3	32.9
ct	3.6	32.6
1/4	4.5	31.7
0	5.7	30.5
1/4	7.5	28.7
ct	9.6	26.6
Wline	9.9	26.3

225' So. of Main St.

Wline	12.2	24.0
ct	11.4	24.8
1/4	9.5	26.7
0	8.7	27.8
1/4	7.3	28.9
ct	6.7	29.5
FLite	5.7	30.5

250' So. of Main St.

36.19

FLite	8.1	28.1
ct	9.8	26.4
1/4	10.9	25.3
0	11.8	24.4
1/4	12.7	23.5
T.P. <small>on Peg</small>	3.995	27.530
	12.655	23.535
ct	4.8	22.7
Wline	5.3	22.2

275' So. of Main St.

Wline	7.7	19.8
ct	7.3	20.2
1/4	6.4	21.1
0	3.9	23.6
1/4	1.9	25.6
ct	0.9	26.6



Elite 27.53 0.2 27.3

W 27.53 4.8 22.7

30000. of Mainst

Elite 3.2 24.3

No. Prop. H<sub>2</sub>O of Coltonare

Elite 1.8 25.7

No. % of Coltonare

cb 2.7 24.8

Elite 4.4 23.1

1/4 3.5 24.0

cb 6.3 21.2

c 4.8 22.7

1/4 8.2 19.3

1/4 8.0 19.5

c 9.5 18.0

cb 9.6 17.9

1/4 10.4 17.1

White 9.7 17.8

cb 12.1 15.4

White 11.6 15.9

No. C<sub>2</sub>H<sub>6</sub> of Coltonare

White 10.7 16.8

Center of Coltonare

cb 10.9 16.6

White 12.5 15.0

1/4 9.5 18.0

cb 12.9 14.6

c 7.8 19.7

1/4 12.9 14.6

1/4 6.2 21.3

c 11.7 15.8

1/4	27.53	9.5	18.0
ct		7.4	20.1
E Line		5.8	21.7

## So. 1/2 of Colton are

E Line		6.3	21.2
ct		8.5	19.0
1/4		10.5	17.0
c		12.5	15.0

T.P. <sup>on top</sup> <sub>on line</sub>	9.72	24.59	12.66	14.87
---	------	-------	-------	-------

1/4		10.8	13.8
ct		10.8	13.8
W Line		10.4	14.2

## So. East of Colton are

W Line		11.5	13.1
ct		12.0	12.6

1/4	24.59	11.4	13.2
c		9.9	14.7
1/4		8.3	16.3
ct		6.1	18.5
E Line		3.0	21.6

## So. Part Line of Colton are

E Line		0.7	23.9
ct		3.1	21.5
1/4		7.2	17.4
ct		10.0	14.6
1/4		12.0	12.6
ct		12.7	11.9
W Line		12.7	11.9

T.P. <sup>on top</sup> <sub>S.M. ca.</sub>	10.65	22.53	12.71	17.88
--	-------	-------	-------	-------



25' So. of Colton are

22.53

W Line			12.5	10.0
ct			12.4	10.1
1/4			9.9	12.6
c			5.8	16.7
1/4			1.4	21.1
T.P.	on Bolt. Meyer Box	6.93	25.39	4.07 18.46
ct			11.0	24.4
E Line			0.7	24.7

35' So. of Colton are

E Line			2.6	22.8
ct			1.8	23.6
1/4			2.0	23.4
c			6.7	19.0
1/4			11.4	14.0
ct			19.8	10.6

W Line

25.39 17.0 8.4

50' So. of Colton are

E Line			8.5	16.9
ct			8.0	17.4
1/4			8.0	17.4
c			9.0	16.4
1/4			12.2	13.2
T.P.	on Road valine	1.51	14.15	12.05 12.6A
ct			5.0	9.2
W Line			8.5	5.7

75' So. of Colton are

W Line			13.0	1.2
ct			12.0	2.2
1/4			11.5	2.7
c			10.6	3.6

1/4	14.15	9.3	4.9
1/4		9.5	4.7
E Line		9.4	4.8
T.P.	on Peg outline 2.50	4.24	1.74

107' so. of Cotton are

E Line	6.6	-2.4
cb	6.6	-2.4
1/4	6.7	-2.2
C	6.6	-2.4
1/4	6.7	-2.5
cb	6.8	-2.6
W Line	6.6	-2.4

125' so. of Cotton are

W Line	7.9	-3.7
cb	8.1	-3.9
1/4	7.5	-3.3

o	4.24	8.1	-3.9
1/4		8.0	-3.8
cb		7.8	-3.6
E Line		8.0	-3.8

Aoline Alley 140' so. of Cotton are

E Line	8.0	-3.8
cb	8.0	-3.8
1/4	8.1	-3.9
C	8.2	-4.0
1/4	7.6	-3.4
cb	8.0	-3.8
W Line	8.1	-3.9

160' so. of Cotton are

W Line	8.2	-4.0
cb	8.0	-3.8



1/4	4.24	8.0	-3.8
0		8.1	-3.9
1/4		8.2	-4.0
ct		8.4	-4.2
Eline		8.3	-4.1

175' So. of Colton are

Eline		8.6	-4.4
ct		8.3	-4.1
1/4		8.2	-4.0
0		8.3	-4.1
1/4		8.1	-3.9
ct		7.8	-3.6
White		8.2	-4.0

200' So. of Colton are

	4.24		
Wline		8.3	-4.1
ct		8.3	-4.1
1/4		9.7	-5.5
0		10.0	-5.8
1/4		8.8	-4.6
ct		9.9	-5.7
+10		10.9	-6.2
Eline		8.6	-4.4

225' So. of Colton are

Eline		10.3	-6.1
ct		9.0	-4.8
1/4		8.5	-4.3
+88		9.0	-4.8
0		10.7	-6.5
1/4		9.2	-5.0

ct	4.24	8.7	-4.5
WLine		8.2	-4.0

250' So. of Colton Ave

WLine		8.8	-4.6
ct		9.1	-4.9
1/4		10.6	-6.4
+35		10.5	-6.3
+37		8.2	-4.0
ct		8.5	-4.3
1/4		8.7	-4.2
ct		8.7	-4.5
ELine		9.8	-5.6

275' So. of Colton Ave

ELine		9.1	-4.9
ct		8.6	-4.4

1/4	4.24	8.1	-3.9
ct		7.9	-3.7
1/4		7.9	-3.7
ct		8.0	-3.8
WLine		8.0	-3.8

No. P. of Line Bay area

WLine		7.9	-3.7
ct		7.3	-3.1
1/4		7.9	-3.7
ct		8.0	-3.8
1/4		8.8	-4.6
ct		8.9	-4.7
ELine		8.8	-4.6

No. Curt of Bay area

ELine		8.8	-4.6
-------	--	-----	------



ct	4.24	8.8	-4.6
1/4		9.0	-4.8
c		8.2	-4.0
1/4		7.3	-3.1
ct		7.6	-3.4
White		7.9	-3.7

## NO 1/4 of Bay are

White		7.9	-3.7
ct		7.7	-3.5
1/4		7.3	-3.1
c		8.1	-3.9
1/4		8.3	-4.1
ct		8.8	-4.6
E Line		9.2	-5.0

## Center of Bay are

	4.24		
E Line		10.2	-6.0
ct		10.2	-6.0
1/4		8.1	-3.9
c		7.3	-3.1
1/4		7.4	-3.2
ct		7.8	-3.6
White		7.8	-3.6

## SO 1/4 of Bay are

White		8.0	-3.8
ct		7.7	-3.5
1/4		7.7	-3.5
c		7.3	-3.1
1/4		7.4	-3.2
ct		8.2	-4.0
+05		8.4	-4.2

703	4.24	10.2	-6.0
ELine		10.2	-6.0

## So. Curb of Bay Ave

ELine		10.6	-6.4
ct		8.6	-4.4
1/4		8.3	-4.1
0		7.3	-3.1
1/4		7.8	-3.6
ct		7.8	-3.6
WLine		8.0	-3.8

## So. Prop. Line of Bay Ave

WLine		7.9	-3.7
ct		8.0	-3.8
1/4		7.7	-3.5
0		7.6	-3.4

1/4	4.24	7.4	-3.2
ct		8.4	-4.2
ELine		8.5	-4.3

T.P.	on curb of Bay	7.68	- <del>6.56</del>
------	-------------------	------	-------------------





Ella. 9<sup>th</sup> March 1914

38

141.	22838		
50' 71" of Amherst St. 250			
East Line	6.0	222.4	
Ct	6.0	222.4	
W	6.2	222.2	
Ct.	6.4	222.0	
W	6.6	221.8	
Ct	6.8	221.6	
W Line	6.8	221.6	
70' 71" of Amherst, 230			
W.L.	6.9	221.5	
Cb	6.9	221.5	
W	6.7	221.7	
Ct	6.6	221.8	
W	6.5	221.9	
Cb.	6.3	222.1	
East Line	6.2	222.2	

210 -	90' 71" of Amherst.	22838	
East L.		6.4	222.0
Ct		6.5	221.9
W		6.5	221.9
Ct.		6.7	221.7
W		6.2	222.2
Ct.		6.2	222.2
W.L.		7.0	221.4
110	110' 71" of Amherst		
West L.		6.6	221.8
Cb.		5.5	222.9
W		5.4	223.0
Ct		6.1	222.3
W		5.9	222.5
Cb.		5.7	222.7
East L.		6.0	222.4

171 130' N<sup>o</sup> of Amherst,

East L.	5.3	223.1
Ct.	5.4	223.0
W	5.9	222.5
Ct.	6.0	222.4
W	6.0	222.4
Ct.	6.0	222.4
W.L.	6.2	222.2

180 150' N<sup>o</sup> of Amherst

W.L.	5.5	222.9
Ct.	5.4	223.0
W	5.2	223.2
Ct.	5.0	223.4
W	5.2	223.2
Ct.	4.7	223.7
East L.	4.7	223.7

130 170' N<sup>o</sup> of Amherst

East L.	228.38	4.0	224.4
Ct.		4.0	224.4
W		4.1	224.3
Ct.		4.3	224.1
W		4.3	224.1
Ct.		4.3	224.1
W.L.		4.3	224.1

110 190' N<sup>o</sup> of Amherst

W.L.	3.2	225.2
Ct.	3.1	225.3
W	3.1	225.3
Ct.	3.2	225.2
W	3.2	225.2
Ct.	3.1	225.3
East L.	3.1	225.3



## Ella St.

90 210' 71° of Amhurst.

East L.	228.38	1.7	226.7
Ct.		1.5	226.9
W		1.7	226.7
Ct.		1.7	226.7
W		1.4	227.0
Ct.		1.6	226.8
W, L.		1.5	226.9

10.44 237.94 0.88 227.50

70 230' 71° of Amhurst.

W, L.	9.4	228.5
Ct.	9.4	228.5
W	9.5	228.4
Ct.	9.3	228.6
W	9.5	228.4
Ct.	9.5	228.4
West Hill	9.5	228.4

9  
1/29  
104 { Hutchison  
Thomas  
Evans

40

50 250' 71° of Amhurst

East L.	7.2	230.7
Ct.	7.1	230.8
W	7.2	230.7
Ct.	7.2	230.7
W	7.2	230.7
Ct.	7.0	230.9
West Hill	6.9	231.0

# DARTSMOUTH,

Bm	943	234.19	224.76
		0.97	233.22
West line of Fern St.			
No Line		1.5	232.7
Ct		1.7	232.5
1/4		1.9	232.3
Ct		2.1	232.1
1/4		2.1	232.1
Ct.		2.2	232.0
No Line		2.2	232.0
25' West of Fern.			
No Line		2.8	231.4
Ct		2.5	231.7
1/4		2.7	231.5
Ct.		4.7	231.5
1/4		4.5	231.7
Ct.		4.3	231.9
No Line		4.1	232.1

S.W. Cor.  
Form Dotted  
Ephraim Pa.

Hutchinson  
7  
1/4  
2  
Eras

## 50' West of Fern

No L.		234.19	2.7	231.5
Ct			2.9	231.3
1/4			3.0	231.2
Ct.			3.4	230.8
1/4			3.5	230.7
Ct			3.3	230.9
No Line			3.5	230.7
75' W of Fern				
No Line			4.5	229.8
Ct			4.3	229.9
1/4			4.5	229.7
Ct			4.3	229.9
1/4			4.0	330.2
Ct			3.7	330.5
No L.			3.4	330.8



## 100' West of Turn

Do. Lm	234.19	4.8	229.9
Cb		4.8	229.4
W		5.2	229.0
Ct		5.4	228.8
W		5.7	228.5
Cb		5.5	228.7
W. L.		5.6	228.6

## 125' W of Turn

W. L. Lm		7.2	227.0
Cb		7.3	226.9
W		7.1	227.1
Ct		6.7	227.5
W		6.4	227.8
Cb		6.1	228.1
Do. L.		5.5	228.7

## 150' W of Turn

Do. L.	234.19	7.0	227.2
L.		7.6	226.6
W		8.0	226.2
Ct.		8.3	225.9
W		8.6	225.6
-		8.6	225.6
W. L.		9.0	225.2

## 175' W of Turn

W. L.		10.2	224.0
-		10.7	224.0
W		10.1	224.1
Ct.		9.8	224.4
W		9.4	224.8
-		8.9	225.3
Do. L.		8.3	225.9

## East Line of Ella.

No Line	234.19	9.6	224.6
-		9.7	224.3
1/4		10.5	223.7
Ct.		10.9	223.3
1/4		11.1	223.1
-		11.2	223.0
No Line		11.3	222.9

## West Line of Ella.

No Line	14.0	220.2	
Ct.	14.0	220.2	
1/4	13.6	220.6	
Ct.	13.0	221.2	
1/4	12.6	221.6	
Ct.	11.7	222.5	
No L.	11.0	223.2	
0.76	223.99	10.96	223.23

## 25' West of Ella.

No L.	273.99	1.8	222.2
Ct.		2.4	221.4
1/4		3.2	220.8
Ct.		3.8	220.2
1/4		3.9	220.1
-		4.4	219.6
No L.		4.4	219.6

## 50' West of Ella.

No L.	5.1	218.9	
-	5.2	218.8	
1/4	4.8	219.2	
Ct.	4.5	219.5	
1/4	4.2	219.8	
-	3.7	220.3	
No L.	2.8	221.2	221.2



Dartmouth

75' West of Ella.

No. 1.	223.99	4.2	219.8
-		4.9	219.1
1/2		5.2	218.8
Ct.		5.4	218.6
1/2		5.3	218.7
-		5.5	218.5
110' line		5.9	218.1

100' W of Ella

110' L.		6.3	217.7
-		6.4	217.6
1/2		6.3	217.7
Ct.		6.2	217.8
1/2		6.0	218.0
-		5.6	218.4
No. 1 line		5.7	218.8

125' W of Ella.

No. 1 line	223.99	5.6	218.4
-		6.0	218.0
1/2		6.2	217.8
Ct.		6.5	217.5
1/2		6.7	217.3
-		7.0	217.0
110' line		6.9	217.1

150' W - of Ella.

110' line		7.5	216.5
-		7.3	216.7
1/2		7.1	216.9
Ct.		6.6	217.4
1/2		6.3	217.7
-		6.7	217.8
No. 1 L.		5.9	218.1

175' 70" of Ella.

So L.	228.99	6.3	217.7
-		6.4	217.3
W		6.7	217.3
Ct.		6.7	217.3
W		7.0	217.0
-		7.1	216.9
No Line		7.3	216.7

(200) East Line of Dale

No Line		7.7	216.3
-		7.2	216.8
W		7.0	217.0
Ct.		7.1	216.9
W		7.0	217.0
-		7.1	216.9
So Line		6.5	217.5

East Curt Line of Dale

45

No Line		7.7	216.8
-		7.4	216.6
W		7.3	216.7
Ct.		6.9	217.1
W		6.9	217.1
-		7.5	216.6
No Line		8.0	216.0

East 1/4 Line of Dale

No L.		8.1	215.9
-		7.5	216.3
W		7.2	216.8
Ct.		7.1	216.9
W		7.2	216.8
-		7.5	216.5
So Line		7.5	216.5



## Center Line of Dale

Ro Line	223.99	7.7	216.3
-		7.7	216.3
1/4		7.5	216.5
Ct.		7.3	216.7
1/4		7.4	216.6
-		7.8	216.2
N <sup>o</sup> Line		8.3	215.7

## West 1/4 Line of Dale

N <sup>o</sup> Line		8.6	215.4
-		8.9	216.0
1/4		7.6	216.3
Ct.		7.6	216.4
1/4		7.7	216.3
-		7.9	216.1
Ro Line		7.9	216.1

## West Curb Line of Dale

Ro Line	223.99	8.7	215.8
-		8.7	215.8
1/4		8.9	216.0
Ct.		7.9	216.1
1/4		8.1	215.9
-		8.4	215.6
N <sup>o</sup> Line		8.9	215.1

## West Line of Dale

N <sup>o</sup> Line		9.3	214.7	214.7
-		8.8		215.2
1/4		8.6		215.4
Ct.		8.4		215.6
1/4		8.4		215.6
-		8.4		215.6
Ro Line		8.4	215.6	

0.81 215.41 8.89 215.10

## 25' west of Dalg

No. L.	215.41	0.7	214.7
-		0.9	214.5
1/2		0.7	214.7
Ct.		0.8	214.6
1/2		0.9	214.5
-		1.5	213.9
M. L.		2.0	213.4

## 50' west of Dalg

M. L.	3.4	212.0	212.0
-	3.4		212.0
1/2	3.0		212.4
Ct.	2.8		212.6
1/4	2.6		212.8
-	2.7		212.7
No. L.	2.2	213.2	

## 75' west of Dalg

No. L.	215.41	4.1	211.3
-		4.5	210.9
1/2		4.8	210.6
Ct.		4.7	210.7
1/2		4.7	210.7
-		4.8	210.6
M. L.		5.0	210.4

## 100' west of Dalg

M. L.	5.2	210.2	
-	5.7		209.7
1/2	6.0		209.4
Ct.	6.2		209.2
1/2	6.7		209.2
-	5.9		209.5
No. L.	5.5	209.9	209.9



125' West of Oak

No Line	215.41	7.3	208.1
-		7.0	208.4
1/2		6.4	209.0
Ct.		5.7	209.7
1/2		5.5	209.9
-		5.2	210.2
No Line		4.9	210.5

150' West of Oak

No Line	5.5	209.9	
-	5.6		209.8
1/2	5.9		209.5
Ct.	6.0		209.4
1/2	6.2		209.2
-	6.9		208.5
No Line	7.8	207.6	207.6

175' West of Oak

No L.	215.41	8.8	206.6
-		7.9	207.5
1/2		7.0	208.4
Ct.		6.8	208.6
1/2		6.6	208.8
-		6.7	208.7
No Line		6.9	208.5

(200) East Line at 29<sup>th</sup>

No Line	8.0	207.4	
-	7.9		207.5
1/2	7.8		207.6
Ct.	7.6		207.8
1/2	7.6		207.8
-	7.9		207.5
No Line	9.0	206.4	206.4
B.m.	8.94	206.47	

Hub E.E. Cor 29<sup>th</sup>

East curb line 29<sup>th</sup>

So L	21541	8.4	207.0
-		8.2	207.2
1/2		7.9	207.5
Ct.		8.2	207.2
1/2		8.4	207.0
-		8.3	207.1
No L		8.6	207.8

East 1/2 Line 29<sup>th</sup>

M. L.		9.5	205.9
-		9.2	206.2
1/2		9.0	206.4
Ct.		8.7	206.7
1/2		8.5	206.9
-		8.7	206.7
So L		8.8	206.6

Center line of 29<sup>th</sup>

So L	21541	9.4	206.0
-		9.4	206.0
1/2		9.4	206.0
Ct.		9.6	205.8
1/2		9.6	205.8
-		9.8	205.6
No L		10.1	205.3

## West 1/2 Line

No L		10.7	204.7
-		10.4	205.0
1/2		10.2	205.2
Ct.		10.2	205.2
1/2		10.7	205.2
-		10.0	205.4
So L		10.0	205.4



Dartmouth 9/29/04

50

West Curt line at 29<sup>th</sup>

No. 1	215.41	10.8	204.6
-		10.7	204.7
1/2		10.8	204.6
Ct.		10.7	204.7
1/2		10.7	204.7
-		10.9	204.5
M. 1		11.7	203.7

West line at 29<sup>th</sup>

M. 1	12.5	202.9
-	11.4	204.0
1/2	11.2	204.2
Ct.	11.2	204.2
1/2	11.1	204.3
-	11.3	204.1
No. 1	11.4	204.0

25' West of 29<sup>th</sup>

	1.97	208.44	206.47
No. 1		6.7	201.7
-		5.7	202.7
1/2		5.6	202.8
Ct.		5.6	202.8
1/2		5.5	202.9
-		6.0	202.0
M. 1		7.3	201.1

50' W of 29<sup>th</sup>

M. 1	9.9	198.5
-	9.1	199.3
1/2	9.0	199.4
Ct.	9.0	199.4
1/2	9.0	199.4
-	9.4	199.0
No. 1	10.5	197.9

75' West of 29<sup>th</sup>

So line	208.44	130	195.4
-		123	196.1
1/2		117	196.7
Ct.		115	196.9
1/2		116	196.8
-		113	197.1
N <sup>o</sup> line		110	197.4

90' West of 29<sup>th</sup>

So line		123	196.1
-		120	196.4
1/2		116	196.8
Ct.		114	197.0
1/2		112	197.2
-		108	197.6
N <sup>o</sup> line		97	198.7

100' W of 29<sup>th</sup>

N <sup>o</sup> line	208.44	7.1	201.3
-		8.0	200.4
1/2		8.7	199.7
Ct.		9.5	198.9
1/2		10.5	197.9
-		11.2	197.2
8' N <sup>o</sup> of So line		10.7	197.7
So line		9.4	199.0

110' W of 29<sup>th</sup>

So line		7.3	201.1
-		8.4	200.0
1/2		8.2	200.2
Ct.		7.5	200.9
1/2		7.7	201.2
-		7.3	201.1
N <sup>o</sup> line		6.3	202.1



125' W of 29<sup>th</sup>

M <sup>o</sup> Line	208.44	4.8	203.6
—		5.8	202.6
1/4		5.9	202.5
Ct.		6.1	202.3
1/4		6.4	202.0
—		6.2	202.2
So. L.		5.1	203.3

150' W of 29<sup>th</sup>

So. L.	2.7	205.7	205.7
—	3.0		205.4
1/4	3.8		204.6
Ct.	4.2		204.2
1/4	4.2		204.2
—	4.1		204.3
M <sup>o</sup> L.	3.2	205.2	205.2

175' W of 29<sup>th</sup>

M <sup>o</sup> L.	208.44	2.6	206.8
—		2.8	206.6
1/4		2.4	206.0
Ct.		2.2	206.2
1/4		1.7	206.7
—		1.4	207.0
So. Line		1.4	207.0

(200) East Line of Bean St.

So. L.	0.0	208.5	
—	0.3		208.1
1/4	0.6		207.8
Ct.	0.9		207.5
1/4	1.0		207.4
—	1.5		206.9
M <sup>o</sup> L.	1.4	207.0	
7.84	215.54	0.74	207.70

## East Curt line of Bean

N <sup>o</sup> Line	21552	7.8	207.7
-		7.6	207.9
1/2		7.4	208.1
Ct.		7.1	208.4
1/2		6.9	208.6
-		6.7	208.8
No. Line		6.6	208.9

## East 1/4 line of Bean

No. L.		6.0	209.5
-		6.2	209.3
1/2		6.4	209.1
Ct.		6.7	208.8
1/2		6.8	208.7
-		7.3	208.2
N. L.		7.3	208.2

## Center of Bean

N. L.	21554	6.6	208.9
-		6.7	208.6
1/2		6.6	208.9
Ct.		6.3	209.2
1/2		6.1	209.4
-		6.7	209.6
No. L.		6.5	210.0

## West 1/4 of Bean

No. L.		6.4	210.1
-		6.7	209.8
1/2		6.7	209.8
Ct.		6.8	209.7
1/2		6.2	209.3
-		6.5	209.0
N. L.		6.3	209.2



## West Curt of Bean

N <sup>o</sup> 1	21554	63	209.2
-		62	209.3
1/4		61	209.4
ct.		58	209.7
1/4		56	209.9
-		55	210.0
Re Line		52	210.3

## West Line of Bean

Re Line	4.8	210.7	210.7
-	5.0		210.5
1/4	5.2		210.3
ct.	5.4		210.1
1/4	5.5		210.0
-	5.6		209.9
N <sup>o</sup> 1	5.5	210.0	
B <sub>2</sub> m <sub>1</sub>	4.42	211.2	

Spt in <sup>1</sup>/<sub>2</sub> m<sub>1</sub> Post 20' N. of N.W. cor  
of Bean + adjacent

## 25' West of Bean

N <sup>o</sup> Line	21554	4.5	211.0
-		4.8	210.7
1/4		4.8	210.7
ct.		4.9	210.6
1/4		4.8	210.7
-		4.8	210.7
Re Line		4.6	210.9

## 50' West of Bean

Re <sub>2</sub>	4.3	211.2	
-	4.3		211.2
1/4	4.2		211.3
ct.	4.1		211.4
1/4	4.2		211.3
-	4.0		211.5
N <sup>o</sup> 1	3.7	211.8	

## Dartmouth

## 75' West of Beam

M <sub>2</sub> L	215.54	3.2	212.3
-		3.3	212.2
1/4		3.3	212.2
Ct.		3.7	211.8
1/4		3.3	212.2
-		3.6	211.9
No L.		3.6	211.9

## 100' West of Beam

No L.		2.9	212.6
-		2.8	212.7
1/4		2.7	212.8
Ct.		2.6	212.9
1/4		2.6	212.9
-		2.6	212.9
No L.		2.6	212.9

## Dartmouth

55

## 125' West of Beam

M <sub>2</sub> L	215.54	1.2	214.3
-		1.7	214.3
1/4		1.4	214.1
Ct.		1.3	214.2
1/4		1.3	214.2
-		1.2	214.3
No L.		1.3	214.2

8.35 222.48 1.41 214.13

## 150' West of Beam

No L.		6.3	216.2 <del>209.2</del>
-		6.2	216.3
1/4		6.2	216.3
Ct.		6.4	216.1
1/4		6.3	216.2
-		6.3	216.2
No L.		6.4	216.1 <del>209.1</del>



Dartmouth  $\frac{9}{10}$  } Hachian  
 $\frac{30}{10}$  } Evans  
 $\frac{6}{10}$  } Thomas

175' west of Beam

No. 1	22248	48	217.7
-		47	217.8
1/2		48	217.7
ct.		47	217.8
1/4		47	217.8
-		47	217.8
No. 2		46	217.9
(300) East line of 28 <sup>th</sup>			
No. 1		45	218.0
-		44	218.1
1/2		41	218.4
ct.		42	218.3
1/4		41	218.4
-		40	218.5
No. 4		39	218.6
B. m.		3.13	219.35

Spt. in Fane Point  $\frac{20}{10}$  N.E. cor. 28<sup>th</sup> + Dartmouth

28<sup>th</sup> Street }  
 75' of Darnmouth }  
 70' of }  
 10' of }

170' line of Darnmouth

No. 4.	222.48	5.8	216.7
Ch.		5.4	217.1
1/4		5.2	217.3
Ch.		5.0	217.5
1/4		4.5	218.0
Ch.		4.2	218.3
East L.		3.9	218.6

170' Curve line Darnmouth

E.L.		4.0	218.5
Ch.		4.2	218.3
1/4		4.4	218.1
Ch.		4.8	217.7
1/4		5.0	217.5
Ch.		5.2	217.3
W.L.		5.3	217.2

note. So. line of Darnmouth 82' }  
 50' " " " " " " " " " " " " " " }  
 Park line 80.15' }  
 Width of }  
 of }  
 28<sup>th</sup> }  
 37

170' 1/4 at Darnmouth

W.L.	222.48	5.0	217.5
Ch.		5.0	217.5
1/4		4.8	217.7
Ch.		4.6	217.9
1/4		4.4	218.1
Ch.		4.3	218.2
East L.		4.1	218.4

Center of Darnmouth

E.L.		4.2	218.3
-		4.3	218.2
1/4		4.4	218.1
Ch.		4.4	218.1
1/4		4.7	217.8
-		4.8	217.7
W.L.		4.9	217.6



## So 1/4 of Dartmouth

W.L.	222.8	5.1	217.4
-		4.9	217.6
W		4.7	217.8
Ch		4.8	218.2
W		4.3	218.2
-		4.4	218.1
E.L.		4.2	218.3

## So Curt line of Dartmouth

E.L.		4.4	218.1
-		4.5	218.0
W		4.4	218.1
Ch		4.7	218.8
W		4.9	217.6
-		5.1	217.4
W.L.		5.3	217.2

## So line of Dartmouth

W.L.		5.5	217.0
-		5.4	217.1
W		5.1	217.4
Ch		4.9	217.6
W		4.7	217.8
-		4.7	217.8
E.L.		4.5	218.0

## 25' So of Dartmouth

East L.		4.7	217.8
-		4.8	217.7
W		4.8	217.7
Ch		5.0	217.5
W		5.2	217.1
-		5.8	216.7
W.L.		5.9	216.6

## 50' So of Dartmouth

W.L.	22.48	6.2	216.3
-		6.0	216.5
1/4		5.6	216.9
Ct.		5.3	217.2
1/4		5.3	217.2
-		5.2	217.3
End L.		4.9	217.6

## 75' So of

E.L.		5.3	217.2
-		5.6	216.9
1/4		5.5	217.0
Ct.		5.7	216.9
1/4		6.0	216.5
-		6.2	216.3
W.L.		6.4	216.1

## 100' So of Dartmouth

W.L.		6.1	216.4
-		6.0	216.5
1/4		6.2	216.3
Ct.		6.1	216.4
1/4		5.9	216.6
-		5.7	216.8
E.L.		5.5	217.0

## 125' So of

E.L.		5.8	216.7
-		6.1	216.4
1/4		6.2	216.3
Ct.		6.3	216.2
1/4		6.5	216.0
-		6.7	215.8
W.L.		6.8	215.7



28th

150' So of

W.L.	222.48	6.9	215.6
-		6.8	215.7
1/2		6.8	215.7
Ct.		6.5	216.0
1/2		6.5	216.0
-		6.4	216.1
East L.		6.0	216.5

175' So of Dalmouth

E.L.		6.4	216.1
-		6.8	215.7
1/2		6.9	215.6
Ct.		7.1	215.4
1/2		7.2	215.3
-		7.1	215.4
W.L.		7.3	215.2

(200) 200' So of Dalmouth

W.L.	222.48	7.7	214.8
-		7.6	214.9
1/2		7.5	215.0
Ct.		7.4	215.1
1/2		7.3	215.2
-		7.2	215.3
East L.		6.8	215.7

3.07 218.12 7.43 215.05

225' East Dalmouth

W.L.		3.9	214.2
-		3.7	214.4
1/2		3.7	214.4
Ct.		3.6	214.5
1/2		3.4	214.7
-		3.4	214.7
East L.		3.0	215.1

## 250' East of East

E.L.	218.12	3.5	214.6
-		3.9	214.2
1/2		4.0	214.1
Ch.		4.2	213.9
1/2		4.4	213.7
-		4.6	213.5
W.L.		4.5	213.6

## 275' East of East

W.L.		5.7	212.4
-		5.5	212.6
1/2		5.2	212.9
Ch.		5.0	213.1
1/2		4.7	213.4
-		4.5	213.6
E.L.		4.2	213.9

## (300) 170° line at Harvard

East L.	4.7	213.4
-	5.1	213.0
1/2	5.3	212.8
Ch.	5.6	212.5
1/2	6.0	212.1
-	6.2	211.9
W.L.	6.3	211.8

## 170° East line at Harvard

W.L.	6.4	211.5
-	6.4	211.7
1/2	6.0	212.1
Ch.	6.0	211.5
1/2	5.7	212.4
-	5.7	212.7
East L.	5.0	213.1



## No 1/2 Line at Harvard

East L.	21812	5.2	2129
-		5.6	212.5
1/2		5.9	212.2
Ch.		6.2	211.9
1/2		6.4	211.7
-		6.8	211.3
W.L.		7.0	211.1

## Center Line at Harvard

W.L.		7.8	210.8
-		6.9	211.2
1/2		6.5	211.6
Ch.		6.4	211.7
1/2		6.0	212.1
-		5.8	212.5
E.L.		5.3	212.8

## No 1/2 of H.

East L.		5.7	212.9
-		5.8	212.3
1/2		6.2	211.9
Ch.		6.4	211.7
1/2		6.7	211.4
-		7.0	211.1
W.L.		7.4	210.7

## No Curt at Harv

W.L.		7.5	210.6
-		7.0	211.1
1/2		6.9	211.2
Ch.		6.4	211.7
1/2		6.1	212.0
-		5.9	212.2
E.L.		5.4	212.7

## So Line at Hartford

East L.	218.12	5.3	212.8
-		5.7	212.4
1/4		6.0	212.1
Ct.		6.4	211.7
1/4		6.7	211.4
-		7.1	211.0
W L.		7.5	210.6

## 25' So of Harvard

W L.		7.0	211.1
-		6.6	211.5
1/4		6.2	211.9
Ct.		5.9	212.2
1/4		5.7	212.4
-		5.4	212.7
East L.		5.1	213.0

## 50' So of Hawk

East		4.6	213.5
-		5.0	213.1
1/4		5.1	213.0
Ct.		5.4	212.7
1/4		5.6	212.5
-		6.1	212.0
West L.		6.5	211.6

## 75' So of H.

W L.		6.7	211.9
-		5.3	212.8
1/4		5.0	213.1
Ct.		4.8	213.3
1/4		4.6	213.5
-		4.4	213.7
East L.		4.0	214.1



100' So of Sta

East L	218.12	3.6	214.5
-		4.0	214.1
1/4		4.2	213.9
1/2		4.6	213.5
3/4		4.9	213.2
-		5.3	212.8
W.L.		5.8	212.3

125' So of Sta

W.L.		5.3	212.5
-		5.1	213.0
1/4		4.5	213.6
1/2		4.7	213.9
3/4		3.9	214.2
-		3.7	214.4
E.L.		3.4	214.7

150' So of Sta

East L.		3.4	214.7
-		3.7	214.4
1/4		3.7	214.4
1/2		4.0	214.1
3/4		4.4	213.7
-		4.8	213.3
W.L.		5.4	212.7

175' So of Sta

W.L.		5.3	212.8
-		4.8	213.3
1/4		4.3	213.8
1/2		4.1	214.0
3/4		4.1	214.0
-		4.0	214.1
E.L.		3.8	214.3

200' South of Hawk

East L.	213.2	4.5	213.6
-		4.6	213.5
1/4		4.4	213.7
Ct.		4.4	213.7
1/4		4.6	213.5
-		4.8	213.3
W.L.		5.3	212.8

225' South of Hawk

W.L.		5.7	212.4
-		5.2	212.9
1/4		4.8	213.3
Ct.		4.6	213.5
1/4		4.9	213.2
-		5.2	212.9
East L.		5.4	212.9

1.21 213.56 5.77 212.35

28th

64

250' South of Hawk

East L.	213.56	1.0	212.6
-		1.7	212.4
1/4		0.5	212.8
Ct.		0.8	212.8
1/4		0.9	212.7
-		1.1	212.5
W.L.		1.9	211.7

275' South of Hawk

W.L.		2.4	211.2
-		1.9	211.7
1/4		1.6	212.0
Ct.		1.4	212.2
1/4		1.4	212.1
-		1.9	211.7
East L.		1.5	212.1



300' No of Standard So Line of So Park

East L.	213.56	2.5	211.1
-		2.4	211.2
1/4		2.2	211.4
Ct.		2.2	211.4
1/4		2.3	211.3
-		2.4	211.0
W. L.		2.6	211.0
R.M.	2.25	211.31	on P.S. cor same

100' No of "A" = Park Line (300' So of Standard)

28th St. is 100' wide from "B" to Park Line

W. L.	2.6	211.0
Ct.	2.4	211.2
1/4	2.2	211.4
Ct.	2.2	211.4
1/4	2.7	210.9
-	2.4	211.2
East Line	2.0	211.6

75' No of A<sup>27</sup>

E. L.	213.56	3.0	210.6
-		3.3	210.3
1/4		3.3	210.3
Ct.		2.9	210.7
1/4		3.0	210.6
-		3.1	210.5
W. L.		3.6	210.0

100' No of "A"

W. L.	4.4	209.2
-	4.0	209.6
1/4	3.8	209.8
Ct.	3.8	209.8
1/4	4.2	209.4
-	4.4	209.2
East L.	3.9	209.7

2 5' Mo of 'A'

W.L.	21356	4.6	209.0
-		4.7	208.9
1/4		4.9	208.7
ct		4.8	208.8
1/4		4.6	209.0
-		4.7	208.9
W.L.		5.3	208.3

77<sup>o</sup> Line of 'A'

W.L.		6.2	207.4
-		5.6	208.0
1/4		5.4	208.2
ct		5.9	207.7
1/4		5.7	207.9
-		5.3	208.3
East L.		4.7	208.9

77<sup>o</sup> Curve Line of 'A'

W.L.		4.8	208.8
-		5.4	208.2
1/4		6.0	207.6
ct		6.3	207.3
1/4		6.3	207.3
-		6.3	207.3
W.L.		6.7	206.9

77<sup>o</sup> 1/4 of 'A'

W.L.		7.3	206.3
-		6.8	206.8
1/4		6.9	206.7
ct		6.7	206.9
1/4		6.1	207.5
-		5.7	208.2
East L.		4.8	208.8



	Center Line	"A"	
E.L.	21356	4.9	208.7
-		5.7	207.9
1/4		6.3	207.3
ct.		6.9	206.7
1/4		7.4	206.2
-		7.4	206.2
W.L.		7.7	205.9

S. 1/4 at "A"

W.L.		8.2	205.4
1-		7.9	205.7
1/4		7.8	205.8
ct.		7.3	206.3
1/4		6.5	207.1
-		5.8	207.8
E.L.		5.7	208.4

So Curve Line of A.

E.L.		5.6	208.0
-		6.1	207.5
1/4		6.6	207.0
ct.		7.4	206.2
1/4		8.2	205.4
-		8.7	204.9
W.L.		9.1	204.5

So Line of "A"

W.L.		9.4	204.2
-		9.1	204.5
1/4		8.5	205.1
ct.		7.8	205.8
1/4		7.0	206.6
-		6.4	207.2
E.L.		6.1	207.5

## 25' So of "A"

E.L.	213.56	7.1	206.5
-		7.5	206.1
1/4		8.1	205.5
Ct.		8.6	205.0
1/4		9.1	204.5
-		9.9	203.7
W.L.		10.5	203.1

## 50' So of "A"

W.L.		11.5	202.1
-		10.7	202.9
1/4		9.8	203.8
Ct.		9.3	204.3
1/4		8.8	204.8
-		8.4	205.2
East Line		8.3	205.3

0.11 203.95 9.72 203.84

## 75' So of A.

East L.	203.95	0.1	203.8
-		0.2	203.7
1/4		0.6	203.3
Ct.		1.1	202.8
1/4		1.5	202.4
-		2.3	201.6
W.L.		2.9	201.0

## 100' So of A

W.L.		4.4	199.5
-		3.9	200.0
1/4		3.3	200.6
Ct.		2.9	201.0
1/4		2.6	201.3
-		2.2	201.7
East L.		1.9	202.0



58

125' So of A

E.L.	20895	3.8	200.1
-		4.4	199.5
1/4		4.7	199.2
Ct.		5.4	198.5
1/4		6.0	197.9
-		6.4	197.5
W.L.		6.6	197.3

140' So of A"

W.L.		8.4	195.5
-		8.4	195.5
1/4		7.9	196.0
Ct.		7.4	196.5
1/4		6.8	197.1
-		6.1	197.8
E.L.		5.5	198.4

69

160' So of A"

East L.		6.7	197.2
-		7.5	196.4
1/4		8.8	195.1
Ct.		9.9	194.0
1/4		10.3	193.6
-		10.7	193.2
W.L.		11.1	192.8

175' So of A"

W.L.		13.6	190.3
-		13.4	190.5
1/4		12.5	191.4
Ct.		11.3	192.6
1/4		9.7	194.2
-		8.1	195.8
East L.		6.7	197.2

200' Soot "A"		
E.L.	203.95	5.2
-		6.3
1/4		7.7
Ct.		9.8
1/4		11.4
-		13.7
W.L.		16.7

225' Soot "A"		
W.L.		14.0
-		11.5
1/4		9.3
Ct.		7.2
1/4		5.7
-		4.5
E.L.		3.4

250' Soot "A"		
East L.		29
-		38
1/4		4.7
Ct.		5.9
1/4		7.6
-		9.7
W.L.		11.6

275' Soot "A"		
W.L.		10.0
-		8.4
1/4		7.0
Ct.		5.6
1/4		4.5
-		3.5
East L.		2.7



28<sup>th</sup> Street <sup>9</sup>/<sub>10</sub> } Hutchinson  
 } Thomas  
 } Evans

(300) 1/10<sup>th</sup> line of "B"

East Line	20395	3.0	2009
Curb		39	2000
1/4		49	1990
1/2		67	1977
3/4		71	1968
Curb		86	1953
West Line		9.6	1943
	294		201.01
	678		197.17

28<sup>th</sup> St Birch to No line So Park

11.0.6      N.S.      224.48

<sup>10</sup>/<sub>10</sub> } 71  
<sup>2</sup>/<sub>10</sub> } Thomas  
 } 213.42

No Line Dartmouth

W line		7.8	216.7
1/4		7.5	217.0
1/2		7.2	217.3
3/4		6.8	217.7
Curb		6.5	218.0
1/4		6.2	218.3
1/2		5.9	218.6
	25 No		
1/4		5.9	218.6
1/2		5.9	218.6
3/4		6.5	218.0
C		7.2	217.3
1/4		7.6	216.9
1/2		8.1	216.4
W line		8.3	216.2

28<sup>th</sup> 57

22448

30 No Dartmouth

W line	8.2	216.3
Cl	7.6	216.9
"	7.4	217.1
C	6.8	217.7
"	6.6	217.9
Cl	6.4	218.1
E line	5.9	218.6

75 No

E line	6.0	218.5
Cl	6.2	218.3
"	6.4	218.1
C	6.6	217.9
"	7.0	217.5
Cl	7.2	217.3
W line	7.5	217.0

72

100 No

W line	7.0	217.5
Cl	6.8	217.7
"	6.4	218.1
C	6.3	218.2
"	6.1	218.4
Cl	6.0	218.5
E line	6.0	218.5

125 No

E line	6.1	218.4
Cl	5.8	218.7
"	6.0	218.5
C	6.1	218.4
"	6.2	218.3
Cl	6.3	218.2
W line	6.4	218.1



28<sup>th</sup> St

22448

150 No Dartmouth

W line	5.9	218.6
Cl	5.9	218.6
1/4	6.0	218.6
C	5.8	218.7
1/4	5.9	218.6
Cl	5.6	218.9
E line	6.2	218.3

175 No

E line	6.1	218.4
Cl	5.4	219.1
1/4	4.9	219.6
C	5.0	219.5
1/4	4.9	219.6
Cl	5.0	219.5
W line	5.2	219.3

73

200 No

W line	4.3	220.2
Cl	4.3	220.2
1/4	4.0	220.5
C	4.1	220.4
1/4	4.5	220.0
Cl	4.7	219.8
E line	5.3	219.2

225 No

E line	5.2	219.3
Cl	4.6	219.9
1/4	4.5	220.0
C	4.3	220.2
1/4	3.8	220.7
Cl	3.7	220.8
W line	3.9	220.6

2 P<sup>th</sup> St

224 VP

250 No. Dartmouth

W line	3.6	220.9
Cl	3.4	221.1
1/4	3.4	221.1
C	3.8	220.7
1/4	4.2	220.3
Cl	4.6	219.9
E line	5.2	219.3

275 No.

E line	5.1	219.4
Cl	4.4	220.1
1/4	4.0	220.5
C	3.7	220.8
1/4	3.3	221.2
Cl	3.1	221.4
W line	3.3	221.2

74

50 Line Amherst

W line	3.0	221.5
Cl	2.8	221.7
1/4	3.1	221.4
C	3.5	221.0
1/4	3.7	220.8
Cl	4.4	220.1
E line	5.3	219.2

20 Cl

E line	5.3	219.2
Cl	4.3	220.2
1/4	3.6	220.9
C	3.2	221.3
1/4	2.9	221.6
Cl	2.9	221.6
W line	2.9	221.6



24th 51

22448

50 1/4 Amhurst

Wline	3.0	221.5
Cl	2.7	221.8
1/4	2.6	221.9
C	3.0	221.5
1/4	3.3	221.2
Cl	3.8	220.7
Eline	5.2	219.3

Ctr Amhurst

Eline	4.9	219.6
Cl	4.1	220.4
1/4	3.4	221.1
C	3.1	221.4
1/4	2.9	221.6
Cl	2.9	221.6
Wline	3.1	221.4

75

No 1/4 Amhurst

Wline	3.1	221.4
Cl	3.1	221.4
1/4	3.0	221.5
C	3.1	221.4
1/4	3.4	221.1
Cl	3.8	220.7
Eline	4.5	220.0

No Cl

Eline	4.8	219.7
Cl	4.1	220.4
1/4	3.6	220.9
C	3.5	221.0
1/4	3.1	221.4
Cl	2.9	221.6
Wline	3.0	221.5

28<sup>th</sup> St

22448

No line Ambient

Wline	2.7	221.8
Cl	2.7	221.8
1/4	2.9	221.6
C	3.6	220.9
1/4	3.9	220.6
Cl	4.4	220.1
Eline	4.9	219.6

25' No

Eline	5.1	219.4
Cl	4.6	219.9
1/4	4.3	220.2
C	3.9	220.6
1/4	3.5	221.0
Cl	3.1	221.4
Wline	3.0	221.5

76


50' No

Wline	3.6	220.9
Cl	4.0	220.5
1/4	4.3	220.2
C	4.6	219.9
1/4	5.0	219.5
Cl	5.3	219.2
Eline	5.7	218.8

75' No

Eline	6.4	218.1
Cl	6.2	218.3
1/4	5.8	218.7
C	5.6	218.9
1/4	5.2	219.3
Cl	4.8	219.7
Wline	4.6	219.9





2244 28<sup>th</sup> St 1919

108' No Amherst

Wline	5.5	219.0
Cl	5.6	218.9
1/4	5.9	218.6
C	6.4	218.1
1/4	6.7	217.8
Cl	7.0	217.5
E line	7.3	217.2

125' No

E line	8.2	216.3
Cl	7.8	216.7
1/4	7.5	217.0
C	7.2	217.3
1/4	6.9	217.6
Cl	6.4	218.1
W line	6.2	218.3

2 P<sup>th</sup> St

224.48

150 No Amhurst

Wline 6.7 217.8

Cl 7.0 217.5

" 7.4 217.1

C 7.5 217.0

" 8.0 216.5

cl 8.4 216.1

Eline 8.8 215.7

+ 191.40 Eline + 190.25 WL = No line

Eline 9.4 215.1

Cl 8.8 215.1

" 8.4 216.1

C 7.9 216.6

" 7.6 216.9

Cl 7.2 217.3

Wline 7.0 217.5

50 Park Ave.



TRAVERSE TABLE FOR TRANSIT BOOK.

From 1° to 90° for a distance of 100.

Degrees	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
0			100.00	0.44	100.00	0.87	99.99	1.31	89
1	99.98	1.75	99.98	2.18	99.97	2.62	99.95	3.05	88
2	99.94	3.49	99.92	3.93	99.91	4.36	99.88	4.60	87
3	99.86	5.23	99.84	5.67	99.81	6.10	99.79	6.54	86
4	99.76	6.98	99.73	7.41	99.69	7.55	99.66	8.28	85
5	99.62	8.72	99.58	9.15	99.54	9.58	99.50	10.02	84
6	99.45	10.45	99.41	10.89	99.36	11.32	99.31	11.75	83
7	99.25	12.19	99.20	12.62	99.14	13.05	99.09	13.49	82
8	99.03	13.92	98.97	14.35	98.90	14.78	98.84	15.21	81
9	98.77	15.64	98.70	16.07	98.63	16.50	98.56	16.93	80
10	98.48	17.36	98.40	17.79	98.33	18.22	98.25	18.65	79
11	98.16	19.08	98.08	19.51	97.99	19.94	97.90	20.38	78
12	97.81	20.79	97.72	21.22	97.63	21.64	97.53	22.07	77
13	97.44	22.50	97.34	22.92	97.24	23.34	97.13	23.77	76
14	97.03	24.19	96.92	24.62	96.81	25.04	96.70	25.46	75
15	96.59	25.88	96.48	26.30	96.36	26.72	96.25	27.14	74
16	96.13	27.56	96.00	27.98	95.88	28.40	95.76	28.82	73
17	95.63	29.24	95.50	29.65	95.37	30.07	95.24	30.49	72
18	95.11	30.90	94.97	31.22	94.83	31.73	94.69	32.14	71
19	94.55	32.56	94.41	32.97	94.26	33.38	94.12	33.79	70
20	93.97	34.20	93.82	34.61	93.67	35.02	93.51	35.43	69
21	93.36	35.84	93.20	36.24	93.04	36.65	92.88	37.06	68
22	92.72	37.46	92.55	37.86	92.39	38.27	92.22	38.67	67
23	92.05	39.07	91.88	39.47	91.71	39.87	91.53	40.27	66
24	91.35	40.67	91.18	41.07	91.00	41.47	90.81	41.87	65
25	90.63	42.26	90.45	42.66	90.26	43.05	90.07	43.44	64
26	89.88	43.84	89.69	44.23	89.49	44.62	89.30	45.01	63
27	89.10	45.40	88.90	45.79	88.70	46.17	88.50	46.56	62
28	88.29	46.95	88.09	47.33	87.88	47.72	87.67	48.10	61
29	87.46	48.48	87.25	48.86	87.04	49.24	86.82	49.62	60
30	86.60	50.00	86.38	50.38	86.16	50.75	85.94	51.13	59
31	85.72	51.50	85.49	51.88	85.26	52.25	85.04	52.62	58
32	84.80	52.99	84.57	53.36	84.34	53.73	84.10	54.10	57
33	83.87	54.46	83.63	54.83	83.39	55.19	83.15	55.56	56
34	82.90	55.92	82.66	56.28	82.41	56.64	82.16	57.00	55
35	81.92	57.36	81.66	57.71	81.41	58.07	81.16	58.42	54
36	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	53
37	79.86	60.18	79.60	60.53	79.34	60.88	79.07	61.22	52
38	78.80	61.57	78.53	61.91	78.26	62.25	77.99	62.59	51
39	77.71	62.93	77.44	63.27	77.16	63.61	76.88	63.94	50
40	76.60	64.28	76.32	64.61	76.04	64.94	75.76	65.28	49
41	75.47	65.61	75.18	65.93	74.90	66.26	74.61	66.59	48
42	74.31	66.91	74.02	67.24	73.73	67.56	73.43	67.88	47
43	73.14	68.20	72.84	68.52	72.54	68.84	72.24	69.15	46
44	71.93	69.47	71.63	69.78	71.33	70.09	71.02	70.40	45
45	70.71	70.71							
Degrees.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Degrees.
	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		

Published by H. S. CROCKER COMPANY, Stationers, Drawing Materials, Mathematical Instruments, etc., San Francisco.