

OMB No. 1218-0072

Identity # 530514, 530515, 53	0516 Name Waxie-Green Dish Kleenz	
Section 1 Manufactured For - Waxie San Address - 9353 Waxie Way City - San Diego State - CA	itary Supply Emergency Phone (Chem-Tel) 1-(800) 255-3924 \ 92123-1036 Phone - (800) 995-4466	
Date Prepared- 9/8/2009)	
Section 2 - Hazardous Ingredients	Identity Information	
Hazardous Components	CAS# OSHA PEL ACGIH TLV Weight% (Optional)	
Anionic Surfactant Non-ionic Surfactant Non-formaldehyde Preservative Sodium Chloride Fragrance FD&C Yellow #5	ProprietaryN/AN/AProprietaryN/AN/AProprietaryN/AN/A7647-14-5N/AN/AProprietaryN/AN/A1934-21-015 mg/m310 mg/m3	
Note: VOC Content- None a/L		
VOC Content- None g/L Section 3 - Physical/Chemical Cha	racteristics	
	pH- 6 TO 8 Specific Gravity- 1.016 W COLOR LIQUID WITH CITRUS RANCE ADDED. Melting Point - Not Tested Evaporation Rate - Not Tested	
Section 4 - Fire and Explosion Haz	ard Data	
Flash Point- None	Flammable Limits - Not Tested	
LEL- Not Tested	UEL- Not Tested DOT# NONE	
NFPA Hazard Rating - H F (0- Least, 4- Extreme) 0 0	R S HMIS Hazard Rating - H F R 0 0 0 0 0	
Extinguishing Media- CO2, DRY	FOAM	
Special Fire Fighting Procedures	None	
Unusual Fire and Explosion Hazar	ds- None	
Section 5 - Reactivity Data		
Stability - Stable		
Conditions to Avoid - None		
Incompatible Materials to Avoid-	Cationic Materials, Strong Oxidizers, Strong Acidic materials	
Hazardous Decomposition or Bypr	oducts- CO, CO2	
Hazardous Polymerization-	None	
Conditions to Avoid-	None	Page 1of 2

Section 6 - Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible Health Hazards - Same as Signs and Symptoms of Exposures Note - All Chemicals in this Product are Found on the TSCA Inventory List. OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

5

530514

Signs and symptons of over exposure:

Eyes - Burning Sensation	
Skin-	Not Expected to be a Problem

Ingestion- Nausea, stomach ache, abdominal pains, headache, dizziness

Inhalation- Not Expected To Be A Problem

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure.

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin- Wash Off With Soap & Water

Ingestion- Drink Large Amounts of Water, Call Physician

Inhalation- Not Expected to be a Problem

Section 7 - Precautions For Safe Handling and Use.

Steps to be taken in case material is released or spilled - Contain with an inert, absorbent material. Collect in an approved container and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations. Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required. Ventilation Local Exhaust - If Available Special - None Mechanical - If Available Other - None Protective Gloves- None Eye Protection- Glasses, Goggles Other Protective Clothing or Equipment- None

Hygienic Work Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements None

Note: Waxie believes the data set forth are accurate, Waxie makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion